PRICE LIST 2023



| LEGEND: | | | | |
|----------------------------------|-----------------------------------|--|------------------|------------------|
| (I) INSTEAD OF STANDARD ELEMENT. | | (A) ADDITIONAL | (W) AVAILABLE WH | ILE STOCKS LAST. |
| | | Standing frame CAT I [™] | | |
| | | UMDNS: 17982 | | |
| STANDARD EQUIPMENT | r | | | EXW PRICES EURO |
| · Frame with castors an | nd brakes, | Chest and pelvic supports (adjustable), | | SIZE 1 |
| · Foot plate with foot s | upport and belts, | · Tray with plate, | | |
| · Gas spring, | | · Tray pad, | | |
| · Abduction block, | | Breathable upholstery ATMO[™]: GRASS. | | 1 870 |
| \cdot Chest and pelvic pade | s with safety belts (adjustable), | | | |
| | | ACCESSORIES | | |
| GROUP | SYMBOL | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| SAFETY | KTK_019 | Steel wheel with brake (125 mm) (I) | 1 | 88 |
| POSITIONING | KTK_102 | Head supporting belt | 1 | 68 |
| FUSHIONING | KTK_103 | 3D foot adjustment (U) (I) | 2 | 305 |
| COMFORT | KTK_425 | Tray with bowl (I) | 1 | 223 |

| (U) THE MAXIMUM HEIGHT | OF THE USER SHOULD BE REDUCED BY 6 CM. SEE SIZE TABLE. |
|------------------------|--|
| | |

| | | <u>Sta</u> | anding frame CAT II INVENTO [™] | | |
|------------------------|--------------------------------|------------|---|--------------|-----------------|
| | | | UMDNS: 17982 | | |
| STANDARD EQUIPME | NT | | | | EXW PRICES EURO |
| · Frame with castors a | and brakes, | | · Adjustable headrest for supine position, | | SIZE 1 |
| · Foot plate with foot | stabilization, | | Safety lock for changing the frame angle, | | |
| · Gas spring, | | | · Tilt angle indicator, | | 2 393 |
| · Adjustable knee sup | oport, | | · Innovative quadric mechanism, | | |
| · Tray, | | | · Breathable upholstery ATMO [™] – SIZE 1 GRASS, SIZE 2 SEA. | | SIZE 2 |
| · Chest and pelvic pa | ds with safety belts (adjustab | ole), | | | |
| · Chest and pelvic sup | oports (adjustable), | | | | 2 530 |
| | | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| | KTI 015 | | TANGO Wheel with brake (75 mm) (I) | 1 | 52 |
| | KII_015 | | TANGO Wheel with brake (75 mm) (A) | | 77 |
| | KTL 010 | 1 | TANGO Wheel with brake (125 mm) (I) | 1 | 74 |
| | KTI_016 | 1 | | | |

| | КТІ 016 | KTI 016 | TANGO Wheel with brake (125 mm) (I) | 1 | 74 |
|-------------------------|----------------------------------|-------------------------|-------------------------------------|---|-----|
| SAFETY | KII_010 | KTI 1 2 | TANGO Wheel with brake (125 mm) (A) | | 91 |
| | KTI_019 | | Steel wheel with brake (125 mm) (I) | 1 | 88 |
| | KTI 020 | | TANGO Wheel with brake (100 mm) (I) | 1 | 74 |
| | K11_020 | | TANGO Wheel with brake (100 mm) (A) | 1 | 91 |
| POSITIONING | KTI_102 | KTI 1 2 | Head supporting belt | 1 | 68 |
| FOSITIONING | KTI_103 | KII I Z | 3D foot adjustment (U) (I) | 1 | 305 |
| COMFORT | KTI_425 | KTI 1 2 | Tray with bowl | 1 | 223 |
| (1) ASSEMBLY WITH A TRA | Y. AVAILABLE FOR PREVIOUS VERSIO | N OF THE STANDER (W-01) | | | |

(U) THE MAXIMUM HEIGHT OF THE USER SHOULD BE REDUCED BY 6 CM. SEE SIZE TABLE.

| | | Standing frame LIFTER [™] | | |
|--|-------------------------------|-------------------------------------|--------------|-----------------|
| | | UMDNS: 17982 | | |
| STANDARD EQUIPMENT | | | | EXW PRICES EURO |
| · Frame with castors and brake | es, | · Lifting mechanism with seat, | | SIZE 1 |
| · Foot plate with foot stabilizat | ion, | · Hand rail, | | |
| Battery with controller, | | · Handset, | | 2 012 |
| · Electric actuator, | | · Charger. | | 3 913 |
| Adjustable knee support, | | | | |
| | | ACCESSORIES | | |
| GROUP | SYMBOL | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| | LTR_002 | Belt for moving patients AM-P | 1 | 142 |
| | LTR_015 LTR_016 LTR_020 | TANGO Wheel with brake (75 mm) (I) | 1 | 52 |
| | | TANGO Wheel with brake (75 mm) (A) | 1 | 77 |
| SAFETY | | TANGO Wheel with brake (125 mm) (I) | 1 | 74 |
| | | TANGO Wheel with brake (125 mm) (A) | I | 91 |
| | | TANGO Wheel with brake (100 mm) (I) | 1 | 63 |
| | 211/2020 | TANGO Wheel with brake (100 mm) (A) | I | 83 |
| POSITIONING | LTR_146 | Chest support | 1 | 388 |
| COMFORT | LTR_424 | Hand grip | 1 | 68 |
| | LIN_424 | | 2 | 136 |

| | | | Standing frame PARAPION [™] | | | |
|--|--------------------|------------|--|-------------------------------------|-----------------|----|
| | | | UMDNS: 17982 | | | |
| TANDARD EQUIPMENT | | | | | EXW PRICES EURO | |
| Frame with castors and | l brakes, | | | | SIZE 1 | |
| Foot plate with foot sta | abilization, | | | | 2 048 | |
| Pelvic brace with pelvic | | | | | SIZE 2 | |
| Chest brace with chest | belt (adjustable), | | | | 2 120 | |
| Low armpit supports, | | | | | | |
| Tray with plate (size 1), | | | | | SIZE 3 | |
| Adjustable knee suppo | rt. | | | | 2 134 | |
| GROUP | SYMBOL | SIZE | ACCESSORIES EQUIPMENT | QUANTITY PC. | EXW PRICES EURO | |
| GROOP | PPN 002 | PPN 3 | Belt for moving patients AM-P | 1 | 142 | |
| | - | | TANGO Wheel with brake (75 mm) (I) | | 52 | |
| | PPN_015 | | TANGO Wheel with brake (75 mm) (A) | 1 | 77 | |
| SAFETY | | | TANGO Wheel with brake (125 mm) (I) | | 74 | |
| JAILII | PPN_016 | PPN_016 | PPN_016 PPN 1 2 3 | TANGO Wheel with brake (125 mm) (A) | 1 | 91 |
| _ | | - | | | | |
| | | | TANGO Wheel with brake (100 mm) (I) | 1 | 63 | |
| | | | TANGO Wheel with brake (100 mm) (A) | | 83 | |
| | PPN_111 | PPN 1 2 3 | Independently adjustable knee supports (I) * | 2 | 165 | |
| DOCITIONING | PPN_112 | PPIN 1 2 5 | Forearm supports * | 2 | 291 | |
| POSITIONING | PPN_157 | | Chest support from Paramobil (1) * | 1 | 388 | |
| | PPN_158 | PPN 3 | Pelvic support from Paramobil (1) * | 1 | 421 | |
| COMFORT | PPN 403 | PPN 23 | Тгау | 1 | 243 | |
| CUSTOM-MADE. LEAD TIME 1) _157 AND _158 MUST BE U | ca. 30 DAYS. | 1 | | 1 | | |

Standing frame SMART[™] UMDNS: 17982 EXW PRICES EURO SIZE 0a STANDARD EQUIPMENT Frame with castors and brakes, 1 066 Foot plate with foot stabilization, SIZE 1 1 067 Adjustable knee support, Chest brace with chest belt (adjustable), SIZE 1a Pelvic brace with pelvic belt (adjustable), 1 086 SIZE 2 Tray. 1 155 SIZE 2a 1 209 SIZE 3 1 244 SIZE 3a 1 280 SIZE 4 1 297 ACCESSORIES QUANTITY PC. EXW PRICES EURO GROUP SYMBOL SIZE EQUIPMENT SMD_002 SMD 3a4 Belt for moving patients AM-P 142 1 TANGO Wheel with brake (75 mm) (I) 52 SMD 015 1

| SAFETY | SMD_015 | | TANGO Wheel with brake (75 mm) (A) | | 77 |
|------------------------|-----------------|----------------------------|--|---|-----|
| | SMD 016 | SMD 0a 1 1a 2 2a | TANGO Wheel with brake (125 mm) (I) | 1 | 74 |
| | 3010_010 | 3 3a 4 | TANGO Wheel with brake (125 mm) (A) | | 91 |
| | SMD 020 | | TANGO Wheel with brake (100 mm) (I) | 1 | 63 |
| | 31010_020 | | TANGO Wheel with brake (100 mm) (A) | I | 83 |
| | SMD_111 | | Independently adjustable knee supports | 2 | 228 |
| | SMD 116 | CMD 0 11 22 | Longer pelvic belt (I) * | 1 | 136 |
| POSITIONING | 300_110 | SMD 0a 1 1a 2 2a 3 3a 4 | Longer pelvic belt (A) * | | 233 |
| SMD | SMD 159 | 5 5d 4 | Longer chest belt (l) * | 1 | 136 |
| | 51410_135 | | Longer chest belt (A) * | | 233 |
| * CUSTOM-MADE. LEAD TI | ME ca. 30 DAYS. | · | | | |
| | | | | | |

| | | <u>Standing</u> | <u>I frame ASTRIDE[™] - VERSION 2023</u> | | |
|-------------------------|-----------------------------------|-------------------------|--|--------------|-----------------|
| | | | UMDNS: 17982 | | |
| STANDARD EQUIPMEN | IT | | | | EXW PRICES EURO |
| · Platform with a scale | for the angle of foot abduct | tion, | Pelvic belt with pelvic rotation function *, | | SIZE 1 |
| · The abduction funcion | on allows the feet to be posit | ioned in the desired | Tray with smooth height adjustment, | | |
| abduction, | | | · Swivel wheels with independent brakes. | | |
| · Foot stabilizers with | safety straps, | | · | | |
| · Standing frame colu | mn adjustable in height, sup | ported by a gas spring, | | | 1 150 |
| 5 | soft knee caps, independentl | , , , , , , | | | 1 150 |
| | adjustable lower limb spacir | , , | | | |
| | | | | | |
| | | | | | |
| | | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| POSITIONING | AST_176 | AST 1 | Chest belt with mounting tubes * | 1 | 280 |
| | PELVIC BELT AND CHEST BELT IN Pur | TM | | | |

| | | | Standing frame PARAMOBIL TM UMDNS: 17982 | | |
|---|--|---------------|---|---|---|
| TANDARD EQUIPMENT | 7 | | | | EXW PRICES EUR |
| TATIC - DYNAMIC - F | REHABILITATION MODULE | | | | |
| Frame with castors an | d brakes, | | · Forearm supports with grips, | | |
| Foot stabilization, | | | · Tray, | | 4 076 |
| Knee stabilization with | n adjustable knee supports, | | · Separator of lower limbs, | | |
| | t support (adjustable), | | · Electric-mechanic rotor, | | |
| TATIC REHABILITATIO | ON - MODULE | | | | |
| Frame with castors an | d brakes, | | · Forearm supports with grips, | | |
| Foot stabilization, | | | · Tray, | | 3 977 |
| | n adjustable knee supports, | | Electric-mechanic rotor, | | |
| | t support (adjustable), | | · Wide or narrow seat. | | |
| YNAMIC - REHABILIT | | | | | |
| Frame with castors an | | | Electric-mechanic rotor, | | 2 5 9 7 |
| | t support (adjustable), | | · Wide or narrow seat. | | 3 587 |
| | ic support (adjustable), | | | | |
| Forearm supports with EHABILITATION MOD | | | | | |
| Frame with castors an | | | · Wide or narrow seat. | | |
| | t support (adjustable), | | · Wide of harrow seat. | | 3 427 |
| | ic support (adjustable), | | | | 5 721 |
| Forearm supports with | | | | | |
| TATIC - DYNAMIC M | • | | | | |
| Frame with castors an | | | · Tray, | | |
| | t support (adjustable), | | · Foot stabilization, | | 2 786 |
| | ic support (adjustable), | | · Knee stabilization with adjustable knee supports, | | |
| Separator of lower lim | ••••• | | · Wide or narrow seat. | | |
| TATIC MODULE | | | | | |
| Frame with castors an | d brakes, | | · Foot stabilization, | | |
| Chest brace with ches | t support (adjustable), | | Knee stabilization with knee adjustable supports. | | 2 626 |
| Pelvic brace with pelvi | ic support (adjustable), | | | | |
| Forearm supports with | h grips, | | | | |
| | | | | | |
| YNAMIC MODULE | | | | | |
| YNAMIC MODULE Frame with castors an | d brakes, | | | | |
| Frame with castors an | d brakes, t support (adjustable), | | | | 2 225 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi | t support (adjustable), ic support (adjustable), | | | | 2 225 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi | t support (adjustable), ic support (adjustable), | | | | 2 225 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, | SI7F | ACCESSORIES | QUANTITY PC. | |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi | t support (adjustable), ic support (adjustable), h grips, SYMBOL | SIZE PMI 3 | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 | SIZE PML 3 | EQUIPMENT Belt for moving patients AM-P | 1 | EXW PRICES EUR 142 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) | | EXW PRICES EUF 142 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) | 1 | EXW PRICES EUR 142 81 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) | 1 | EXW PRICES EUR 142 81 81 117 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) | 1 | EXW PRICES EUR 142 81 81 117 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) | 1 1 1 | EXW PRICES EUR 142 81 81 117 81 117 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_010 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (l) | 1 1 1 | EXW PRICES EUR 142 81 81 117 81 117 81 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) | 1 1 | EXW PRICES EUR 142 81 81 117 81 117 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 PML_010 PML_011 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (l) | | EXW PRICES EUR 142 81 81 117 81 117 81 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_010 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (l) Castor with fixed direction of movement (75 mm) (A) | 1 1 | EXW PRICES EUR 142 81 81 117 81 117 81 117 81 117 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 PML_010 PML_011 PML_015 | | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 81 117 57 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 PML_010 PML_011 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (75 mm) (A) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 81 117 57 85 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_009 PML_010 PML_011 PML_015 PML_016 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 81 117 57 85 85 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_008 PML_009 PML_010 PML_011 PML_015 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 81 117 57 85 85 81 100 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_009 PML_010 PML_011 PML_015 PML_016 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (A) Steel wheel with brake (125 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (l) TANGO Wheel with fixed direction of movement (125 mm) (l) TANGO Wheel with fixed direction of movement (125 mm) (A) Steel wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 PML_019 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with brake direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (A) Steel wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 100 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 PML_019 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 100 57 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 PML_019 PML_020 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (l) Castor with friction brake (75 mm) (l) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (l) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with brake direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (A) Steel wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 100 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, SYMBOL PML_002 PML_009 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 PML_019 PML_020 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (A) Castor with blockade of reverse movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (75 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 100 57 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_015 PML_016 PML_018 PML_019 PML_020 PML_023 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) | | EXW PRICES EUR 142 81 81 117 81 117 81 117 57 85 81 100 81 94 97 81 100 57 81 00 57 85 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_016 PML_018 PML_019 PML_020 PML_023 PML_023 | PML 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (A) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wh | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | EXW PRICES EUF 142 81 81 81 117 81 117 81 117 57 85 85 81 100 81 94 94 97 81 100 57 81 100 57 85 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_015 PML_016 PML_018 PML_019 PML_020 PML_023 PML_023 PML_111 PML_118 PML_120 | PML 0 1 2 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of moveme | 1 2 1 2 1 | EXW PRICES EUF 142 81 81 117 81 117 81 117 81 117 57 85 85 81 100 81 94 97 81 100 57 81 100 57 85 85 81 100 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_015 PML_016 PML_016 PML_018 PML_019 PML_020 PML_023 PML_023 PML_111 PML_118 PML_120 PML_122 | PML 0 1 2 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixe | 1 2 1 1 1 1 1 1 1 1 1 1 </td <td>EXW PRICES EUF 142 81 81 117 81 117 81 117 57 85 85 81 100 81 94 94 97 81 100 57 81 100 57 85 81 100 57 81 100</td> | EXW PRICES EUF 142 81 81 117 81 117 81 117 57 85 85 81 100 81 94 94 97 81 100 57 81 100 57 85 81 100 57 81 100 |
| Frame with castors an Chest brace with ches Pelvic brace with pelvi Forearm supports with GROUP | t support (adjustable), ic support (adjustable), h grips, PML_002 PML_008 PML_009 PML_010 PML_011 PML_011 PML_015 PML_015 PML_016 PML_018 PML_019 PML_020 PML_023 PML_023 PML_111 PML_118 PML_120 | PML 0 1 2 3 | EQUIPMENT Belt for moving patients AM-P Steel wheel with brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with friction brake (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with blockade of reverse movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (I) Castor with fixed direction of movement (75 mm) (A) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (75 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (A) TANGO Wheel with fixed direction of movement (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (125 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (I) TANGO Wheel with brake (100 mm) (A) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of movement (75 mm) (I) TANGO Wheel with fixed direction of moveme | 1 2 1 | EXW PRICES EUF 142 81 81 81 117 81 117 81 117 57 85 81 100 81 94 94 97 81 100 57 81 100 57 85 81 100 57 81 100 57 85 81 100 94 94 94 97 267 |

(2) FOR DYNAMIC OR REHABILITATION MODULE WHEN ORDERED WITHOUT THE STATIC.



PRICE LIST - DYNAMIC STANDING FRAMES PRICES ARE VALID FROM: 07.08.2023

AVL_142

AVL_143

AVL_144

AVL_145

AVL_430

AVL_621

AVL 1 2 3 4 5

AVL 1 2 3 4 5

2345

AVL

POSITIONING

COMFORT

BUILD-UP

CUSTOM-MADE. LEAD TIME ca. 30 DAYS.

Freight Charges will be quoted separately

 LEGEND: (1) INSTEAD OF STANDARD ELEMENT.
 (A) ADDITIONAL
 (W) AVAILABLE WHILE STOCKS LAST.

 Active upright device BIOWALKER®
 UMDNS: 17982

 STANDARD EQUIPMENT

 · Adjusted adult vest, · Trunk and hip harness for patient, · Calf shells with sandals.
 SIZE 1, 2

| | Lower - extremity support OKD-32 | |
|-----------------------|--|-----------------|
| | PEDIATRIC HKAFO ORTHOSIS WALKER [®] (HKAFO) | |
| | UMDNS: 18029 | |
| STANDARD EQUIPMENT | | EXW PRICES EURO |
| · Adjustable handles, | · Knee pads, | SIZE 1 |
| · Torso belt, | · Calf pads, | 1 200 |
| · Hip belt, | Sandals with stabilizing straps. | |
| · Buttock pad, | | SIZE 2 |
| · Thigh pads, | | 1 280 |

| | | Dyna | mic standing frame ACTIVALL [™] | | |
|-----------------------|-----------------------------|-----------------------|---|--------------|----------------|
| | | | UMDNS: 17982 | | |
| TANDARD EQUIPMEN | T | | | | EXW PRICES EUR |
| | nd brakes (2 rear castors v | vith friction brake), | | | SIZE 1 |
| Lower limbs separato | | | | | 1 441 |
| Adjustable chest supp | | | | | SIZE 2 |
| Adjustable pelvic sup | port, | | | | 1 441 |
| Pelvic harness, | | | | | SIZE 3 |
| Adjustable hand grip. | | | | | 1 489 |
| | | | | | SIZE 4 |
| | | | | | 1 571 |
| | | | | | SIZE 5 |
| | | | ACCESSORIES | | 1 602 |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| GROOP | AVL_002 | AVL 5 | Belt for moving patients AM-P | 1 | 142 |
| = | AVL 008 | | Steel wheel with brake (75 mm) (I) | 1 | 74 |
| _ | ////2_000 | | Castor with blockade of reverse movement (75 mm) (I) | | 74 |
| | AVL_010 | | Castor with blockade of reverse movement (75 mm) (A) | 1 | 106 |
| = | | _ | Castor with fixed direction of movement (75 mm) (I) | 1 | 59 |
| | AVL_011 | | Castor with fixed direction of movement (75 mm) (A) | | 77 |
| _ | | _ | TANGO Wheel with brake (75 mm) (I) | 1 1 | 52 |
| | AVL_015 | | TANGO Wheel with brake (75 mm) (A) | | 77 |
| SAFETY | | | TANGO Wheel with brake (125 mm) (I) | | 74 |
| SAILII | AVL_016 | AVL 1 2 3 4 5 | TANGO Wheel with brake (125 mm) (A) | | 91 |
| _ | | | TANGO Wheel with fixed direction of movement (125 mm) (I) | 1 | 74 |
| | AVL_018 | | TANGO Wheel with fixed direction of movement (125 mm) (I) | | 85 |
| - | AVL 019 | | Steel wheel with brake (125 mm) (I) | 1 | 88 |
| _ | AVL_019 | | | 1 | 74 |
| | AVL_020 | | TANGO Wheel with brake (100 mm) (I) | 1 | |
| _ | | | TANGO Wheel with brake (100 mm) (A) | | 91 |
| | AVL_023 | | TANGO Wheel with fixed direction of movement (75 mm) (I) | 1 | 52 |
| | | | TANGO Wheel with fixed direction of movement (75 mm) (A) | | 77 |
| | AVL_112 | | Forearm supports * | 2 | 291 |
| | AVL_118 | | Hip supporting harness | 1 | 156 |
| - | 11/1 4.40 | | | 2 | |

Narrowing pad for chest support

Narrowing pad for hip support

Lower limb stabilizer

Castor bumper *

Module CROSS

Separator of lower limbs

2

2

1

1

4

1

243

243

211

211

32

1294



LEGEND: (I) INSTEAD OF STANDARD ELEMENT.

(W) AVAILABLE WHILE STOCKS LAST.

| | | Multifunction | al standing frame DALMATIAN INVENTO TM | | |
|--------------------------|-----------------------|---------------|---|--------------|----------------|
| TANDARD EQUIPMENT | | | UMDNS: 17982 | | EXW PRICES EUR |
| Frame with castors and | 1 brakes | | · Independently adjustable chest and pelvic support (size 3), | | SIZE 1 |
| Gas spring, | i brakes, | | · 4 points safety vest ('Hold & Pull' system) (1), | - | |
| Deep adjustable seat, | | | · Adjustable HexagonPro™ Headrest, | | 2671 |
| Removable and adjust | able abduction block, | | · Forearm supports, | - | SIZE 2 |
| Knee support, | | | · Tray, | | 2718 |
| Backrest, | | | Independently adjustable footrest, | - | SIZE 3 |
| Pelvic belt ('Hold & Pu | | | Innovative quadric mechanism, | - | |
| Chest support (size 1, 2 | <u><</u>), | | · Breathable upholstery ATMO [™] – size 1 GRASS, size 2 SEA, size 3 SEA. | | 2881 |
| | | READY FOR | FLEXPOINT® SYSTEM | | |
| | | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | | QUANTITY PC. | EXW PRICES EUI |
| | DMI_015 | | TANGO Wheel with brake (75 mm) (I) | 1 - | 52 |
| | | - | TANGO Wheel with brake (75 mm) (A) | | 77 |
| SAFETY | DMI_016 | DMI 1 2 3 | TANGO Wheel with brake (125 mm) (I) | 1 | 91 |
| | | | TANGO Wheel with brake (125 mm) (A) TANGO Wheel with brake (100 mm) (I) | | 63 |
| | DMI_020 | | TANGO Wheel with brake (100 mm) (A) | 1 | 83 |
| | | | | - | |
| | DMI_101 | DMI 1 2 3 | Thigh abduction belts | 1 | 106 |
| | DMI_102 | | Head supporting belt for HexagonPro™ Headrest | 1 | 68 |
| | D. // 400 | | Head supporting belt for VisoPro [™] Headrest | 1 | 75 |
| | DMI_103 | | 3D foot adjustment (U) (I) | 2 | 271 |
| _ | DMI_106 | 514.4.0 | Lower limb supporting cushion | 2 | 88 |
| | DMI_109 | DMI 1 2 | Independently adjustable side supports (I) | 2 | 194 |
| | DMI_114 | DMI 1 2 3 | H Harness (I) (1) | 1 | 77 |
| | DMI_123 | Divil 1 2 5 | H Harness (A) (1) | 1 | 99 57 |
| | DIVII_125 | | Adjustable extended headrest (I) | 1 | 139 |
| | DMI_125 | S M L XL | 6 points safety vest (I) (1) | 1 | 139 |
| | DMI_126 | | 6 points safety vest (A) (1) Trunk belt | 1 | 105 |
| | DIVII_120 | | | | 117 |
| | DMI_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | | | Foot and ankle stabilizing sandals | | |
| POSITIONING | DMI_161/2 | | (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | | | Foot and ankle stabilizing sandals | | 123 |
| | DMI_161/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | | | Foot and ankle stabilizing sandals | | |
| | DMI_161/4 | | (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | | |
| | DMI_162/1 | DMI 1 2 3 | – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | | |
| | DMI_162/2 | | 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: | | |
| | DMI_162/3 | | 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | | |
| | DMI_162/4 | | cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| | DN 41 4 62 /5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | | |
| | DMI_162/5 | | 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | DMI_168 | | VisoPro™ Headrest | 1 | 185 |
| | DMI_431/1 | | Push handle, height – 1 cm from the backrest | 1 | 88 |
| | DMI_431/2 | | Push handle, height – 19 cm from the backrest | 1 | 95 |
| COMFORT | DMI_431/2 | DMI 1 2 3 | Push handle, height – 13 cm from the backrest | 1 | 110 |
| F | DMI_453 | 4 | Seat cushion with bolster * | 1 | 95 |
| | 2111_133 | | | • | 55 |

(A) ADDITIONAL

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH ABDUCTION BLOCK OR THIGH ABDUCTION BELTS _101. (U) THE MAXIMUM HEIGHT OF THE USER SHOULD BE REDUCED BY 6 CM. SEE SIZE TABLE.

LEGEND: (I) INSTEAD OF STANDARD ELEMENT.

(A) ADDITIONAL

(W) AVAILABLE WHILE STOCKS LAST.

EXW PRICES EURO

SIZE 1

801

SIZE 2

851

SIZE 3

Positioning chair JUMBO[™]

UMDNS: 10787

STANDARD EQUIPMENT Frame with castors and brakes, Adjustable, folding footrest with feet stabilizing belts,

Seat,

Adjustable backrest,

Pelvic belt,

Medical upholstery MEDICUS[™]: MED SEA.

| dical upholstery ME | | | | | |
|---------------------|------------|---|--|--------------|----------------|
| | | | | | 978 |
| | | READY FOR | FLEXPOINT [®] SYSTEM | | |
| | | More reconstitut to the itset of the and of the | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| | SLK_101 | | Thigh abduction belts | 1 | 106 |
| | SUK 102 | | Head supporting belt for HexagonPro [™] Headrest | 1 | 68 |
| | SLK_102 | | Head supporting belt for VisoPro [™] Headrest | 1 | 75 |
| | SLK_104 | SLK 1 2 3 | HexagonPro [™] Headrest | 1 | 185 |
| | SLK_114 | JER I Z J | H Harness (I) (1) | 1 | 77 |
| | 3LK_114 | - | H Harness (A) (1) | I | 99 |
| | SLK_123 | | Adjustable extended headrest | 1 | 216 |
| | SLK_124 | | Loins support | 1 | 102 |
| | SLK_125 | S M L XL | 6 points safety vest (I) (1) | 1 | 139 |
| | 3LK_125 | 5 IVI L XL | 6 points safety vest (A) (1) | I | 185 |
| | SLK_128 | _ | Abduction block (2) | 1 | 191 |
| | SLK_130 | | 4 points safety vest (I) (1) | 1 | 77 |
| | 5EK_100 | SLK 1 2 3 | 4 points safety vest (A) (1) | 1 | 102 |
| | SLK_154 | | Knee abductor (2) | 1 | 191 |
| | SLK_155 | | Chest supports | 2 | 221 |
| | 3ER_133 | | Pelvic supports | 2 | 221 |
| | SLK_161/1 | | Foot and ankle stabilizing sandals | 2 | |
| POSITIONING | 5EK_101/1 | | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | - | |
| | SLK_161/2 | | Foot and ankle stabilizing sandals | 2 | |
| | 321(_101)2 | | (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | _ | 123 |
| | SLK_161/3 | | Foot and ankle stabilizing sandals | 2 | |
| | 321(_101/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | _ | |
| | SLK 161/4 | | Foot and ankle stabilizing sandals | 1 set | |
| | | | (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | | |
| | SLK_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | 1 set | 128 |
| | / | - | – 17 cm; IN: 6 – 7 in) | | |
| | SLK_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | 1 set | 141 |
| _ | | - | 16,5 – 20 cm; IN: 6 – 8 in) | | |
| | SLK_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: | 1 set | 141 |
| _ | | | 19 cm – 23,5 cm; IN: 7 – 9 in) | | |
| | SLK_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 set | 154 |
| _ | | | cm – 28 cm; IN: 9 – 11 in) | | |
| | SLK_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | 1 | 154 |
| | - | - | 26,5 cm – 33 cm; IN: 10 – 13 in) | | |
| | SLK_168 | | VisoPro™ Headrest | 1 | 185 |
| COMFORT | SLK_403 | SLK 1 2 3 | Тгау | 1 | 194 |
| | SLK_453 | JEN I 2 J | Seat cushion with bolster * | 1 | 95 |
| STORAGE | SLK 507 | SLK 1 2 3 | Oxygen tank holder | 1 | individual |

TI IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER.

INSTEAD OF PELVIC BELT.
 HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH ELEMENTS SLK_128, SLK_154 OR SLK_101.

2) ELEMENTS SLK_128 AND SLK_154 CANNOT BE USED TOGETHER.

| | | Pos | itioning chair ZEBRA INVENTO [™] | | |
|--------------------------------|-------------------------------|---|---|--------------|----------------|
| | | | UMDNS: 10787 | | |
| TANDARD EQUIPMEN | | | | | EXW PRICES EUR |
| Frame with castors ar | | a halta | Pelvic belt ('Hold & Pull' system), | | SIZE 1 |
| Separately adjustable Seat, | footrest with feet stabilizir | ng beits, | 4 points safety vest ('Hold & Pull' system) (2), Adjustable HexagonPro[™] Headrest, | | 1592 |
| Seat, Seat cushion, | | | · Elbow support, | | SIZE 2 |
| Adjustable abduction | block. | | · Tray, | | |
| Backrest, | | | · Gas spring, | | 1748 |
| Backrest cushion, | | | Innovative quadric mechanism, | | SIZE 3 (1) |
| Chest supports, | | | · Breathable upholstery ATMO [™] – size 1 GRASS, size 2 SEA, size 3 SEA. | | 2264 |
| | | READY FOR | FLEXPOINT [®] SYSTEM | | |
| | | Allow Were referring the in the chard of the end of the | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| | ZBI_015 | | TANGO Wheel with brake (75 mm) (I) | 1 | 52 |
| | 201010 | | TANGO Wheel with brake (75 mm) (A) | | 77 |
| | ZBI_016 | | TANGO Wheel with brake (125 mm) (I) | 1 | 74 |
| | 201_010 | | TANGO Wheel with brake (125 mm) (A) | 1 | 91 |
| | ZBI_020 | | TANGO Wheel with brake (100 mm) (I) | 1 | 63 |
| | 201_020 | | TANGO Wheel with brake (100 mm) (A) | | 83 |
| | ZBI_101 | | Thigh abduction belts | 1 | 106 |
| | 701 102 | | Head supporting belt for HexagonPro [™] Headrest | 1 | 68 |
| | ZBI_102 | | Head supporting belt for VisoPro [™] Headrest | 1 | 75 |
| | ZBI_103 | | 3D foot adjustment (U) (I) | 2 | 271 |
| | ZBI_106 | ZBI 1 2 3 | Lower limb supporting cushion | 2 | 88 |
| | ZBI_109 | ZDI 1 2 3 | Independently adjustable side supports (I) | 2 | 290 |
| | ZBI_110 | | Knee support (instead of abduction block) | 1 | 165 |
| | ZBI_114 | | H Harness (I) (2) | 1 | 77 |
| | 201_114 | | H Harness (A) (2) | | 99 |
| | ZBI_123 | | Adjustable extended headrest (I) | 1 | 57 |
| | ZBI_125 | S M L XL | 6 points safety vest (I) (2) | 1 | 139 |
| | 201_125 | J IVI L AL | 6 points safety vest (A) (2) | 1 | 185 |
| _ | ZBI_126 | _ | Trunk belt | 1 | 117 |
| | ZBI_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| POSITIONING | ZBI_161/2 | _ | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | ZBI_161/3 | _ | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| | ZBI_161/4 | _ | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| _ | ZBI_162/1 | ZBI 1 2 3 | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | ZBI_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| - | ZBI_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | ZBI_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| | ZBI_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm $-$ 33 cm; IN: 10 $-$ 13 in) | 1 set | 154 |
| F | 70, 460 | 7 | | 4 | 105 |

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (U) THE MAXIMUM HEIGHT OF THE USER SHOULD BE REDUCED BY 6 CM. SEE SIZE TABLE. (1) SIZE 3 AND OPTIONAL EQUIPMENT ARE CUSTOM-MADE. LEAD TIME ca. 30 DAYS. (2) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH ABDUCTION BLOCK OR THIGH ABDUCTION BELTS _101.

ZBI_168

ZBI_431/1

ZBI_431/2

ZBI_431/3 ZBI_453

ZBI_507

STORAGE

ZBI 1 2 3

ZBI 1 2 3

VisoPro[™] Headrest

Oxygen tank holder

Seat cushion with bolster *

Push handle, height – 1 cm from the backrest

Push handle, height – 19 cm from the backrest

Push handle, height – 31 cm from the backrest

1

1

1

1

1

1

185

89

95

110

95

individual

Positioning chair JORDITM UMDNS: 10787

STANDARD EQUIPMENT

Adjustable depth of the seat, Adjustable backrest tilt angle,

Pelvic belt,

Adjustable armrests,

Lightweight and simple construction with adjustable height, Medical upholstery MEDICUS™ MED SEA.

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
|------------|-------------|---------------|--|--------------|----------------|
| GROOT | JRI 015 | JILL | TANGO Wheel with brake (75 mm) | 1 | 77 |
| | JRI_016 | | TANGO Wheel with brake (125 mm) | 1 | 91 |
| SAFETY | JRI_018 | - JRI 1 2 3 4 | TANGO Wheel with fixed direction of movement (125 mm) | 1 | 85 |
| | JRI_020 | | TANGO Wheel with brake (100 mm) | 1 | 91 |
| | JRI_102 | | Head supporting belt for HexagonPro [™] Headrest (3) | 1 | 68 |
| | JRI_104 | - | HexagonPro [™] Headrest | 1 | 185 |
| | - | JRI 1 2 3 4 | H Harness (I) (1) (2) (4) | 1 | 77 |
| | JRI_114 | | H Harness (A) (2) (4) | 1 | 99 |
| | IDI 125 | C M L VI | 6 points safety vest (I) (2) | 1 | 139 |
| | JRI_125 | S M L XL | 6 points safety vest (A) (2) | 1 | 185 |
| | JRI_128 | | Abduction block (4) | 1 | 169 |
| | JRI_130 | | 4 points safety vest (I) (1) (2) (4) | 1 | 77 |
| | 120 | | 4 points safety vest (A) (2) (4) | 1 | 102 |
| | JRI_135 | | Hip guide (4) | 2 | 168 |
| | JRI_147 | JRI 1 2 3 4 | 5 points feet stabilizing belts | 2 | 71 |
| | JRI_154 | | Knee abductor (4) | 1 | 123 |
| | JRI_155 | | Chest supports (4) | 2 | 153 |
| | JRI_156 | | 2 points feet stabilizing belts | 2 | 31 |
| | JRI_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) (5) | 2 | |
| OSITIONING | JRI_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) (5) | 2 | 123 |
| | JRI_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) (5) | 2 | 123 |
| | JRI_161/4 | | Foot and ankle stabilizing sandals (5) (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | JRI_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) (5) | 1 set | 128 |
| | JRI_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) (5) | 1 set | 141 |
| | JRI_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) (5) | 1 set | 141 |
| | JRI_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) (5) | 1 set | 154 |
| | JRI_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) (5) | 1 set | 154 |
| | JRI_403 | | Tray | 1 | 185 |
| COMFORT | JRI_423 | | Castors with brakes (75 mm) | 4 | 123 |
| COMFORT | JRI_431 | JRI 1 2 3 4 | Push handles | 2 | 97 |
| | JRI_453 |] | Seat cushion with bolster * | 1 | 95 |
| BUILD-UP | JRI_619 | JRI 1 2 3 4 | Footrest | 1 | 156 |
| ADDITIONAL | JRI_725 | | Medical upholstery MEDICUS [™] MED SKIN (I) (6) | 1 | 108 |
| UPHOLSTERY | JRI 739 | JRI 1 2 3 4 | Medical upholstery EXTREME-MED [™] PILLAR BOX (I) (6) (W) | 1 | 108 |

1) INSTEAD OF PELVIC BELT.

INSTEAD OF PEURCELL.
 HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH _128 OR _154.
 TO MOUNT THE BELT IT IS NECESSARY TO MOUNT THE HEADREST _104. THE HEADREST IS NOT A STANDARD EQUIPMENT.
 THE PRICE OF ACCESSORIES IN OPTIONAL UPHOLSTERY COLORS INCREASES BY 20 %. LEAD TIME ca. 30 DAYS.
 TO MOUNT THE SANDALS AND DYNAMIC ANKLE STABILIZERS IT IS NECESSARY TO MOUNT THE FOOTREST JRI_619.
 LEAD TIME CA. 30 DAYS.

EXW PRICES EURO SIZE 1

758

SIZE 2

790

SIZE 3

Positioning chair KIDOO[™] UMDNS: 10787

STANDARD EQUIPMENT

Adjustable backrest tilt angle, Tilt-In-space adjustment,

Adjustable depth of the seat,

Pelvic belt,

Adjustable armrests,

Medical upholstery MEDICUS™ MED SEA.

| | | | ACCESSORIES | | |
|-------------|-----------|-----------------------|---|--------------|----------------|
| GROUP | SYMBOL | SIZE KDO 1 2 3 4 5 | EQUIPMENT | QUANTITY PC. | EXW PRICES EUI |
| SAFETY | KDO_014 | KDU 1 2 3 4 5 | Skis / Rocking chair | | 117 |
| _ | KDO_101 | _ | Thigh abduction belts | 1 | 106 |
| _ | KDO_102 | | Head supporting belt for HexagonPro™ Headrest (5) | 1 | 68 |
| | KDO_104 | KDO 1 2 3 4 5 | Head supporting belt for VisoPro [™] Headrest (5) HexagonPro [™] Headrest | 1 | 75 |
| | KDO_104 | - | H Harness (I) (1) (6) | 1 | 77 |
| | KDO_114 | | H Harness (A) (6) | 1 | 99 |
| _ | | | 6 points safety vest (I) (6) | | 139 |
| | KDO_125 | S M L XL | 6 points safety vest (A) (6) | 1 | 185 |
| | KDO_128 | | Abduction block (2) | 1 | 191 |
| | KDO 130 | | 4 points safety vest (I) (1) (2) (6) | 1 | 77 |
| | KDO_130 | | 4 points safety vest (A) (2) (6) | 1 | 102 |
| | KDO_134 | | Narrowing pads 6 cm (2) | 2 | 116 |
| | KDO_137 | | Narrowing pads 10 cm (2) | 2 | 116 |
| | KDO_154 | _ | Knee abductor (2) | 1 | 191 |
| | KDO_155 | _ | Chest supports (2) | 2 | 220 |
| | KDO_161/1 | - KDO 1 2 3 4 5 | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) (7) | 2 | |
| POSITIONING | KDO_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) (7) | 2 | 122 |
| | KDO_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) (7) | 2 | 123 |
| | KDO_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) (7) | 2 | |
| | KDO_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) (7) | 1 set | 128 |
| | KDO_162/2 | | Dynamic ankle stabilizers (FP-22) (7) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | KDO_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) (7) | 1 set | 141 |
| | KDO_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) (7) | 1 set | 154 |
| | KDO_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm $-$ 33 cm; IN: 10 $-$ 13 in) (7) | 1 set | 154 |
| | KDO_168 | | VisoPro™ Headrest | 1 | 185 |
| | KDO_403 | | Тгау | 1 | 200 |
| | KDO_431/1 | | Push handle, height – 1 cm from the backrest | 1 | 89 |
| COMFORT | KDO_431/2 | KDO 1 2 3 4 5 | Push handle, height – 19 cm from the backrest | 1 | 95 |
| | KDO_431/3 | | Push handle, height – 31 cm from the backrest | 1 | 110 |
| | KDO_453 | | Seat cushion with bolster * | 1 | 95 |
| | KDO_616 | KDC 100.15 | Footrest with 2 points feet stabilizing belts | 1 | 247 |
| BUILD-UP | KDO_618 | KDO 1 2 3 4 5 | Mobile base with footrest and 2 points feet stabilizing belts (3) | 1 | 277 |
| DDITIONAL | KDO_725 | KDO 1 2 2 4 5 | Medical upholstery MEDICUS™ (MED SKIN / MED GREEN / MED RED / MED LILAC / MED GRAY) (I) (4) | 1 | 108 |
| UPHOLSTERY | KDO_739 | KDO 1 2 3 4 5 | Medical upholstery EXTREME-MED [™] PILLAR BOX (I) (4) (W) | 1 | 108 |

IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK OR KNEE ABDUCTOR WHILE USING THE SEAT CUSHION WITH BOLSTER.
(1) INSTEAD OF PELVIC BELT.
(2) THE PRICE OF ACCESSORIES IN OPTIONAL UPHOLSTERY COLORS INCREASES BY 20 %. LEAD TIME ca. 30 DAYS.
(3) WOODEN FOR SIZE 1 – 4; METAL FOR SIZE 5.
(4) LEAD TIME CA. 30 DAYS.
(5) TO MOUNT THE BELT IT IS NECESSARY TO MOUNT THE HEADREST _104 / KDO_168. THE HEADREST IS NOT A STANDARD EQUIPMENT.
(6) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH _101, _128 OR _154.
(7) TO MOUNT SANDALS OR DYNAMIC ANKLE STABILIZERS IT IS NECESSARY TO MOUNT KDO_616 OR KDO_618.

EXW PRICES EURO

| SIZE 1 |
|--------|
| 758 |
| SIZE 2 |
| 790 |
| SIZE 3 |
| 826 |
| SIZE 4 |
| 891 |
| SIZE 5 |
| 965 |

PRICE LIST - SPECIAL NEEDS STROLLERS

LEGEND:

(I) INSTEAD OF STANDARD ELEMENT. (W) AVAILABLE WHILE STOCKS LAST. (A) ADDITIONAL Special needs stroller DOMINATOR[™] UMDNS: 18139 EXW PRICES EURO STANDARD EQUIPMENT Foldable frame, Adjustable pelvic supports, SIZE 2 Adjustable push handle. · Abduction block, Hand brake, · Seat cushion, 3 800 Adjustable chest supports, Side covers for calves, · Footrest with 5-point feet stabilizing belts, Side tubes protectors, SIZE 3 Adjustable armrests, · Tilt-in-space adjustment, Adjustable head supports, · Inflatable rear wheels with drum brake, Backrest with heigh and tilt angle adjustment, · Inflatable front wheels. 3 800 Chest belt, · NEW: VOYAGER backpack. ACCESSORIES GROUP SYMBOL SIZE EQUIPMENT QUANTITY PC. EXW PRICES EURO DTR_001 LED lights 89 2 SAFETY DTR 23 DTR 002 Belt for moving patients AM-P 1 355 DTR_101 Tigh abduction belts 1 224 Foot and ankle stabilizing sandals DTR_161/1 2 (EUR: 21 - 24, CM: 13 - 15 cm; UK: 4,5 - 7, IN: 5,1 - 5,9 in) Foot and ankle stabilizing sandals DTR 161/2 2 (EUR: 25 - 27, CM: 15 - 17 cm; UK: 7,5 - 9,5, IN: 5,9 - 6,7 in) 307 Foot and ankle stabilizing sandals 2 DTR_161/3 (EUR: 27 - 31, CM: 17 - 19,5 cm; UK: 9 - 12, IN: 6,7 - 7,7 in) Foot and ankle stabilizing sandals 2 DTR_161/4 (EUR: 31 - 35, CM: 19,5 - 22,4 cm; UK: 12 - 2,5, IN: 6,7 - 8,8 in) DTR 23 Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 253 DTR 162/1 1 set - 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: DTR_162/2 1 set 279 16,5 - 20 cm; IN: 6 - 8 in) POSITIONING Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 1 set 279 DTR 162/3 19 cm - 23,5 cm; IN: 7 - 9 in) Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 DTR_162/4 1 set 306 cm - 28 cm; IN: 9 - 11 in) Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: DTR_162/5 1 set 306 26,5 cm - 33 cm; IN: 10 - 13 in) Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, DTR 2 1 748 DTR_170/2 depth 21 cm, height 23 cm) * Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, DTR_170/3 DTR 23 1 825 depth 24 cm, height 25 cm) * Pelvis stabilizer (FP-16) (size XL, pelvic width 38 - 45 cm, DTR 3 1 902 DTR_170/4 depth 30 cm, height 27 cm) * 89 DTR 402 Umbrella 1 DTR_405 Folding canopy 1 244 170 DTR_408 Rain cover * 1 49 DTR 409 Mosquito net * 1 DTR_411 Cup holder 1 68 COMFORT DTR 23 DTR_415 4 21 Wheel covers DTR_417 Winter footmuff with muffs 1 350 DTR_447 Winter muffs 2 32 DTR 452 Phone holder 1 23 DTR_453 Seat cushion with bolster ** 1 95 DTR_501 Bag 106 1 DTR_506 Carrier bag for the stroller 1 231 DTR 23 STORAGE DTR_509 Organizer bag 1 108 DTR_512 FLASH backpack 1 100

* ONLY WITH FOLDING CANOPY (DTR_405).

** IT IS NOT POSSIBLE TO USE THE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER.

(1) SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN

| | Special needs stroller DOMINATOR EVO TM | |
|--|---|-----------------|
| | UMDNS: 18139 | |
| STANDARD EQUIPMENT | | EXW PRICES EURO |
| · Foldable frame, | · Adjustable pelvic supports, | SIZE 2 |
| · Adjustable push handle, | · Abduction block, | |
| · Hand brake, | · Seat cushion, | 3 800 |
| · Adjustable chest supports, | · Side covers for calves, | 5 800 |
| · Side tubes protectors, | Footrest with 5-point feet stabilizing belts, | |
| · Adjustable armrests, | · Tilt-in-space adjustment, | SIZE 3 |
| · Adjustable head supports, | Inflatable rear wheels with drum brake, | |
| · Backrest with heigh and tilt angle adjustment, | · Front swivel wheels with direction blockade, | 3 800 |
| · Chest belt, | · NEW: VOYAGER backpack. | 5 800 |
| · Chest belt, | · NEW: VOYAGER backpack. | |

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EU |
|------------|-----------|--------|---|--------------|---------------|
| 6 4 5 5 TV | DTE_001 | | LED lights | 2 | 89 |
| SAFETY | DTE_002 | DTE 23 | Belt for moving patients AM-P | 1 | 355 |
| | DTE_101 | | Tigh abduction belts | 1 | 224 |
| | DTE_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | DTE_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 307 |
| | DTE_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 507 |
| | DTE_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | DTE_162/1 | DTE 23 | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 $-$ 17 cm; IN: 6 $-$ 7 in) | 1 set | 253 |
| | DTE_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5 - 20$ cm; IN: $6 - 8$ in) | 1 set | 279 |
| | DTE_162/3 | - | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 279 |
| | DTE_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 306 |
| | DTE_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm $-$ 33 cm; IN: 10 $-$ 13 in) | 1 set | 306 |
| | DTE_170/2 | DTE 2 | Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, depth 21 cm, height 23 cm) * | 1 | 748 |
| | DTE_170/3 | DTE 23 | Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, depth 24 cm, height 25 cm) * | 1 | 825 |
| | DTE_170/4 | DTE 3 | Pelvis stabilizer (FP-16) (size XL, pelvic width 38 - 45 cm, depth 30 cm, height 27 cm) * | 1 | 902 |
| | DTE_402 | | Umbrella | 1 | 89 |
| | DTE_405 | | Folding canopy | 1 | 244 |
| | DTE_408 | | Rain cover * | 1 | 170 |
| | DTE_409 | | Mosquito net * | 1 | 49 |
| | DTE_411 | | Cup holder | 1 | 68 |
| COMFORT | DTE_415 | DTE 23 | Rear wheel covers | 2 | 11 |
| | DTE_417 | | Winter footmuff with muffs | 1 | 350 |
| | DTE_442 | | Front wheel covers | 2 | 8 |
| | DTE_447 | | Winter muffs | 2 | 32 |
| | DTE_452 | | Phone holder | 1 | 23 |
| | DTE_453 | | Seat cushion with bolster ** | 1 | 95 |
| | DTE_501 | | Bag | 1 | 106 |
| STORAGE | DTE_506 | | Carrier bag for the stroller | 1 | 231 |
| JUNAGE | DTE_509 | DTE 23 | Organizer bag | 1 | 108 |
| - | DTE_512 | | FLASH backpack | 1 | 100 |

* ONLY WITH FOLDING CANOPY (DTE_405). ** IT IS NOT POSSIBLE TO USE THE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN

| | Special needs stroller HIPPO+ TM | |
|--|---|-----------------|
| | UMDNS: 18139 | |
| STANDARD EQUIPMENT | | EXW PRICES EURO |
| Foldable frame with wheels and rear brake, | Adjustable push handle made of ECO leather, | SIZE 1 |
| · Drive system with shock absorbers, | · Leg cover, | |
| · Under seat storage basket, | Front PU swivel wheels with direction blockade – quick release, | |
| · Adjustable footrest with supporting belt, | · Rear PU wheels with central brake – quick release, | 1034 |
| Removable abduction block, | · Front rail, | |
| Reclining backrest, | · Rain cover, | |
| Adjustable lateral supports, | · Bag, | SIZE 2 |
| 5 points safety belts, | · Reduction set consisting of additional seat (size 1), | |
| Adjustable headrest, | · Lumbar pad (size 1), | |
| Adjustable folding canopy, | · Waterproof upholstery HYDRO™ | 1077 |
| · Detachable and reversible seat unit, | LOTUS / ANEMON / DENIM / FLAMING / MELANGE / VULCANO / AQUA (1). | |
| | | |
| | ACCESSORIES | · |

| GROUP | SYMBOL | SIZE | EQUIPMENT | 1 | EXW PRICES EU |
|---------------|--------------|---------|--|-------|---------------|
| SAFETY | HPO_001 | HPO 1 2 | LED lights | 2 | 33 |
| | HPO_101 | | Thigh abduction belts | 1 | 106 |
| | 1100 114 | HPO 1 2 | H Harness (I) | 1 | 77 |
| | HPO_114 | | H Harness (A) | 1 | 99 |
| | HPO_124 | HPO 2 | Loins support (size 2) | 1 | 63 |
| | HPO_130 | HPO 1 2 | 4 points safety vest (I) | 1 | 82 |
| | 110_150 | HPO 12 | 4 points safety vest (A) | I | 106 |
| | HPO_137 | HPO 2 | Reduction set consisting of additional seat (size 2) | 1 | 114 |
| | HPO_138 | | Headrest with belt | 1 | 214 |
| | HPO_151 | | Depth reducing pad 3 cm | 1 | 133 |
| | HPO_152 | | Depth reducing pad 5 cm | 1 | 143 |
| | HPO_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | HPO_161/2 | _ | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| Positioning — | HPO_161/3 | _ | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| | HPO_161/4 | HPO 1 2 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | HPO_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 - 17 cm; IN: 6 - 7 in) | 1 set | 128 |
| | HPO_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | HPO_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | HPO_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| | HPO_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | HPO_402 | - | Umbrella | 1 | 89 |
| | HPO_403 | | Tray (black color) | 1 | 244 |
| | HPO_409 | | Mosquito net | 1 | 54 |
| | | 1 | Cup holder | 1 | 68 |
| COMFORT | HPO_415 | HPO 1 2 | Rear wheel covers | 2 | 11 |
| F | - HPO_442 | 1 | Front wheel covers | 2 | 8 |
| F | | 1 | Winter muffs | 2 | 32 |
| | HPO_452 | 1 | Phone holder | 1 | 23 |
| | HPO_453 | 1 | Seat cushion with bolster * | 1 | 95 |
| | HPO_506 | | Carrier bag for the stroller | 1 | 214 |
| | HPO 509 | - | Organizer bag | 1 | 97 |
| STORAGE | HPO_511 | HPO 1 2 | VOYAGER backpack | 1 | 115 |
| - | HPO_512 | 1 | FLASH backpack | 1 | 100 |

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER (1) THE LEAD TIME FOR SELECTED COLORS (DENIM / FLAMING / AQUA / VULCANO / MELANGE) MAY BE LONGER.

| | Special needs stroller AURORA® | | | | |
|---|--|-----------------|--|--|--|
| UMDNS: 18139 | | | | | |
| STANDARD EQUIPMENT | | EXW PRICES EURO | | | |
| · Foldable frame, | · Adjustable lateral supports, | SIZE 1 | | | |
| · Hard/soft suspension system (City/Comfort), | · Seat narrowing pads, | | | | |
| · Detachable and reversible seat unit, | 5 points safety belts, | 1159 | | | |
| · Fully reclining backrest converting the stroller into a lounger | · Adjustable headrest, | | | | |
| (couch function), | · Folding canopy, | | | | |
| · Tilt-in-space adjustment, | · Leg cover, | | | | |
| · Front PU swivel wheels with direction blockade – quick release, | · Front rail, | | | | |
| · Rear PU wheels with central brake – quick release, | · Rain cover, | | | | |
| · Adjustable footrest with supporting belt, | · Bag, | | | | |
| · Adjustable push handle, | Waterproof upholstery HYDRO™ | | | | |
| · Under seat storage basket, | COBALT/ DARK DENIM/ FLAMING/ MELANGE/ VULCANO/ AQUA (1). | | | | |
| · Removable abduction block, | | | | | |

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES E |
|------------|-----------|-------|--|--------------|--------------|
| SAFETY | ARO_001 | ARO 1 | LED lights | 2 | 33 |
| | ARO_101 | | Thigh abduction belts | 1 | 106 |
| | 400 114 | | H Harness (I) | 1 | 77 |
| | ARO_114 | | H Harness (A) | 1 | 99 |
| | ARO_130 | | 4 points safety vest (I) | 1 | 82 |
| | AKO_130 | | 4 points safety vest (A) | I | 106 |
| | ARO_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | ARO_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 122 |
| | ARO_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| OSITIONING | ARO_161/4 | ARO 1 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | ARO_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | ARO_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5 - 20$ cm; IN: $6 - 8$ in) | 1 set | 141 |
| | ARO_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm $-$ 23,5 cm; IN: 7 $-$ 9 in) | 1 set | 141 |
| | ARO_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm $-$ 28 cm; IN: 9 $-$ 11 in) | 1 set | 154 |
| | ARO_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | ARO_403 | | Tray (black color) | 1 | 152 |
| | ARO_409 | | Mosquito net | 1 | 38 |
| | ARO_411 | | Cup holder | 1 | 68 |
| COMFORT | ARO_415 | ARO 1 | Rear wheel covers | 2 | 11 |
| COMPORT | ARO_442 | ARU I | Front wheel covers | 2 | 8 |
| | ARO_447 | | Winter muffs | 2 | 32 |
| | ARO_452 | | Phone holder | 1 | 23 |
| | ARO_453 | | Seat cushion with bolster * | 1 | 95 |
| | ARO_509 | | Organizer bag | 1 | 97 |
| STORAGE | ARO_511 | ARO 1 | VOYAGER backpack | 1 | 115 |
| | ARO_512 | | FLASH backpack | 1 | 100 |

(2) TOTAL WIDTH OF THE HEADREST IN SIZE 1 – 23 CM.

| | Special needs stroller HARMONY [™] | | | | |
|---|---|-----------------|--|--|--|
| | UMDNS: 18139 | | | | |
| STANDARD EQUIPMENT | | EXW PRICES EURO | | | |
| · Foldable frame, | · Folding canopy, | SIZE 1 | | | |
| · Head stabilizers, | · Adjustable push handle, | | | | |
| · Adjustable chest supports, | · Under seat storage basket, | 1430 | | | |
| 5 points safety belts with pad, | · Bag, | | | | |
| · Safety rail, | · Rain cover, | | | | |
| · Removable abduction block, | Front PU swivel wheels with direction blockade – quick release, | | | | |
| · Adjustable pelvic supports, | · Rear PU wheels with central brake – quick release, | | | | |
| · Detachable and reversible seat unit, | Hard/soft suspension system (City/Comfort), | | | | |
| · Tilt-in-space adjustment, | · Waterproof upholstery HYDRO™: COBALT / VULCANO / MELANGE / FLAMING (1). | | | | |
| · Adjustable footrest with supporting belt, | | | | | |
| · Armrests, | | | | | |

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
|-------------|-----------|-------|--|--------------|----------------|
| SAFETY | HRY_001 | HRY 1 | LED lights | 2 | 33 |
| | HRY_101 | | Thigh abduction belts | 1 | 106 |
| | | | H Harness (I) | 1 | 77 |
| | HRY_114 | | H Harness (A) | 1 | 99 |
| | LIDV 120 | | 4 points safety vest (I) | 1 | 82 |
| | HRY_130 | | 4 points safety vest (A) | 1 | 106 |
| | HRY_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | HRY_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 400 |
| | HRY_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| POSITIONING | HRY_161/4 | HRY 1 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | HRY_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 $-$ 17 cm; IN: 6 $-$ 7 in) | 1 set | 128 |
| | HRY_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5-20$ cm; IN: $6-8$ in) | 1 set | 141 |
| | HRY_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | HRY_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm $-$ 28 cm; IN: 9 $-$ 11 in) | 1 set | 154 |
| | HRY_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | HRY_403 | | Tray (black color) | 1 | 152 |
| | HRY_409 | | Mosquito net | 1 | 38 |
| | HRY_411 | | Cup holder | 1 | 68 |
| | HRY_415 | | Rear wheel covers | 2 | 11 |
| COMFORT | HRY_442 | HRY 1 | Front wheel covers | 2 | 8 |
| | HRY_445 | | Footmuff | 1 | 224 |
| | HRY_447 | | Winter muffs | 2 | 32 |
| | HRY_452 | | Phone holder | 1 | 23 |
| | HRY_453 | | Seat cushion with bolster * | 1 | 95 |
| | HRY_509 | | Organizer bag | 1 | 97 |
| STORAGE | HRY_511 | HRY 1 | VOYAGER backpack | 1 | 115 |
| | HRY_512 | | FLASH backpack | 1 | 100 |

Special needs stroller TATALU[™]

UMDNS: 18139

STANDARD EQUIPMENT

Foldable frame with seat depth adjustment,

Adjustable push handles,

5-point safety belts,

High lateral supports,

Adjustable footrest,

Front swivel PU wheels with direction blockade, · Rear PU wheels with independent brakes.

· Carrying handle for a folded stroller,

· SOFT™ Upholstery: GALAXY / GRAFEN / CORAL / GOLD / STONE / UNIVERSE.

EXW PRICES EURO

SIZE 1

992

ACCESSORIES QUANTITY PC. EXW PRICES EURO GROUP SYMBOL SIZE EOUIPMENT LED lights TTL_001 2 33 SAFETY TTL 1 TTL_013 Safety rail 1 57 106 TTL_101 Thigh abduction belts 1 TTL_104 Adjustable headrest 1 76 H Harness (I) (1) 76 TTL_114 1 H Harness (A) (1) 89 Abduction block TTL_128 1 64 4 points safety vest (I) (1) 82 TTL_130 1 4 points safety vest (A) (2) 95 Foot and ankle stabilizing sandals 2 TTL_161/1 (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals TTL_161/2 2 (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) 123 Foot and ankle stabilizing sandals 2 TTL 161/3 POSITIONING TTL 1 (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals TTL_161/4 2 (EUR: 31 - 35, CM: 19,5 - 22,4 cm; UK: 12 - 2,5, IN: 6,7 - 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 TTL_162/1 1 set 128 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 141 TTL_162/2 1 set 16.5 - 20 cm: IN: 6 - 8 in) Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: TTL_162/3 1 set 141 19 cm - 23,5 cm; IN: 7 - 9 in) Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 154 TTL_162/4 1 set cm – 28 cm; IN: 9 – 11 in) Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: TTL_162/5 1 set 154 26,5 cm - 33 cm; IN: 10 - 13 in) TTL_402 Umbrella 1 89 Tray (black color) TTL_403 1 152 1 76 TTL_405 Folding canopy TTL_408 Rain cover (2) 1 57 TTL 409 51 Mosquito net (2) 1 COMFORT TTL_411 TTL 1 Cup holder 1 68 TTL_417 Winter footmuff with muffs 1 216 140 TTL 445 Footmuff 1 TTL 447 2 32 Winter muffs 1 23 TTL_452 Phone holder TTL_453 Seat cushion with bolster * 1 95 51 TTL_501 1 Bag TTL_505 Under seat storage basket 1 57 TTL_506 Carrier bag for folded stroller 1 108 STORAGE TTI 1 97 TTL 509 Organizer bag 1 VOYAGER backpack 115 TTL_511 1 FLASH backpack 100 TTL_512 1 IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER.

1) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH FLEMENTS 101 OR 128

2) TO MOUNT THE RAIN COVER AND MOSQUITO NET THE ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.

| | | | UMDNS: 18139 | | |
|------------------------|----------------------------|-------|--|--------------|----------------|
| Foldable frame with se | | | · 5 points safety belts, | | EXW PRICES EUR |
| Push handles, | at depth adjustment, | | · Adjustable footrest, | - | SIZE I |
| | s with direction blockade, | | · Carrying handle for a folded stroller, | | |
| Rear PU wheels with in | | | · FLEX™ upholstery. | | 823 |
| | • | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| SAFETY — | MML_001 | MML 1 | LED lights | 2 | 33 |
| 5/(1211 | MML_013 | | Safety rail | 1 | 57 |
| | MML_101 | | Thigh abduction belts | 1 | 106 |
| | MML_104 | | Adjustable headrest | 1 | 76 |
| | MML_114 | | H Harness (I) (1) | 1 | 76 |
| | | | H Harness (A) (1) | • | 89 |
| | MML_128 | | Abduction block | 1 | 64 |
| | MML_130 | | 4 points safety vest (I) (1) | 1 | 82 |
| | | | 4 points safety vest (A) (1) | | 95 |
| _ | MML_148 | | High lateral supports | 2 | 64 |
| | MML_161/1 | | Foot and ankle stabilizing sandals | 2 | |
| _ | | | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | | - 123 |
| | MML_161/2 | | Foot and ankle stabilizing sandals | 2 | |
| | | | (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | | |
| POSITIONING | MML_161/3 | MML 1 | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | | - | | | |
| | MML_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | | - | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | | |
| | MML_162/1 | | - 17 cm; IN: 6 $-$ 7 in) | 1 set | 128 |
| | | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | | |
| | MML_162/2 | | 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: | 1+ | |
| | MML_162/3 | | 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | MML_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 set | 154 |
| | IVIIVIL_102/4 | | cm – 28 cm; IN: 9 – 11 in) | 1 300 | 154 |
| | MML_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | 1 set | 154 |
| | IVIIVIE_102/5 | | 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 301 | 154 |
| | MML_402 | | Umbrella | 1 | 89 |
| | MML_403 | | Tray (black color) | 1 | 152 |
| | MML_405 | | Folding canopy | 1 | 76 |
| | MML_408 | | Rain cover (2) | 1 | 57 |
| | MML_409 | | Mosquito net (2) | 1 | 51 |
| | MML_411 | | Cup holder | 1 | 68 |
| | MML_417 | | Winter footmuff with muffs | 1 | 216 |
| COMFORT | MML_445 | MML 1 | Footmuff | 1 | 140 |
| | MML_447 | | Winter muffs | 2 | 32 |
| | MML_449 | | Reversible cotton-washable pad COMFORT™ | 1 | 140 |
| | | | (ROSE / SPACE / LAVA / RUBY (W) / OCEAN / LILAC) | | |
| | MML_451 | | Cover for high lateral supports (ROSE / SPACE / LAVA / RUBY (W) / | 2 | 38 |
| | MML_452 | | OCEAN / LILAC) Phone holder | 1 | 23 |
| - | MML_452 MML 453 | | Seat cushion with bolster * | 1 | 23 95 |
| | - | | | | |
| - | MML_501 | | Bag | 1 | 51 |
| - | MML_505 | | Under seat storage basket | 1 | 57 108 |
| STORAGE | MML_506 | MML 1 | Carrier bag for folded stroller | 1 | 108 |
| - | MML_509 MML_511 | | Organizer bag VOYAGER backpack | 1 | 97 |
| F | MML_512 | | FLASH backpack | 1 | 100 |

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH ELEMENTS _101 OR _128. (2) TO MOUNT THE RAIN COVER AND MOSQUITO NET THE ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.

| | | <u>Sb</u> | ecial needs stroller KUKINI [™] | | |
|---|-----------------------------|--|--|--------------|----------------|
| | | | UMDNS: 18139 | | |
| TANDARD EQUIPMENT | | | | | EXW PRICES EUF |
| | ame equipped with a front w | neel disc brake and rear | Adjustable footrest, | | SIZE 1 |
| heel central brake, | llo | | Removable inflatable rear wheels, Removable inflatable front wheel. | | |
| Ergonomic push handle, Backrest with adjustable tilt angle and a storage pocket, | | | · Waterproof HYDRO [™] upholstery, | | 1848 |
| - | ith a magnetic fastener, | | • NEW: VOYAGER backpack. | | 1040 |
| Seat cushion with VIS | - | | NEW. VO MOER Backpack. | | |
| | , | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EU |
| SAFETY | KKN 1 | KKN 1 | LED lights | 2 | 33 |
| | KKN_134 | | Narrowing pads 6 cm | 2 | 147 |
| | KKN_137 | | Narrowing pads 10 cm | 2 | 165 |
| | KKN_147 | | 5 points feet stabilizing belts | 2 | 83 |
| | KKN_160/1 | | Shaped OCTAGON [™] headrest with the head support – size 1 | 1 | 126 |
| | | | Foot and ankle stabilizing sandals | | |
| | KKN_161/1 | | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | | | | | |
| | KKN_161/2 | KKN 161/3 Foot and ankle stabilizing sandals | (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| _ | | | | | 123 |
| | KKN_161/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | | | | | |
| POSITIONING | KKN_161/4 | | - | 2 | |
| - | | | | | |
| | KKN_162/1 | | | 1 set | 128 |
| - | | | | | |
| | KKN_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | 1 set | 141 |
| _ | | | 16,5 – 20 cm; IN: 6 – 8 in) | | |
| | KKN_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm $-$ 23,5 cm; IN: 7 $-$ 9 in) | 1 set | 141 |
| - | | _ | | | |
| | KKN_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 set | 154 |
| _ | | | cm – 28 cm; IN: 9 – 11 in) | | |
| | KKN_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | 1 set | 154 |
| | | | 26,5 cm – 33 cm; IN: 10 – 13 in) | | |
| | KKN_405 | | Folding canopy | 1 | 158 |
| | KKN_408 | | Rain cover (1) | 1 | 126 |
| | KKN_409 | | Mosquito net (1) | 1 | 38 |
| | KKN_411 | | Cup holder | 1 | 68 |
| COMFORT | KKN_415 | KKN 1 | Wheel covers | 3 | 42 |
| | KKN_417 | | Winter footmuff with muffs | 1 | 350 |
| | KKN_445 | | Footmuff | 1 | 224 |
| | KKN_447 | | Winter muffs | 2 | 33 |
| | KKN_452 | | Phone holder | 1 | 23 |
| | KKN_453 | | Seat cushion with bolster | 1 | 95 |
| | KKN_501 | | Bag | 1 | 106 |
| F | KKN_505 | | Under seat storage basket | 1 | 121 |
| STORAGE | KKN_506 | KKN 1 | Carrier bag for folded stroller | 1 | 195 |
| | KKN 509 | | Organizer bag | 1 | 107 |
| F | KKN_512 | | FLASH backpack | 1 | 100 |
| | | | | | |
| | KKN_626 | 1/1/2 + 4 | EVO module | 1 | 179 |
| BUILD-UP | KKN_630 | KKN 1 | Bicycle tow bar with a flag | 1 | 347 |
| | KKN_635 | | Tow bar linkage | 1 | 130 |

Special needs stroller AURA®

| | | | UMDNS: 18139 | | |
|--|-------------------------------|-------------------------------------|--|--------------|-----------------|
| STANDARD EQUIPMEN | т | | | | EXW PRICES EURO |
| · Foldable frame, | | | · Tilt-in-space function, | | SIZE 1 |
| · Ergonomic adjustable | e push handle, | | Adjustable footrest with length and angle adjustment, | - | |
| · Short backrest with a | djustable tilt angle, Hexagon | Pro [™] Headrest and short | · Adjustable chest and pelvic supports, | | 2137 |
| upholstery or | | | · 5-point feet stabilizing belts, | | |
| long backrest with adjustable tilt angle, adjustable head stabilizer and long upholstery, · Seat with the tilt-in-space function, · 5-point safety belts, | | | · Removable front swivel PU wheels with fixed direction of movement, | F | SIZE 2 |
| | | | Removable rear PU wheels with central brake, | | |
| | | | · Waterproof HYDRO [™] upholstery BLUE / DAISY / DARK DENIM / RED / | (| 2195 |
| | | | DARK PINK. | | |
| | | | ACCESSORIES | I | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |

| GROUP | SYMBOL | SIZE | EQUIPMENT | | EXW PRICES EUF |
|---------------|-----------|-----------|--|-------|----------------|
| SAFETY | AUR_001 | AUR 1 2 | LED lights | 2 | 33 |
| | AUR_013 | | Safety rail | 1 | 210 |
| | AUR_102 | | Head supporting belt for HexagonPro [™] Headrest | 1 | 68 |
| | AUK_102 | _ | Head supporting belt for VisoPro [™] Headrest | 1 | 76 |
| | AUR_114 | | H Harness (I) (1) | 1 | 78 |
| | //on_life | | H Harness (A) (1) | | 99 |
| | AUR_128 | - | Abduction block | 1 | 64 |
| | AUR_130 | | 4 points safety vest (I) (1) | 1 | 82 |
| _ | | - | 4 points safety vest (A) (1) | | 106 |
| | AUR_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | AUR_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 123 |
| | AUR_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 125 |
| Positioning — | AUR_161/4 | - AUR 1 2 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | AUR_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | AUR_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | AUR_162/3 | - | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | AUR_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| | AUR_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | AUR_168 | | VisoPro™ Headrest | 1 | 185 |
| | AUR_403 | - | Tray (black color) | 1 | 244 |
| | AUR_405 | | Folding canopy | 1 | 171 |
| | AUR_408 | | Rain cover (2) | 1 | 83 |
| | AUR_409 | | Mosquito net (2) | 1 | 38 |
| | AUR_411 | | Cup holder | 1 | 68 |
| | AUR_415 | | Rear wheel covers | 2 | 11 |
| COMFORT | AUR_417 | AUR 1 2 | Winter footmuff with muffs | 1 | 369 |
| | AUR_442 | | Front wheel covers | 2 | 8 |
| | AUR_444 | | Armrests | 2 | 74 |
| | AUR_445 | | Footmuff | 1 | 224 |
| | AUR_447 | | Winter muffs | 2 | 33 |
| | AUR_452 | | Phone holder | 1 | 23 |
| | AUR_453 | | Seat cushion with bolster * | 1 | 95 |
| | AUR_501 | | Bag | 1 | 106 |
| | AUR_505 | | Under seat storage basket | 1 | 57 |
| STORAGE | AUR_506 | AUR 1 2 | Carrier bag for stroller | 1 | 214 |
| JIUNAGE | AUR_509 | AUKIZ | Organizer bag | 1 | 107 |
| | AUR_511 | | VOYAGER backpack | 1 | 115 |
| | AUR_512 | | FLASH backpack | 1 | 100 |
| | AUR_607 | | Hi-Low Frame HOME | 1 | 906 |
| BUILD-UP | AUR_631 | AUR 1 2 | Long upholstery with long backrest and head stabilizer (A) | 1 | 210 |
| | AUR_632 | 1 | Short upholstery with HexagonPro™ Headrest (A) | 1 | 210 |

(1) H HARVESS AND 4 POINTS SAFETY VEST SHOULD BE USED WITH ELEMENT _128.
 (2) TO MOUNT THE RAIN COVER AND MOSQUITO NET ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.

Special needs stroller AURA HOME® UMDNS: 18139

STANDARD EQUIPMENT

Hi-Low Frame HOME,

upholstery,

Ergonomic adjustable push handle,

Short backrest with adjustable tilt angle, HexagonPro™ upholstery or

· Adjustable chest and pelvic supports,

5-point safety belts,

long backrest with adjustable tilt angle, adjustable head

| " Headrest and short | Adjustable chest and pelvic supports, Adjustable footrest with length and angle adjustment, | 2137 |
|-----------------------|--|--------|
| | · 5-point feet stabilizing belts, | SIZE 2 |
| l stabilizer and long | · Waterproof HYDRO [™] upholstery BLUE / DAISY / DARK DENIM / RED / DARK PINK. | 2195 |

EXW PRICES EURO

SIZE 1

| GROUP | SYMBOL | SIZE | ACCESSORIES EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
|------------|--------------------|-----------|--|--------------|----------------|
| SAFETY | AUH_013 | AUH 1 2 | Safety rail | 1 | 210 |
| | | | Head supporting belt for HexagonPro [™] Headrest | 1 | 68 |
| | AUH_102 | | Head supporting belt for VisoPro™ Headrest | 1 | 75 |
| _ | ALUL 114 | - | H Harness (I) (1) | 1 | 78 |
| | AUH_114 | | H Harness (A) (1) | 1 | 99 |
| | AUH_128 | | Abduction block | 1 | 64 |
| | AUH_130 | | 4 points safety vest (I) (1) | 1 | 82 |
| | A0II_130 | | 4 points safety vest (A) (1) | I | 106 |
| | AUH_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | AUH_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 123 |
| | AUH_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 125 |
| | AUH_161/4 | - AUH 1 2 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | AUH_162/1 | - | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | AUH_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5 - 20$ cm; IN: $6 - 8$ in) | 1 set | 141 |
| | AUH_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | AUH_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm $-$ 28 cm; IN: 9 $-$ 11 in) | 1 set | 154 |
| | AUH_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | AUH_168 | | VisoPro™ Headrest | 1 | 185 |
| | AUH_403 | | Tray (black color) | 1 | 244 |
| | AUH_405 | - | Folding canopy | 1 | 171 |
| | AUH_408 | - | Rain cover (2) | 1 | 83 |
| _ | AUH_409 | - | Mosquito net (2) | 1 | 38 |
| | AUH_411 | - | Cup holder | 1 | 68 |
| COMFORT | AUH_417 | AUH 1 2 | Winter footmuff with muffs | 1 | 369 |
| | AUH_444 | - | Armrests | 2 | 74 |
| | AUH_445 | - | Footmuff | 1 | 224 |
| | AUH_447 | - | Winter muffs | 2 | 33 |
| | AUH_452 | - | Phone holder | 1 | 23 |
| | AUH_453 | | Seat cushion with bolster * | 1 | 95 |
| | AUH_509 | | Organizer bag | 1 | 107 |
| STORAGE | AUH_511 | AUH 1 2 | VOYAGER backpack | 1 | 115 |
| | AUH_512 | - | FLASH backpack | 1 | 100 |
| | AUH_608 | 1 | Outdoor Frame AURA | 1 | 1849 |
| BLIILD-LIP | AUH_608 AUH_631 | AUH 1 2 | Long upholstery with long backrest and head stabilizer (A) | 1 | 210 |
| BUILD-UP | AUH_632 | | Short upholstery with HexagonPro [™] Headrest (A) | 1 | 210 |

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) H HARNESS AND 4 POINTS SAFETY VEST SHOULD BE USED WITH ELEMENT _128. (2) TO MOUNT THE RAIN COVER AND MOSQUITO NET ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.

| | | <u>spe</u> | ecial needs stroller NOVA® | | |
|--|---|------------------------|---|---|---|
| CTANDARD FORMER | NT | | UMDNS: 18139 | | |
| • Foldable frame, | NT | | · Adjustable headrest, | | EXW PRICES EURO SIZE 1, 2, 3 |
| · Removable wheels, | | | · Safety rail, | - | |
| · Adjustable wheelbas | se SmarTraction, | | · Central brake (hand brake can be ordered439, at an additional cost | t), | 1507 |
| 5 | with 2 points feet stabilizing | belts, | · Tilt-in-space adjustment, | | |
| Seat cushion, | | | Flex upholstery, | CADIT | |
| Push handle, 5 points safety belts, | | | · Waterproof upholstery HYDRO [™] size 1 AQUA, size 2 MELANGE, size 3 | CADEI. | |
| · 5 points salety bens, | 'ı | Speci | al needs stroller NOVA EVO® | | |
| | | <u>opeer</u> | UMDNS: 18139 | | |
| STANDARD EQUIPMEN | NT | | | | EXW PRICES EURO |
| · Foldable frame, | - | | · Adjustable headrest, | - | SIZE 1, 2, 3 |
| Removable rear wheels, Front swivel PU wheels, Adjustable rear wheelbase SmarTraction. | | | Safety rail, Central brake (hand brake can be ordered439, at an additional cost | r) | 1507 |
| Adjustable rear wheelbase SmarTraction, | | | Tilt-in-space adjustment, | .,, | |
| · Adjustable footrest v | with 2 points feet stabilizing | belts, | · Flex upholstery, | | |
| · Seat cushion, | | | · Waterproof upholstery HYDRO [™] size 1 AQUA, size 2 MELANGE, size 3 | CADET. | |
| · Push handle, | | | | | |
| 5 points safety belts, | , | | | | |
| | | <u>Specia</u> | I needs stroller NOVA HOME® UMDNS: 18139 | | |
| STANDARD EQUIPMEN | NT | | נוסושט אנוטאט | | EXW PRICES EURO |
| · Foldable frame, | | | · Adjustable headrest, | | SIZE 1, 2, 3 |
| | swivel wheels with the fixed | direction of movement, | · Safety rail, | | 1284 |
| | D swivel wheels with a brake, | halta | · Central brake, | | .207 |
| Adjustable footrest v Seat cushion, | with 2 points feet stabilizing | טכונא, | Tilt-in-space adjustment, Flex upholstery, | | |
| · Push handle, | | | · Waterproof upholstery HYDRO[™] size 1 AQUA, size 2 MELANGE, size 3 | CADET. | |
| · 5 points safety belts, | | | | | |
| | | | | | |
| | | READY FOR FL | EXPOINT® SYSTEM | | |
| GROUP | SYMBOL | SIZE | ACCESSORIES EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| | NVA/NVE/NVH_001 | NVA/NVE/NVH 1 2 3 | LED lights | 2 | 33 |
| SAFETY | NVA/NVE/NVH_002 | NVA/NVE/NVH 3 | Belt for moving patients AM-P | 1 | 142 |
| | NVA/NVE/NVH_101 | - | Thigh abduction belts | 1 | 106 |
| | NVA/NVE/NVH_107 | | Pelvic belt | | |
| | | - | Feivic beit | 1 | 97 |
| | NVA/NVE/NVH 114 | - | H Harness (I) (1) | 1 | 97 77 |
| | NVA/NVE/NVH_114 | - | H Harness (l) (1) H Harness (A) (1) | - 1 - | 77 99 |
| | NVA/NVE/NVH_126 | - | H Harness (I) (1) H Harness (A) (1) Trunk belt | 1 | 77 99 82 |
| | | - | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block | - 1 - | 77 99 82 191 |
| | NVA/NVE/NVH_126 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) | 1 | 77 99 82 191 82 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) | - 1 - 1 1 - 1 - | 77 99 82 191 82 82 106 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm | 1 1 1 1 2 | 77 99 82 191 82 106 147 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 NVA/NVE/NVH_137 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm | 1 1 1 1 2 2 | 77 99 82 191 82 106 147 165 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm | 1 1 1 1 2 | 77 99 82 191 82 106 147 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_147 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) | 1 1 1 1 2 2 2 2 2 | 77 99 82 191 82 106 147 165 71 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON™ headrest with the head support – size 1 | 1 1 1 2 2 2 2 1 | 77 99 82 191 82 106 147 165 71 126 |
| | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON™ headrest with the head support – size 1 Shaped OCTAGON™ headrest with the head support – size 2 Shaped OCTAGON™ headrest with the head support – size 3 Foot and ankle stabilizing sandals | 1 1 1 2 2 2 2 1 1 1 | 77 99 82 191 82 106 147 165 71 126 140 |
| DOSTRONIUS | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 | | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON ^{M} headrest with the head support – size 1 Shaped OCTAGON ^{M} headrest with the head support – size 2 Shaped OCTAGON ^{M} headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 1 - 1 1 - 1 - 1 | 77 99 82 191 82 106 147 165 71 126 140 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON ^{M} headrest with the head support – size 1 Shaped OCTAGON ^{M} headrest with the head support – size 2 Shaped OCTAGON ^{M} headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals | 1 - 1 1 - 1 - 1 | 77 99 82 191 82 106 147 165 71 126 140 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 1 1 1 2 2 2 1 1 1 1 2 | 77 99 82 191 82 106 147 165 71 126 140 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals | 1 1 1 2 2 2 1 1 1 1 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 1 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals | 1 1 1 2 2 2 1 1 1 1 2 2 2 2 1 1 1 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_147 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals | 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 1 1 1 2 2 2 1 1 1 1 2 2 2 1 1 2 2 2 2 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_133 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_133 NVA/NVE/NVH_147 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 | 77 99 82 191 82 106 147 165 71 126 140 154 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_131 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 NVA/NVE/NVH_162/2 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_133 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/3 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size X, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_130 NVA/NVE/NVH_131 NVA/NVE/NVH_131 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 NVA/NVE/NVH_162/2 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size X, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_133 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 NVA/NVE/NVH_162/2 NVA/NVE/NVH_162/3 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size K, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set 1 set 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 123 |
| POSITIONING | NVA/NVE/NVH_126 NVA/NVE/NVH_128 NVA/NVE/NVH_130 NVA/NVE/NVH_133 NVA/NVE/NVH_134 NVA/NVE/NVH_137 NVA/NVE/NVH_137 NVA/NVE/NVH_147 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/1 NVA/NVE/NVH_160/2 NVA/NVE/NVH_160/2 NVA/NVE/NVH_161/1 NVA/NVE/NVH_161/2 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/3 NVA/NVE/NVH_161/4 NVA/NVE/NVH_162/1 NVA/NVE/NVH_162/2 NVA/NVE/NVH_162/3 | NVA/NVE/NVH 1 2 3 | H Harness (I) (1) H Harness (A) (1) Trunk belt Abduction block 4 points safety vest (I) (1) 4 points safety vest (A) (1) Narrowing pads 6 cm Narrowing pads 10 cm 5 points feet stabilizing belts (I) Shaped OCTAGON [™] headrest with the head support – size 1 Shaped OCTAGON [™] headrest with the head support – size 2 Shaped OCTAGON [™] headrest with the head support – size 3 Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) Dynamic ankle stabilizers (FP-22) (size X, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 1 1 1 2 2 2 1 1 1 2 2 2 2 2 2 1 set 1 set 1 set | 77 99 82 191 82 106 147 165 71 126 140 154 123 123 |

| - | NVA/NVE/NVH_170/1 | NVA/NVE/NVH 1 | Pelvis stabilizer (FP-16) (size S, pelvic width 19 - 25 cm, depth 18 cm, height 20 cm) * | 1 | 330 |
|-------------|-------------------|-------------------|--|---|-----|
| | NVA/NVE/NVH_170/2 | NVA/NVE/NVH 1 2 | Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, depth 21 cm, height 23 cm) * | 1 | 374 |
| POSITIONING | NVA/NVE/NVH_170/3 | NVA/NVE/NVH 2 3 | Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, depth 24 cm, height 25 cm) * | 1 | 413 |
| | NVA/NVE/NVH_170/4 | NVA/NVE/NVH 3 | Pelvis stabilizer (FP-16) (size XL, pelvic width 38 - 45 cm, depth 30 cm, height 27 cm) * | 1 | 451 |
| | NVA/NVE/NVH_403 | | Tray (black color) Tray (light grey color) | 1 | 271 |
| | NVA/NVE/NVH_405 | | Folding canopy | 1 | 214 |
| | NVA/NVE/NVH_408 | NVA/NVE/NVH 1 2 3 | Rain cover (2) | 1 | 165 |
| | NVA/NVE/NVH_409 |] | Mosquito net (2) | 1 | 49 |
| | NVA/NVE/NVH_411 | - | Cup holder | 1 | 68 |
| COMFORT | NVA/NVE/NVH_412 | | Elastico seat cushion | 1 | 117 |
| | NVA/NVE _415 | NVA/NVE 1 2 3 | Wheel covers | 2 | 21 |
| | NVA/NVE/NVH_417 | NVA/NVE/NVH 1 2 3 | Winter footmuff with muffs | 1 | 349 |
| | NVA/NVE _439 | NVA/NVE 1 2 3 | Hand brake (3) | 1 | 450 |
| | NVA/NVE/NVH_445 | NVA/NVE/NVH 1 2 3 | Footmuff | 1 | 224 |
| | NVA/NVE/NVH_447 | | Winter muffs | 2 | 32 |
| | NVA/NVE/NVH_452 | | Phone holder | 1 | 23 |
| | NVA/NVE/NVH_453 | | Seat cushion with bolster ** | 1 | 95 |
| | NVA/NVE/NVH_501 | | Bag | 1 | 106 |
| | NVA/NVE/NVH_506 | - | Carrier bag for folded stroller with pockets for wheels | 1 | 196 |
| STORAGE | NVA/NVE/NVH_509 | NVA/NVE/NVH 1 2 3 | Organizer bag | 1 | 108 |
| | NVA/NVE/NVH_511 | | VOYAGER backpack | 1 | 115 |
| | NVA/NVE/NVH_512 | 1 | FLASH backpack | 1 | 100 |
| | NVA/NVE 625 | NVA/NVE 123 | HOME module | 1 | 254 |
| | NVA NVH_626 | NVA NVH 1 2 3 | EVO module | 1 | 229 |
| BUILD-UP | NVE/NVH_627 | NVE/NVH 1 2 3 | NOVA module | 1 | 229 |
| | NVA/NVE/ _630 | NVA/NVE 1 2 | Bicycle tow bar with a flag | 1 | 368 |
| | | NVA/NVE 1 2 | Tow bar linkage | 1 | 130 |
| | | | All Terrain wheels (I) (4) | 1 | 0 |
| SPARE PARTS | NVA/NVE _704 | NVA/NVE 1 2 3 | All Terrain wheels (A) (4) | 1 | 117 |

* SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN ** IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH ELEMENTS _101, _128 OR _163. (2) TO MOUNT THE RAIN COVER AND MOSQUITO NET ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT. (3) DUE TO THE IMPOSSIBILITY OF SELF-ASSEMBLY OF THE COMPONENT, THE ORDER OF THE HAND BRAKE (_439) SHOULD BE MADE AT THE ORDER STAGE. LEAD TIME ca. 30 DAYS.

4) LEAD TIME ca. 30 DAYS.

| | | <u>Spe</u> | cial needs stroller RACER® | | |
|----------------------------------|--|---|--|--------------|-----------------|
| STANDARD EQUIPMEN | NT | | UMDNS: 18139 | | EXW PRICES EURO |
| · Foldable frame, | | | · Side tubes protectors, | | SIZE 1 |
| · Footrest with 2 poin | ts feet stabilizing belts, | | · All Terrain wheels, | - | 1583 |
| Seat, | | | · Rear wheels brake, | - | SIZE 2 |
| Seat cushion, | | | · Adjustable push handle, | - | 1601 |
| Abduction block, | | | · 4 points safety vest, | - | SIZE 3 |
| Reclining backrest, Headrest, | | | Reflective safety marks, Under seat storage basket, | - | 1758 |
| Safety rail, | | | Technical upholstery + main upholstery with stabilizing side supports | Waterproof | SIZE 4 |
| Survey run, | | | upholstery HYDRO [™] / Breathable upholstery ATMO [™]). | (Waterproof | 2031 |
| | | Specia | al needs stroller RACER EVO® | | 2031 |
| | | | UMDNS: 18139 | | |
| STANDARD EQUIPMEN | NT | | | | EXW PRICES EURO |
| Foldable frame, | to fact stabilizing balts | | Side tubes protectors, Wheele with class fiber - front DU switch with direction blockede, room | with wheel | SIZE 1 |
| Seat, | its feet stabilizing belts, | | Wheels with glass fiber - front PU swivel with direction blockade, reary brake, | with wheel | 1777 |
| Seat cushion, | | | · Adjustable push handle, | - | SIZE 2 1815 |
| Abduction block, | | | · 4 points safety vest, | - | SIZE 3 |
| Reclining backrest, | | | Reflective safety marks, | - | 1885 |
| Headrest, | | | \cdot Technical upholstery + main upholstery with stabilizing side supports | (Waterproof | SIZE 4 |
| Safety rail, | | | upholstery HYDRO [™] / Breathable upholstery ATMO [™]). | - | 2199 |
| | | Special | needs stroller RACER HOME®_ | | |
| | | | UMDNS: 18139 | | |
| | | | | | EXW PRICES EURO |
| Foldable frame with | | | Adjustable push handle, 4 points safety vest, | F | SIZE 1 |
| Seat, | its feet stabilizing belts, | | A points safety vest, Side tubes protectors, | F | 1583 |
| Seat cushion, | | | · Reflective safety marks, | ļ | SIZE 2 |
| U cut seat cushion, | | | · Front TANGO Wheel with brake (125 mm), | F | 1601 |
| Abduction block, | | | \cdot Rear TANGO Wheel with fixed direction of movement (125 mm) | - | SIZE 3 |
| Reclining backrest, | | | \cdot Technical upholstery + main upholstery with stabilizing side supports | (Waterproof | 1758 |
| Headrest, | | | upholstery HYDRO [™] / Breathable upholstery ATMO [™]). | F | SIZE 4 |
| Tray, | | | EXPOINT [®] SYSTEM | | 2031 |
| | | Were life could as in the shart of the prior life | | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURC |
| 6 A 5577 / | RCR/RCE/RCH_001 | RCR/RCE/RCH 1 2 3 4 | LED lights | 2 | 33 |
| SAFETY | RCR/RCE/RCH_002 | RCR/RCE/RCH 3 4 | Belt for moving patients AM-P | 1 | 142 |
| | RCH_013 | RCH 1 2 3 4 | Safety rail | 1 | 130 |
| | RCR/RCE/RCH_101 | | Thigh abduction belts | 1 | 106 |
| | RCR/RCE/RCH_107 | НЕ | Pelvic brace with pelvic belt | 1 | 97 |
| | RCR/RCE/RCH_114 | | H Harness (1) | 1 | 99 |
| | RCR/RCE/RCH_125 | | 6 points safety vest (1) | 1 | 185 |
| | RCR/RCE/RCH_126 | _ | Trunk belt | 1 | 117 |
| | RCR/RCE/RCH_134 | _ | Narrowing pads 6 cm | 2 | 122 |
| | RCR/RCE/RCH_137 | _ | Narrowing pads 10 cm | 2 | 122 |
| | RCR/RCE/RCH_147 | | 5 points feet stabilizing belts | 2 | 83 |
| | RCR/RCE/RCH_161/1 | | Foot and ankle stabilizing sandals | 2 | |
| | | | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | | |
| | RCR/RCE/RCH_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | | - | Foot and ankle stabilizing sandals | - | 123 |
| | RCR/RCE/RCH_161/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | RCR/RCE/RCH_161/4 | RCR/RCE/RCH 1 2 3 4 | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | RCR/RCE/RCH_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | 1 set | 128 |
| POSITIONING | | - | – 17 cm; IN: 6 – 7 in) | 1 301 | 120 |
| | RCR/RCE/RCH_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5 - 20 \text{ cm}; \text{ IN: } 6 - 8 \text{ in})$ | 1 set | 141 |
| | RCR/RCE/RCH_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | RCR/RCE/RCH_162/4 | - | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 set | 154 |
| | | - | cm – 28 cm; IN: 9 – 11 in) Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | | |
| | RCR/RCE/RCH_162/5 | | 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| _ | RCR/RCE/RCH_163 |] | Anatomic thigh abduction belts (FP-23) | 1 set | 189 |
| | RCR/RCE/RCH_170/1 | RCR/RCE/RCH 1 | Pelvis stabilizer (FP-16) (size S, pelvic width 19 - 25 cm, depth 18 cm, height 20 cm) * | 1 | 330 |
| | | | Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, | | |
| | | | - STAS SCIENTLET (11 TO) (SIZE IV), DEIVIC WIGHT ZU - UT (III), | 1 | 374 |
| | RCR/RCE/RCH_170/2 | RCR/RCE/RCH 1 2 | depth 21 cm, height 23 cm) * | | |
| | RCR/RCE/RCH_170/2 RCR/RCE/RCH_170/3 | RCR/RCE/RCH 1 2 RCR/RCE/RCH 2 3 | depth 21 cm, height 23 cm) * Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, depth 24 cm, height 25 cm) * | 1 | 413 |
| | | | Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, | | 413 451 |

| RCR/RCE/RCH_402 | RCR/RCE/RCH 1 2 3 4 | Umbrella | 1 | 89 |
|-----------------|--|--|---|--|
| RCR/RCE _403 | RCR/RCE 1 2 3 4 | Tray (black color) | 1 | 244 |
| RCR/RCE/RCH_411 | | Cup holder | 1 | 68 |
| RCR/RCE/RCH_412 | KCR/KCE/KCH I Z 5 4 | Elastico seat cushion | 1 | 106 |
| RCE _415 | RCE 1234 | Rear wheel covers | 2 | 11 |
| RCR _415 | RCR 1234 | Wheel covers | 4 | 21 |
| RCR/RCE/RCH_417 | RCR/RCE/RCH 1 2 3 4 | Winter footmuff with muffs | 1 | 350 |
| RCE _442 | RCE 1234 | Front wheel covers | 2 | 8 |
| RCR/RCE _447 | RCR/RCE 1 2 3 4 | Winter muffs | 2 | 32 |
| RCR/RCE/RCH_452 | RCR/RCE/RCH 1 2 | Phone holder | 1 | 23 |
| RCR/RCE/RCH_453 | _ | Seat cushion with bolster ** | 1 | 95 |
| RCR/RCE/RCH_455 | _ | Rain cover *** | 1 | 130 |
| RCR/RCE/RCH_456 | | Side covers *** | 2 | 98 |
| RCR/RCE/RCH_457 | | Mosquito net *** | 1 | 49 |
| RCR/RCE/RCH_460 | - | Folding canopy (new version) | 1 | 245 |
| RCR/RCE/RCH_501 | RCR/RCE/RCH 1 2 3 4 | Bag | 1 | 106 |
| RCE/RCH_505 | RCE/RCH 1 2 3 4 | Under seat storage basket | 1 | 174 |
| RCR/RCE/RCH_506 | Ca | Carrier bag for the stroller | 1 | 231 |
| RCR/RCE/RCH_507 | | Oxygen tank holder | 1 | individua |
| RCR/RCE/RCH_509 | RCR/RCE/RCH 1 2 3 4 | Organizer bag | 1 | 108 |
| RCR/RCE/RCH_511 | | VOYAGER backpack | 1 | 115 |
| RCR/RCE/RCH_512 | | FLASH backpack | 1 | 100 |
| | RCR 1234 | City wheel (I) | 1 | 0 |
| | RCR/RCE 1 2 3 4 | City wheel (A) | 1 | 117 |
| KCR/KCE _704 | RCE 1234 | All Terrain wheel (I) | 1 | 0 |
| | RCR/RCE 1 2 3 4 | All Terrain wheel (A) | 1 | 117 |
| | RCR/RCE/RCH_411 RCR/RCE/RCH_412 RCE _415 RCR _415 RCR/RCE/RCH_417 RCE RCE _442 RCR/RCE/RCH_452 RCR/RCE/RCH_452 RCR/RCE/RCH_453 RCR/RCE/RCH_453 RCR/RCE/RCH_455 RCR/RCE/RCH_456 RCR/RCE/RCH_457 RCR/RCE/RCH_460 RCR/RCE/RCH_501 RCE/RCH_505 RCR/RCE/RCH_505 RCR/RCE/RCH_506 RCR/RCE/RCH_507 RCR/RCE/RCH_507 RCR/RCE/RCH_509 RCR/RCE/RCH_511 | RCR/RCE/RCH_411 RCR/RCE/RCH_412 RCE _415 RCE 1 2 3 4 RCR _415 RCE 1 2 3 4 RCR _415 RCE 1 2 3 4 RCR _415 RCR 1 2 3 4 RCR _415 RCR 1 2 3 4 RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 RCE _442 RCE 1 2 3 4 RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 RCR/RCE/RCH_450 RCR/RCE/RCH 1 2 3 4 RCR/RCE/RCH_505 RCE/RCH 1 2 3 4 RCR/RCE/RCH_507 RCR/RCE/RCH </td <td>RCR/RCE/RCH_411 RCR/RCE/RCH_1 2 3 4 Cup holder RCR/RCE/RCH_412 RCR/RCE/RCH 1 2 3 4 Rear wheel covers RCR415 RCR 1 2 3 4 Rear wheel covers RCR415 RCR 1 2 3 4 Wheel covers RCR415 RCR 1 2 3 4 Wheel covers RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 Winter footmulf with muffs RCE442 RCE 1 2 3 4 Winter muffs RCE442 RCR 1 2 3 4 Winter muffs RCF/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 Winter muffs RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 Phone holder RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Seat cushion with bolster ** RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Side covers *** RCR/RCE/RCH_450 RCR/RCE/RCH 1 2 3 4 Side covers *** RCR/RCE/RCH_501 RCR/RCE/RCH 1 2 3 4 Bag RCF/RCE/RCH_505 RCE/RCH 1 2 3 4 Under seat storage basket RCR/RCE/RCH_507 RCR/RCE/RCH 1 2 3 4 Under seat storage basket RCR/RCE/RCH_507 RCR/RCE/RCH 1 2 3 4<td>RCR/RCE/RCH_411 RCR/RCE/RCH 1 2 3 4 Cup holder 1 RCR/RCE/RCH_412 RCR/RCE/RCH 1 2 3 4 Rear wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 4 RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 2 2 RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 2 2 RCR/RCE/RCH_453 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Seat cushion with bolster ** 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Bag 1 1 3 RCR/RCE/RCH_501 RCR/RCE/RCH 1 2 3 4 Bag 1 1 1 RCR/RCE/RCH_505 RCE/RCH 1 2 3 4</td></td> | RCR/RCE/RCH_411 RCR/RCE/RCH_1 2 3 4 Cup holder RCR/RCE/RCH_412 RCR/RCE/RCH 1 2 3 4 Rear wheel covers RCR415 RCR 1 2 3 4 Rear wheel covers RCR415 RCR 1 2 3 4 Wheel covers RCR415 RCR 1 2 3 4 Wheel covers RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 Winter footmulf with muffs RCE442 RCE 1 2 3 4 Winter muffs RCE442 RCR 1 2 3 4 Winter muffs RCF/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 Winter muffs RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 Phone holder RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Seat cushion with bolster ** RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Side covers *** RCR/RCE/RCH_450 RCR/RCE/RCH 1 2 3 4 Side covers *** RCR/RCE/RCH_501 RCR/RCE/RCH 1 2 3 4 Bag RCF/RCE/RCH_505 RCE/RCH 1 2 3 4 Under seat storage basket RCR/RCE/RCH_507 RCR/RCE/RCH 1 2 3 4 Under seat storage basket RCR/RCE/RCH_507 RCR/RCE/RCH 1 2 3 4 <td>RCR/RCE/RCH_411 RCR/RCE/RCH 1 2 3 4 Cup holder 1 RCR/RCE/RCH_412 RCR/RCE/RCH 1 2 3 4 Rear wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 4 RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 2 2 RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 2 2 RCR/RCE/RCH_453 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Seat cushion with bolster ** 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Bag 1 1 3 RCR/RCE/RCH_501 RCR/RCE/RCH 1 2 3 4 Bag 1 1 1 RCR/RCE/RCH_505 RCE/RCH 1 2 3 4</td> | RCR/RCE/RCH_411 RCR/RCE/RCH 1 2 3 4 Cup holder 1 RCR/RCE/RCH_412 RCR/RCE/RCH 1 2 3 4 Rear wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 2 RCR _415 RCR 1 2 3 4 Wheel covers 4 RCR/RCE/RCH_417 RCR/RCE/RCH 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 1 RCE _424 RCE 1 2 3 4 Winter footmuff with muffs 2 2 RCR/RCE/RCH_452 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 2 2 RCR/RCE/RCH_453 RCR/RCE/RCH 1 2 3 4 Winter muffs 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Seat cushion with bolster ** 1 1 3 RCR/RCE/RCH_455 RCR/RCE/RCH 1 2 3 4 Bag 1 1 3 RCR/RCE/RCH_501 RCR/RCE/RCH 1 2 3 4 Bag 1 1 1 RCR/RCE/RCH_505 RCE/RCH 1 2 3 4 |

| | | <u>Special n</u> | needs stroller RACER BodyMap® ⁽¹⁾ | | |
|---|-------------------------------|---|--|----------------|-----------------------|
| TANDARD EQUIPMEN | IT | | UMDNS: 18139 | | EXW PRICES EURO |
| Foldable frame with | | | · 4 points safety vest or pelvic belt, | | SIZE 0 |
| Footrest with feet sta | | | · Leg separator equipped with shin belt, | | 3418 |
| Seat, | 5 | | · BodyMap ® A+ – seat cushion, | · | SIZE 1 |
| Reclining backrest, | | | · BodyMap® B+ – backrest cushion with side stabilization, | · | 3560 |
| Safety rail, | | | · BodyMap® D – headrest, | | SIZE 2 |
| Wheels with glass fiber with 2 separate wheel brakes, Electric pump – mobile pump inflating and deflating BodyMap® cushions. | | | | | |
| Adjustable push han | | 3773 SIZE 3 | | | |
| | | | | | 4128 |
| | | Special neg | eds stroller RACER EVO BodyMap® ⁽¹⁾ | | 4120 |
| | | <u>special nee</u> | UMDNS: 18139 | | |
| TANDARD EQUIPMEN | т | | | | EXW PRICES EURO |
| Foldable frame with | | | · 4 points safety vest or pelvic belt, | | SIZE 0 |
| Footrest with feet sta | abilizing belts, | | · Leg separator equipped with shin belt, | | 3560 |
| Seat, Reclining backrest, | | | BodyMap® A+ – seat cushion, BodyMap® B+ – backrest cushion with side stabilization, | | SIZE 1 |
| Safety rail, | | | · BodyMap® D – headrest, | | 3702 |
| · · | er. Front PU swivel with dire | ction blockade, | Electric pump – mobile pump inflating and deflating BodyMap® cush | ions. | SIZE 2 |
| ear with 2 separate w | | | | | 4128 |
| Adjustable push han | dle, | | | | SIZE 3 |
| | | | | | 4413 |
| CROUP | SYMBOL | CIZE | ACCESSORIES | | |
| GROUP | RCB/REB_001 | SIZE REB/RCB 0 1 2 3 | EQUIPMENT LED lights | QUANTITY PC. | EXW PRICES EURO 33 |
| SAFETY | RCB/REB_002 | REB/RCB 2 3 | Belt for moving patients AM-P | 1 | 142 |
| | | | Foot and ankle stabilizing sandals | | |
| - | RCB/REB_161/1 | - | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| | | | Foot and ankle stabilizing sandals | | |
| | RCB/REB_161/2 | | (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | | - | Foot and ankle stabilizing sandals | | 123 |
| | RCB/REB_161/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | | - | Foot and ankle stabilizing sandals | | |
| | RCB/REB_161/4 | 1 REB/RCB 0 1 2 3 2 3 | (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | RCB/REB_162/1 REB | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | | |
| POSITIONING | | | – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: | 1 + | 1 4 4 |
| | RCB/REB_162/2 | | 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: | 1 set | 141 |
| | RCB/REB_162/3 | | 19 cm – 23,5 cm; IN: 7 – 9 in) | i set | 141 |
| | RCB/REB_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 | 1 set | 154 |
| | KCB/KEB_102/4 | _ | cm – 28 cm; IN: 9 – 11 in) | 1 501 | 154 |
| | RCB/REB_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: | 1 set | 154 |
| | 102/5 | | 26,5 cm – 33 cm; IN: 10 – 13 in) | . 500 | |
| | | | | s. 0 | 207 |
| | RCB/REB_307 | | VISmemo™ cover for BodyMap® A+ | 1 s. 1 s. 2 | 229 264 |
| | | | | s. 2 s. 3 | 283 |
| - | | 1 | | s. 0 | 106 |
| | RCB/REB_308 | | Aerating-massaging pad for BodyMap® A+ | 1 s. 1 | 106 |
| | - | | | s. 2 s. 3 | 116 134 |
| ŀ | | - | | s. s s. 0 | 77 |
| | RCB/REB_342 | | Elastic cover for BodyMap® A+ | 1 s. 1 | 77 |
| N ® | 1.CU/ 1.CU_J42 | | Listic cover for bodymap ~ A f | s. 2 | 88 |
| BodyMap [®] POSITIONING | | REB/RCB 0 1 2 3 | | s. 3 s. 0 | 108 128 |
| FUSITIONING | | | | s 1 | 128 |
| | RCB/REB_349 | | 3D MESH [™] cover for BodyMap® A+ | 1 s. 2 | 144 |
| | | 4 | | s. 3 | 173 |
| | | | | s. 0 | 249 |
| | RCB/REB_359 | | Incontinence VISmemo [™] cover for BodyMap® A+ | 1 s. 1 s. 2 | 275 317 |
| | | | | s. 3 | 340 |
| _ | | 1 | | s. 0 | 114 |
| | | | | | |
| | RCB/REB_362 | | Incontinence cover for BodyMap® A+ | 1 s. 1 s. 2 | 114 131 |

| | | | | s. 0 | 278 |
|----------------------|-------------|-----------------|---|----------------|------------|
| | RCB/REB_319 | | VISmemo™ cover for BodyMap® B+ | 1 s. 1 | 327 |
| | | | | s. 2 s. 3 | 398 417 |
| - | | | | s. 0 | 112 |
| | RCB/REB_320 | | Aerating-massaging pad for BodyMap® B+ | 1 s. 1 | 129 |
| | NCB/NED_320 | | Aerating-massaging pad for bodywap w b+ | s. 2 | 147 |
| BodyMap® | | REB/RCB 0 1 2 3 | | s. 3 | 166 |
| OSITIONING | | | | s. 0 | 75 83 |
| | RCB/REB_345 | | Elastic cover for BodyMap® B+ | 1 s. 2 | 108 |
| - | | | | s. 3 | 127 |
| | | | | s. 0 | 123 |
| | RCB/REB_352 | | 3D MESH [™] cover for BodyMap® B+ | 1 s. 1 s. 2 | 135 174 |
| | | | | s. 2 s. 3 | 202 |
| | | | | s. 0 | 333 |
| | RCB/REB_360 | | Incontinence VISmemo [™] cover for BodyMap® B+ | 1 s. 1 | 393 |
| | NCD/NED_300 | | incontinence visitiento - cover for bodymap - bi | s. 2 | 479 |
| | | | | s. 3 s. 0 | 501 111 |
| | | | | s 1 | 121 |
| | RCB/REB_363 | | Incontinence cover for BodyMap® B+ | 1 s. 2 | 156 |
| | | | | s. 3 | 183 |
| - · · · · ® | RCB/REB_323 | REB/RCB 0 1 2 3 | VISmemo™ cover for BodyMap® D | s. 0 | 125 |
| BodyMap [®] | | | | 1 s. 1 | 162 190 |
| OSITIONING | | | | s. 2 s. 3 | 190 |
| | | | | s. 0 | 43 |
| | RCB/REB_346 | | Elastic cover for BodyMap® D | 1 s. 1 | 64 |
| | NCD/NED_540 | - | | s. 2 | 74 |
| | | | | s. 3 s. 0 | 74 79 |
| | | | 3D MESH™ cover for BodyMap® D | s 1 | 108 |
| | RCB/REB_353 | | | 1 s. 2 | 125 |
| | | | | s. 3 | 125 |
| | RCB/REB_402 | | Umbrella | 1 | 89 |
| | RCB/REB_403 | | Tray (black color) | 1 | 244 |
| | RCB/REB_411 | | Cup holder | 1 | 68 |
| | RCB/REB_415 | | Rear wheel covers | 2 | 11 |
| CONTORT | REB_442 | | Front wheel covers | 2 | 8 |
| COMFORT | RCB/REB_452 | REB/RCB 0 1 2 3 | Phone holder | 1 | 23 |
| | RCB/REB_455 | | Rain cover * | 1 | 118 |
| | RCB/REB_456 | | Side covers * | 1 | 89 |
| | RCB/REB_457 | | Mosquito net * | 1 | 45 |
| | RCB/REB_460 | | Folding canopy (new version) | 1 | 223 |
| | RCB/REB_501 | | Bag | 1 | 106 |
| | REB_505 | | Under seat storage basket | 1 | 174 |
| | RCB/REB_506 | | Carrier bag for the stroller | 1 | 231 |
| STORAGE | RCB/REB_507 | REB/RCB 0 1 2 3 | Oxygen tank holder | 1 | individual |
| STOIL | RCB/REB_509 | | Organizer bag | 1 | 97 |
| | RCB/REB_509 | - | VOYAGER backpack | 1 | 115 |
| | RCB/REB_512 | - | FLASH backpack | 1 | 100 |
| | NCD/NED_312 | | I LAUTI Dackpack | | 100 |

(1) LEAD TIME CA. 30 DAYS.

| Special needs stroller OMBRELO TM | | | | | | |
|---|--|--------|--|--|--|--|
| | UMDNS: 18139 | | | | | |
| STANDARD EQUIPMENT | | | | | | |
| · Light foldable frame, folding in umbrella shape, | · Adjustable build-up headrest, | SIZE 2 | | | | |
| · Wheels with glass fiber, front PU swivel, rear with 2 separate wheel brakes, | · Backrest , | 2703 | | | | |
| · Multi-adjustable foot plates FlipFlap $^{\mathrm{M}}$ with 2 way feet stabilizing belts, | · Adjustable push handles, | SIZE 3 | | | | |
| Self-tensioning upholstery BodyPrint[™] for perfect positioning, | · Reflective safety marks, | 2762 | | | | |
| · Adjustable seat depth, | · TransFix™, | | | | | |
| 5 points safety belts with height adjustment, | · Upholstery Comfort™ – size 2 GREEN GRASS, | SIZE 4 | | | | |
| · Seat – 30° fixed tilt angle, | size 3 HOT RED, size 4 BROWN SUGAR, size 5 GREY VULCANO, | 2827 | | | | |
| · Seat to back 85° – 95° angle adjustment, | • NEW: VOYAGER backpack. | SIZE 5 | | | | |
| | | 2916 | | | | |

READY FOR FLEXPOINT® SYSTEM

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
|-------------|--------------------|---------------|--|--------------|-------------------|
| | OMO_001 | OMO 2 3 4 5 | LED lights | 2 | 33 |
| SAFETY | OMO_002 | OMO 5 | Belt for moving patients AM-P | 1 | 142 |
| | OMO_013 | OMO 2 3 4 5 | Safety rail (7) | 1 | 139 |
| | OMO_101 | 0140 2 2 4 5 | Thigh abduction belts | 1 | 106 |
| | OMO_107 | OMO 2 3 4 5 | Pelvic brace with pelvic belt | 1 | 97 |
| | OMO_113 | OMO 2 3 | Trunk stabilizing belt | 1 | 130 |
| | OMO_114 | | H Harness (I) (1) | 1 | 77 |
| | 00 | OMO 2 3 4 5 | H Harness (A) (1) | | 99 |
| | OMO_124 | | Loins support | 1 | 102 |
| | OMO_125 | S M L XL | 6 points safety vest (I) (1) | 1 | 139 |
| _ | 0140 120 | | 6 points safety vest (A) (1) | 1 | 185 |
| | OMO_128 | - | Adjustable abduction block (2) | 1 | 106 |
| | OMO_130 | | 4 points safety vest (I) (1) | 1 | 82 106 |
| | | | 4 points safety vest (A) (1) | | 106 |
| _ | OMO_162/1 | _ | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 - 17 cm; IN: 6 - 7 in) | 1 set | 128 |
| POSITIONING | OMO_162/2 | - OMO 2 3 4 5 | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| POSITIONING | OMO_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm $-$ 23,5 cm; IN: 7 $-$ 9 in) | 1 set | 141 |
| | OMO_162/4 | _ | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| _ | OMO_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | OMO_163 | - | Anatomic thigh abduction belts (FP-23) | 1 set | 189 |
| - | 01110_100 | | Pelvis stabilizer (FP-16) (size S, pelvic width 19 - 25 cm, | | |
| | OMO_170/1 | OMO 2 | depth 18 cm, height 20 cm) * | 1 | 330 |
| | OMO_170/2 | OMO 2 3 | Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, depth 21 cm, height 23 cm) * | 1 | 374 |
| _ | OMO_170/3 | OMO 345 | Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, depth 24 cm, height 25 cm) * | 1 | 413 |
| _ | OMO_170/4 | OMO 5 | Pelvis stabilizer (FP-16) (size XL, pelvic width 38 - 45 cm, depth 30 cm, height 27 cm) * | 1 | 451 |
| | 0140 402 | | | 1 | |
| | OMO_402 | _ | Umbrella | 1 | 89 271 |
| - | OMO_403 | _ | Tray (black color) | 1 | 271 |
| | OMO_405 OMO_408 | _ | Folding canopy Rain cover (5) | 1 | 165 |
| - | OMO_400 OMO_411 | _ | Cup holder | 1 | 68 |
| F | OMO_411 OMO_415 | - | Rear wheel covers | 2 | 11 |
| COMFORT | OMO_413 OMO_417 | OMO 2 3 4 5 | Winter footmuff with muffs | 1 | 368 |
| F | OMO_417 OMO_433 | - | Lifting bar | 1 | 65 |
| F | OMO_433 OMO_439 | - | Hand brake (4) | 1 | 277 |
| F | OMO_433 | - | Front wheel covers | 2 | 8 |
| F | OMO_442 OMO_447 | - | Winter muffs | 2 | 32 |
| F | OMO_447 OMO_453 | - | Seat cushion with bolster ** | 1 | 95 |
| | | | | | |
| F | OMO_505 | - | Under seat storage basket | 1 | 174 |
| STORACE | OMO_506 | 0140 2 2 4 5 | Carrier bag for the stroller | 1 | 231 |
| STORAGE | OMO_507 | OMO 2 3 4 5 | Oxygen tank holder | 1 | individual 107 |
| F | OMO_509 OMO_512 | - | Organizer bag FLASH backpack | 1 | 107 |
| | 0100_312 | 1 | | | |
| SPARE PARTS | OMO_704 | OMO 2 3 4 5 | All Terrain wheel (I) | 1 | 0 |
| - | | | All Terrain wheel (A) | 1 | 117 |

SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN

* SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN ** IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH _101, _128 OR _163. (2) 5 POINTS SAFETY BELTS ARE NOT AVAILABLE WITH _128. PLEASE CHOOSE _114 OR _130 INSTEAD, FREE OF CHARGE. PLEASE CHOOSE _125 INSTEAD, ADDITIONAL CHARGE 30 EUR. (3) OVERALL WIDTH OF THE HEADREST IN SIZE 1 – 23 CM, SIZE 2 – 26 CM, SIZE 3 – 30 CM.

(3) THERE IS AN OPTION TO PURCHASE THE STROLLER WITH BRAKE LEVER (MARK ELEMENT _439). THERE IS NO POSSIBILITY TO ASSEMBLE BRAKE LEVER SINGLE-HANDEDLY LATER. LEAD TIME CA. 30 DAYS. (5) TO MOUNT THE RAIN COVER ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT. (6) COVER FITS THE STANDARD OMBRELO HEADREST ONLY.

| | Special needs stroller URSUS [™] | |
|---|---|-----------------|
| | UMDNS: 18139 | |
| STANDARD EQUIPMENT | | EXW PRICES EURO |
| · Light aluminium frame, | 5 points safety belts with height adjustment, | SIZE 2 |
| · Fully foldable, | · Adjustable headrest, | |
| · Wheels with glass fiber, front PU swivel with direction blockade, | · Anatomical lateral supports, | 3560 |
| rear with 2 separate wheel brakes, | · Depth and width adjustable seat, | 5500 |
| · Front shock absorbers, | Pneumatic tilt-in-space system TILT-IQ[™], | |
| · Ergonomic folding system, | · Height and angle adjustable footrest, | SIZE 3 |
| Seat unit with ClickClack[™] system for easy click in/out, | · 5 points feet stabilizing belts with heel support and foot abduction-adduction | |
| · Ergonomic handle for pushing stroller, | adjustments, | 3917 |
| · Reflective safety marks, | · Angle adjustable foot plate, | |
| · Detachable and reversible seat unit , | · Soft upholstery with spine load reducing and ventilating function, | |
| · Fully reclining backrest converting the stroller into a lounger (couch | · Soft front bar with reflective safety marks, | |
| function), | · Waterproof upholstery HYDRO [™] / Reversible cotton-washable pad COMFORT | |
| · Height adjustable backrest, | (ROSE, SPACE, LAVA, RUBY (7), OCEAN, LILAC). | |
| · Angle adjustable backrest, | | |

Indoor special needs stroller URSUS HOMETM UMDNS: 18139

· Height and angle adjustable footrest,

Soft front bar with reflective safety marks,

(ROSE, SPACE, LAVA, RUBY (7), OCEAN, LILAC).

 \cdot 5 points feet stabilizing belts with heel support and foot abduction-adduction

· Waterproof upholstery HYDRO[™] / Reversible cotton-washable pad COMFOR[™]

Soft upholstery with spine load reducing and ventilating function,

· Hi-low frame equipped with castors with brakes and push handles,

EXW PRICES EURO

SIZE 2

2869

SIZE 3

3081

STANDARD EQUIPMENT

Adjustable headrest,

Anatomical lateral supports, 5 points safety belts with height adjustment,

Height adjustable backrest,

Angle adjustable backrest,

Depth and width adjustable seat,

Seat unit with ClickClack[™] system for easy click in/out,

Fully reclining backrest converting the stroller into a lounger (couch

function),

Pneumatic tilt-in space system TILT-IQ[™],

READY FOR FLEXPOINT® SYSTEM

adjustments,

· Gas spring,

| GROUP | SYMBOL | SIZE | | ACCESSORIES EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
|-------------|---------------|------------|-----|--|--------------|----------------|
| SAFETY | USS/USH 001 | USS/USH 2 | 2 3 | LED lights | 2 | 33 |
| _ | USS/USH 107 | | | Pelvic brace with pelvic belt | 1 | 106 |
| - | 033/0311_107 | USS/USH 2 | 2 | H Harness (I) (4) | | 77 |
| | USS/USH_114 | 000,0011 2 | _ 0 | H Harness (A) (4) | 1 | 99 |
| - | | | | 6 points safety vest (I) (4) | | 139 |
| | USS/USH_125 | SML> | XL | 6 points safety vest (A) (4) | 1 | 185 |
| - | USS/USH_126 | USS 2 | 2 | Trunk belt | 1 | 136 |
| - | USS/USH_127 | | | Chest support | 2 | 174 |
| | USS/USH_128 | - | | Abduction block (1) | 1 | 106 |
| - | | _ | | 4 points safety vest (I) (4) | 1 | 82 |
| POSITIONING | USS/USH_130 | | | 4 points safety vest (A) (4) | 1 | 106 |
| - | USS/USH_161/1 | - | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| - | USS/USH_161/2 | USS/USH 2 | 2 3 | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 123 |
| - | USS/USH_161/3 | | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| - | USS/USH_161/4 | | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | USS/USH_163 | | | Anatomic thigh abduction belts (FP-23) | 1 set | 189 |
| | USS _402 | USS 2 | 23 | Umbrella | 1 | 89 |
| | USS/USH_403 | USS/USH 2 | 2 2 | Tray (black color) (2) | 1 | 271 |
| | 055/0511_405 | 055/0511 2 | 2 3 | Tray (light grey color) (2) | 1 | 2/1 |
| | USS _405 | – USS 2 | 23 | Folding canopy | 1 | 214 |
| _ | USS _408 | | | Rain cover (3) | 1 | 165 |
| _ | USS/USH_411 | USS/USH 2 | 23 | Cup holder | 1 | 68 |
| COMFORT | USS _415 | _ | | Rear wheel covers | 2 | 11 |
| | USS _417 | USS 2 | 23 | Winter footmuff with muffs | 1 | 368 |
| | USS _442 | | | Front wheel covers | 2 | 8 |
| - | USS _447 | _ | | Winter muffs | 2 | 32 |
| | USS/USH_449 | USS/USH 2 | 2 3 | Reversible cotton-washable pad COMFORT™ (ROSE / SPACE / LAVA / RUBY (₩) / OCEAN / LILAC) (A) | 1 | 200 |
| | USS/USH_452 | | | Phone holder | 1 | 23 |
| | USS/USH_453 | | | Seat cushion with bolster * | 1 | 95 |
| | USS _505 | USS 2 | 23 | Under seat storage basket | 1 | 148 |
| | USS _506 | 033 2 | - 5 | Carrier bag for the stroller | 1 | 214 |
| STORAGE | USS/USH_507 | | | Oxygen tank holder | 1 | individual |
| JIONAGE | USS/USH_509 | USS/USH 2 | 2 2 | Organizer bag | 1 | 97 |
| | USS/USH_511 | 033/038 2 | | VOYAGER backpack | 1 | 115 |
| | USS/USH_512 | | | FLASH backpack | 1 | 100 |

| USS _607 | USS | 23 | Hi-Low Frame HOME | 1 | 951 |
|-------------|------------------------|------------------------------------|---|--|--|
| USH_608 | USH | 23 | Outdoor Frame URSUS | 1 | 1941 |
| USS/USH_615 | USS/USH | 2 3 | URSUS seat | 1 | 1935 |
| USS_704 | 04 USS 2.3 | | All Terrain wheel (I) | 1 | 0 |
| | | All Terrain wheel (A) | 1 | 117 | |
| | USH_608 USS/USH_615 | USH_608 USH USS/USH_615 USS/USH | USH_608 USH_2_3 USS/USH_615 USS/USH_2_3 USS_704 USS_2_3 | USH_608 USH 2 3 Outdoor Frame URSUS USS/USH_615 USS/USH 2 3 URSUS seat All Terrain wheel (I) | USH_608 USH_2_3 Outdoor Frame URSUS 1 USS/USH_615 USS/USH_2_3 URSUS seat 1 USS_704 USS_2_3 All Terrain wheel (I) 1 |

* IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER.
(1) 5 POINTS SAFETY BELTS ARE NOT AVAILABLE WITH _128. PLEASE CHOOSE _114 OR _130 INSTEAD, FREE OF CHARGE. PLEASE CHOOSE _125 INSTEAD, ADDITIONAL CHARGE 30 EUR.
(2) CAN BE ASSEMBLED ONLY IF THE SEAT IS FACING FRONT.
(3) TO MOUNT THE RAIN COVER ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.
(4) H HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH _101, _128 OR _163.

| | | <u>spec</u> | ial needs stroller ULISES EVO TM UMDNS: 18139 | | |
|--|--------------------------------|--|---|--------------|----------------|
| STANDARD EQUIPMEN | т | | UIVIUNS: 18139 | | EXW PRICES EUR |
| Flex upholstery, | - | | · Backrest extension, | | SIZE 1 |
| 5 points safety belts, | | | · Headrest, | | 1340 |
| Adjustable footrest w | vith 4 points feet stabilizing | g belts, | · HYDRO [™] upholstery with stabilizing side supports – size 1 - 3 SPACE G | iray. | SIZE 1a |
| 5 | er, front PU swivel, rear wi | th central brake with | | | 1415 |
| djustable down force | | | | | SIZE 2 |
| Angle adjustable bac | | | | | 1451 |
| Adjustable push hand BodyPrint™ soat bolt | | on of the seat upholstery an | d | | SIZE 2a |
| ackrest, | system adjusting the tens | on or the seat uphoistery an | d | | 1564 |
| • | d tilt angle of the footrest, | | | | |
| Adjustable depth of t | - | | | | SIZE 3 1601 |
| | | | I EVDOINT® EVETEM | | 1001 |
| | | Water information in the check of the end of the pro | LEXPOINT® SYSTEM | | |
| GROUP | SYMBOL | SIZE | ACCESSORIES EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| GROOP | ULE_001 | ULE 1 1a 2 2a 3 | LED lights | 2 | 33 |
| SAFETY | ULE_002 | ULE 3 | Belt for moving patients AM-P | 1 | 142 |
| 0, 11 2 1 1 | ULE_013 | ULE 1 1a 2 2a 3 | Safety rail | 1 | 129 |
| | | | | | |
| - | ULE_101 | ULE 1 1a 2 2a 3 | Thigh abduction belts | 1 | 106 |
| - | ULE_107 | | Pelvic brace with pelvic belt | 1 | 97 |
| - | ULE_113 | ULE 1 1a 2 2a | Trunk stabilizing belt | 1 | 130 |
| | ULE_114 | | H Harness (I) (7) | 1 | 77 |
| _ | | ULE 1 1a 2 2a 3 | H Harness (A) (7) | | 99 |
| _ | ULE_124 | | Loins support | 1 | 102 |
| | ULE_125 | SMLXL | 6 points safety vest (I) (7) | 1 | 139 |
| - | | | 6 points safety vest (A) (7) | 1 | 185 |
| | ULE_126 | _ | Trunk belt | | 136 |
| | ULE_128 | _ | Adjustable abduction block (1) | 1 | 106 |
| | ULE_130 | | 4 points safety vest (I) (7) | 1 | 82 |
| | | _ | 4 points safety vest (A) (7) | 1 | 106 |
| - | ULE_147 | _ | 5 points feet stabilizing belts (I) | 2 | 71 |
| - | ULE_155/1 | _ | Chest support - narrow, short (2) | 1 | 120 |
| _ | ULE_155/2 | _ | Chest support - narrow, long (2) | 1 | 130 |
| _ | ULE_155/3 | _ | Chest support - width (2) | 1 | 140 |
| _ | ULE_160/1 | ULE 1 1a 2 2a 3 | Shaped OCTAGON [™] headrest with the head support – size 1 (3) | | 126 |
| - | ULE_160/2 | | Shaped OCTAGON [™] headrest with the head support – size 2 (3) | 1 | 140 |
| - | ULE_160/3 | | Shaped OCTAGON [™] headrest with the head support – size 3 (3) | | 154 |
| _ | ULE_161/1 | | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| POSITIONING - | ULE_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | 123 |
| rosmoning | ULE_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 125 |
| | ULE_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| - | ULE_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| - | ULE_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| - | ULE_162/3 | ULE 1 1a 2 2a 3 | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| - | ULE_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| _ | ULE_162/5 | - | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| - | ULE_163 | - | Anatomic thigh abduction belts (FP-23) | 1 set | 189 |
| ŀ | ULE_170/1 | ULE 1 1a | Pelvis stabilizer (FP-16) (size S, pelvic width 19 - 25 cm, | 1 | 330 |
| - | ULE_170/2 | ULE 1 1a 2 2a | depth 18 cm, height 20 cm) * Pelvis stabilizer (FP-16) (size M, pelvic width 25 - 31 cm, depth 21 cm, height 23 cm) * | 1 | 374 |
| - | ULE_170/3 | ULE 2 2a 3 | Pelvis stabilizer (FP-16) (size L, pelvic width 31 - 38 cm, depth 24 cm, height 25 cm) * | 1 | 413 |
| - | | | Pelvis stabilizer (FP-16) (size XL, pelvic width 38 - 45 cm, | | |
| | ULE_170/4 | ULE 3 | r civis stabilizer (r r ro) (size AL, pelvie width so - 45 cm, | 1 | 451 |

| | ULE_402 | | Umbrella | 1 | 89 |
|-------------|---------|-----------------|---|---|------------|
| | ULE_403 | ULE 1 1a 2 2a 3 | Tray (black color) | 1 | 211 |
| - | ULE_405 | ULE I Id 2 2d 5 | Folding canopy | 1 | 214 |
| | ULE_408 | | Rain cover (4) | 1 | 165 |
| | ULE_411 | ULE 1 1a 2 2a 3 | Cup holder | 1 | 68 |
| | ULE_415 | ULE 1 1a 2 2a 3 | Rear wheel covers | 2 | 11 |
| | ULE_417 | ULE 1 1a 2 2a 3 | Winter footmuff with muffs | 1 | 350 |
| | ULE_429 | | Soft footrest cover | 1 | 142 |
| | ULE_433 | | Lifting bar | 1 | 65 |
| COMFORT | | | Extended footrest (size $1 - 6$ cm; size $1a$, $2 - 8$ cm; size $2a$, $3 - 10$ cm) with front swivel wheels brake (I) (5) | 1 | 153 |
| | ULE_437 | | Extended footrest (size $1 - 6$ cm; size $1a$, $2 - 8$ cm; size $2a$, $3 - 10$ cm) with front swivel wheels brake (A) (5) | | 211 |
| | ULE_439 | | Hand brake (6) | 1 | 277 |
| | ULE_440 | ULE 1 1a 2 2a 3 | Front wheel locks (I) | 2 | 76 |
| | | | Front wheel locks (A) | 2 | 89 |
| | ULE_442 | | Front wheel covers | 2 | 8 |
| | ULE_444 | | Armrest | 1 | 150 |
| | ULE_447 | | Winter muffs | 2 | 32 |
| | ULE_452 | | Phone holder | 1 | 23 |
| | ULE_453 | | Seat cushion with bolster ** | 1 | 95 |
| | ULE_505 | | Under seat storage basket | 1 | 147 |
| | ULE_506 | | Carrier bag for the stroller | 1 | 214 |
| GTODAGE | ULE_507 | | Oxygen tank holder | 1 | individual |
| STORAGE | ULE_509 | ULE 1 1a 2 2a 3 | Organizer bag | 1 | 97 |
| F | ULE_511 | 1 | VOYAGER backpack | 1 | 115 |
| - | ULE_512 | | FLASH backpack | 1 | 100 |
| | | | All Terrain wheel (I) | 1 | 0 |
| SPARE PARTS | ULE_704 | ULE 1 1a 2 2a 3 | All Terrain wheel (A) | 1 | 117 |

SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN

* SUGGESTED SIZES. MORE DETAILS ON WWW.FLEX-POINT.PL/EN ** IT IS NOT POSSIBLE TO USE THE ADJUSTABLE ABDUCTION BLOCK WHILE USING THE SEAT CUSHION WITH BOLSTER. (1) 5 POINTS SAFETY BELTS ARE NOT AVAILABLE WITH _128. PLEASE CHOOSE _114 OR _130 INSTEAD, FREE OF CHARGE. PLEASE CHOOSE _125 INSTEAD, ADDITIONAL CHARGE 30 EUR. (2) NOT ALL VERSIONS OF THE STROLLER ARE COMPATIBLE WITH ULE_15S. CONTACT THE SALES DEPARTMENT. (3) OVERALL WIDTH OF THE HEADREST IN SIZE 1 – 23 CM, SIZE 2 – 26 CM, SIZE 3 – 30 CM. (4) TO MOUNT THE RAIN COVER ON THE STROLLER, IT IS NECESSARY TO MOUNT THE FOLDING CANOPY FIRST. THE FOLDING CANOPY IS NOT A STANDARD EQUIPMENT.

5) THE EXTENDED FOOTREST COLLIDES WITH THE FRONT SWIVEL WHEELS WHEN THE WHEELS ARE NOT BLOCKED.

(7) HERE IS AN OPTION TO DIRCHASE THE STROLLER WITH BRAKE LEVER (MARK ELEMENT 439). THERE IS NO POSSIBILITY TO ASSEMBLE BRAKE LEVER SINGLE-HANDEDLY LATER. LEAD TIME CA. 30 DAYS. (7) HARNESS, 4 POINTS AND 6 POINTS SAFETY VESTS SHOULD BE USED WITH _101, _128 OR _163.

| ANDARD EQUIPMENT | | | UMDNS: 18139 | | EXW PRICES EUR |
|--------------------------------------|----------------------------|--|--|--------------|----------------|
| djustable depth of th | e seat. | | · Medical upholstery MEDICUS™ MED SEA. | | SIZE 1 |
| djustable backrest till | | | ······································ | - | 1603 |
| djustable armrests, | 5 | | | - | SIZE 2 |
| 5 5 1 | e construction with adjust | able height, | | - | 1637 |
| points safety vest, | | | | - | SIZE 3 |
| ootrest, | - | | | - | 1674 |
| HexagonPro™ Headres Push handles, | st, | | | - | SIZE 4 |
| Frame with castors and | d brakes. | | | - | 1739 |
| | | READY FOR I | FLEXPOINT [®] SYSTEM | | 1755 |
| | | More referending in the dust at the end of the | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUR |
| | JRH_015 | | TANGO Wheel with brake (75 mm) (A) | 1 | 77 |
| | _ | - | TANGO Wheel with brake (125 mm) (I) | | 74 |
| | JRH_016 | | TANGO Wheel with brake (125 mm) (A) | 1 | 91 |
| | | | TANGO Wheel with fixed direction of movement (125 mm) (I) | - | 74 |
| SAFETY | JRH_018 | JRH 1 2 3 4 | TANGO Wheel with fixed direction of movement (125 mm) (A) | 1 | 85 |
| | | | TANGO Wheel with brake (100 mm) (I) | 1 | 74 |
| | JRH_020 | | TANGO Wheel with brake (100 mm) (A) | 1 | 91 |
| | JRH_023 | | TANGO Wheel with fixed direction of movement (75 mm) (A) | 1 | 77 |
| | JRH_102 | | Head supporting belt | 1 | 68 |
| | JRH 107 | JRH 1 2 3 4 | Pelvic belt (2) | 1 | 97 |
| | JRH_114 | | H Harness (I) (1) (2) | | 77 |
| | | | H Harness (A) (1) (2) | 1 | 99 |
| | 1011 405 | C M H M | 6 points safety vest (I) (1) | | 139 |
| | JRH_125 | S M L XL | 6 points safety vest (A) (1) | 1 | 185 |
| | JRH_128 | | Abduction block (2) | 1 | 169 |
| | JRH_135 | | Hip guide (2) | 2 | 168 |
| | JRH_147 | | 5 points feet stabilizing belts | 2 | 71 |
| | JRH_154 | | Knee abductor (2) | 1 | 123 |
| | JRH_155 | | Chest supports (2) | 2 | 153 |
| | JRH_156 | | 2 points feet stabilizing belts | 2 | 31 |
| | JRH_161/1 | | Foot and ankle stabilizing sandals | 2 | |
| | JKI1_101/1 | | (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| POSITIONING | JRH_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | | | Foot and ankle stabilizing sandals | - | 123 |
| | JRH_161/3 | | (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | |
| | JRH_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | | - | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 | | |
| _ | JRH_162/1 | | – 17 cm; IN: 6 – 7 in) | 1 set | 128 |
| | JRH_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: 16,5 – 20 cm; IN: 6 – 8 in) | 1 set | 141 |
| | JRH_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | JRH_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm $-$ 28 cm; IN: 9 $-$ 11 in) | 1 set | 154 |
| | JRH_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | JRH_403 | - | Тгау | 1 | 185 |
| COMFORT | JRH_453 | JRH 1 2 3 4 | Seat cushion with bolster * | 1 | 105 |
| | | | | | |
| ADDITIONAL | JRH_725 | JRI 1 2 3 4 | Medical upholstery MEDICUS [™] MED SKIN (I) (3) | 1 | 108 |
| UPHOLSTERY | JRH_739 | | Medical upholstery EXTREME-MED [™] PILLAR BOX (I) (3) (W) | 1 | 108 |

(3) LEAD TIME CA. 30 DAYS.

Special needs stroller KIDOO HOME[™]

UMDNS: 18139

STANDARD EQUIPMENT

Adjustable backrest tilt angle,

Tilt-In-space adjustment,

Adjustable depth of the seat,

Adjustable armrests, 4 points safety vest,

Push handle,

HexagonPro[™] Headrest,

Mobile base with footrest and 2 points feet stabilizing belts, Medical upholstery MEDICUS[™] MED SEA.

| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EUF |
|--------------|-----------|---------------|--|--------------|----------------|
| SAFETY | KDH_014 | KDH 1 2 3 4 5 | Skis / Rocking chair (A) | 2 | 117 |
| | KDH_101 | | Thigh abduction belts | 1 | 106 |
| | KDH_102 | | Head supporting belt for HexagonPro [™] Headrest | 1 | 68 |
| - | | KDH 1 2 3 4 5 | Head supporting belt for VisoPro™ Headrest | 1 | 75 |
| - | KDH_107 | | Pelvic belt (2) | 1 | 98 |
| | KDH_114 | | H Harness (I) (1) (2) | 1 | 77 |
| - | - | | H Harness (A) (2) | | 99 |
| | KDH_125 | S M L XL | 6 points safety vest (I) | 1 - | 139 |
| - | | | 6 points safety vest (A) | - | 185 |
| - | KDH_128 | _ | Abduction block (2) | 1 | 191 |
| - | KDH_134 | _ | Narrowing pads 6 cm (2) | 2 | 116 |
| - | KDH_137 | | Narrowing pads 10 cm (2) | 2 | 116 |
| - | KDH_154 | _ | Knee abductor (2) | 1 | 191 |
| - | KDH_155 | _ | Chest supports (2) | 2 | 220 |
| | KDH_161/1 | KDH 1 2 3 4 5 | Foot and ankle stabilizing sandals (EUR: 21 – 24, CM: 13 – 15 cm; UK: 4,5 – 7, IN: 5,1 – 5,9 in) | 2 | |
| POSITIONING | KDH_161/2 | | Foot and ankle stabilizing sandals (EUR: 25 – 27, CM: 15 – 17 cm; UK: 7,5 – 9,5, IN: 5,9 – 6,7 in) | 2 | |
| | KDH_161/3 | | Foot and ankle stabilizing sandals (EUR: 27 – 31, CM: 17 – 19,5 cm; UK: 9 – 12, IN: 6,7 – 7,7 in) | 2 | 123 |
| | KDH_161/4 | | Foot and ankle stabilizing sandals (EUR: 31 – 35, CM: 19,5 – 22,4 cm; UK: 12 – 2,5, IN: 6,7 – 8,8 in) | 2 | |
| | KDH_162/1 | | Dynamic ankle stabilizers (FP-22) (size XS, perimeter of the ankle CM: 4 $-$ 17 cm; IN: 6 $-$ 7 in) | 1 set | 128 |
| | KDH_162/2 | | Dynamic ankle stabilizers (FP-22) (size S, perimeter of the ankle CM: $16,5 - 20$ cm; IN: $6 - 8$ in) | 1 set | 141 |
| | KDH_162/3 | | Dynamic ankle stabilizers (FP-22) (size M, perimeter of the ankle CM: 19 cm – 23,5 cm; IN: 7 – 9 in) | 1 set | 141 |
| | KDH_162/4 | | Dynamic ankle stabilizers (FP-22) (size L, perimeter of the ankle CM: 23 cm – 28 cm; IN: 9 – 11 in) | 1 set | 154 |
| | KDH_162/5 | | Dynamic ankle stabilizers (FP-22) (size XL, perimeter of the ankle CM: 26,5 cm – 33 cm; IN: 10 – 13 in) | 1 set | 154 |
| | KDH_168 | | VisoPro [™] Headrest | 1 | 185 |
| COMEODT | KDH_403 | KDU 1 2 2 4 5 | Tray | 1 | 200 |
| COMFORT | KDH_453 | KDH 1 2 3 4 5 | Seat cushion with bolster * | 1 | 95 |
| BUILD-UP | KDH_616 | KDH 1 2 3 4 5 | Footrest with 2 points feet stabilizing belts (A) | 1 | 247 |
| | KDH_725 | KDH 1 2 3 4 5 | Medical upholstery MEDICUS [™] (MED SKIN / MED GREEN / MED RED / MED LILAC / MED GRAY) (I) (3) | 1 | 108 |
| UPHOLSTERY - | KDH 739 | | Medical upholstery EXTREME-MED [™] PILLAR BOX (I) (3) (W) | - | 108 |

EXW PRICES EURO



PRICES ARE VALID FROM: 07.08.2023

> EXW PRICES EURO NONO MINI

298

NONO MAXI

336

64

1

Bath chair NONOTM UMDNS: 10788

STANDARD EQUIPMENT

Waterproof upholstery,

Water-resistant adjustable frame equipped with foam covers to avoid scratches on the bathtub,

AKS_807

Pelvic belt,

DRY FLOOR TECH[™]. In all of our bath products the frame is filled with polyurethane foam which prevents water from getting inside.

| | | <u>L</u> | ow bath chair AKVOLITO TM | | | | |
|---|---------|---------------------------------|--|--------------|--------------------|--|--|
| | | | UMDNS: 10788 | | | | |
| STANDARD EQUIPMEN | т | | | | EXW PRICES EURO | | |
| Waterproof upholstery made of nylon mesh, | | | | | | | |
| Adjustable head support, | | | | | | | |
| Adjustable trunk belt | , | | | | SIZE 0 | | |
| Independently adjust | | | | | 385 | | |
| , , , | 5 | th foam covers to avoid scratcl | hes on the bathtub. | - | SIZE 1 | | |
| , | | | rethane foam which prevents water from getting inside. | | 467 SIZE 2 MINI | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | SIZE 2 481 | | |
| | | | | - | SIZE 3 | | |
| | | | | | 500 | | |
| | | | | | SIZE 4 | | |
| | | | | | 541 | | |
| | | | ACCESSORIES | | | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO | | |
| | AKL_325 | AKL B 0 1 2M 2 3 4 | Fixing kit for BodyMap® cushion | 1 | 82 | | |
| | | AKL 0 | BodyMap® cushion K/L0 (40 x 120 cm) | | 838 | | |
| | | AKL 1 | BodyMap® cushion K/L1 (40 x 120 cm) | | 838 | | |
| BodyMap [®] POSITIONING | | AKL 2M | BodyMap® cushion K/L2M (40x130 cm) | 1 | 894 | | |
| POSITIONING | AKL_327 | AKL 2 | BodyMap® cushion K/L2 (45 x 130 cm) | | 894 | | |
| | | AKL B 3 | BodyMap® cushion K/L3 (50 x 145 cm) | | 950 | | |
| | | | BodyMap® cushion K/L4 (55 x 180 cm) | | 1 007 | | |

| AKL_325 | AKL B 0 1 2M 2 3 4 | Fixing kit for BodyMap® cushion | 1 | 82 | |
|---------|--|--|--|--|-------|
| | AKL 0 | BodyMap® cushion K/L0 (40 x 120 cm) | | 838 | |
| | AKL 1 | BodyMap® cushion K/L1 (40 x 120 cm) | | 838 | |
| AVI 227 | AKL 2M | BodyMap® cushion K/L2M (40x130 cm) | 1 | 894 | |
| AKL_327 | AKL 2 | BodyMap® cushion K/L2 (45 x 130 cm) | | 894 | |
| | AKL B 3 | BodyMap® cushion K/L3 (50 x 145 cm) | | 950 | |
| | | AKL 4 BodyMap® cushion | BodyMap® cushion K/L4 (55 x 180 cm) | | 1 007 |
| AKI 762 | | Adjustable trunk belt | 1 | 35 | |
| - | AKL B 0 1 2M 2 3 4 | Waterproof upholstery | 1 | 154 | |
| AKL 782 | | | 1 | 58 | |
| AKL_783 | - | Adjustable leg belts | 1 | 46 | |
| | 4 | | | | |
| AKL_804 | AKL B 0 1 | AKVO Active waterproof platform for bath chairs | 1 | 467 | |
| AKL_807 | AKL B 0 1 2M 2 3 4 | Thigh wedge | 1 | 64 | |
| | AKL_327 AKL_762 AKL_767 AKL_782 AKL_783 AKL_804 | AKL_327 AKL_327 AKL_327 AKL_2M AKL 2M AKL 2M AKL 2 AKL 8 3 AKL 8 3 AKL 4 AKL 762 AKL 767 AKL 767 AKL 8 0 1 2M 2 3 4 AKL_804 AKL B 0 1 AKL 8 0 AKL 8 0 1 AKL 8 0 AKL | AKL 0 BodyMap® cushion K/L0 (40 x 120 cm) AKL_327 AKL 1 BodyMap® cushion K/L1 (40 x 120 cm) AKL_327 AKL 2M BodyMap® cushion K/L2 (40 x 120 cm) AKL 2M BodyMap® cushion K/L2 (40 x 130 cm) AKL 2M BodyMap® cushion K/L2 (45 x 130 cm) AKL 2 BodyMap® cushion K/L3 (50 x 145 cm) AKL 4 BodyMap® cushion K/L4 (55 x 180 cm) AKL_762 AKL_767 AKL B 0 1 2M 2 3 4 AKL_783 AKL B 0 1 2M 2 3 4 Adjustable trunk belt Waterproof upholstery Adjustable leg belts Adjustable leg belts AKL_804 AKL B 0 1 AKVO Active waterproof platform for bath chairs | AKL 0 BodyMap® cushion K/L0 (40 x 120 cm) AKL_327 AKL 1 BodyMap® cushion K/L1 (40 x 120 cm) AKL_327 AKL 2 BodyMap® cushion K/L2 (45 x 130 cm) AKL 2 BodyMap® cushion K/L2 (45 x 130 cm) 1 AKL 2 BodyMap® cushion K/L3 (50 x 145 cm) 1 AKL 4 BodyMap® cushion K/L4 (55 x 180 cm) 1 AKL_762 AKL B 0 1 2M 2 3 4 Adjustable trunk belt 1 AKL_782 AKL_783 1 Waterproof upholstery 1 AKL_804 AKL B 0 1 AKVO Active waterproof platform for bath chairs 1 | |

| | | | Bath chair AKVOSEGO [™] | | |
|-------------------------------------|--------------------------|---|---|--------------|-----------------|
| | | | UMDNS: 10788 | | |
| STANDARD EQUIPMENT | | | | | EXW PRICES EURO |
| Waterproof upholstery | made of nylon mesh, | | | | SIZE 0 |
| Adjustable head suppo | ort, | | | | 561 |
| Adjustable trunk belt, | | | | | SIZE 1 |
| ndependently adjustal | ble leg belts, | | | | 561 SIZE 2 |
| Nater-resistant adjusta | able frame equipped with | foam covers to avoid scrat | ches on the bathtub, | | 577 |
| DRY FLOOR TECH [™] . Ir | all of our bath products | the frame is filled with poly | urethane foam which prevents water from getting inside. | | SIZE 3 |
| | | | | | 593 |
| | | | ACCESSORIES | | |
| GROUP | SYMBOL | SIZE | EQUIPMENT | QUANTITY PC. | EXW PRICES EURO |
| | AKS_325 | AKS 0 1 2 3 | Fixing kit for BodyMap® cushion | 1 | 82 |
| | | AKS 0 | BodyMap® cushion K/F0 (40 x 120 cm) | | 838 |
| BodyMap [®] POSITIONING | | AKS 1 | BodyMap® cushion K/F1 (40 x 130 cm) | 1 | 838 |
| POSITIONING | AKS_326 | AKS 2 | BodyMap® cushion K/F2 (50 x 145 cm) | 1 | 894 |
| | | AKS 3 | BodyMap® cushion K/F3 (55 x 180 cm) | | 950 |
| | AKS_762 | | Adjustable trunk belt | 1 | 42 |
| SPARE PARTS | AKS_767 | AKS_767 AKS 0 1 2 3 Waterproof upholstery 1 AKS_782 Adjustable head support 1 | | 1 | 161 |
| SPARE PARTS | AKS_782 | | | 1 | 58 |
| | AKS_783 | | Adjustable leg belts | 1 | 46 |
| BUILD-UP | AKS_804 | AKS 0 1 2 3 | AKVO Active waterproof platform for bath chairs | 1 | 467 |
| | AKS_805 | | Pelvic suport | 1 | 61 |
| POSITIONING | AKS_806 | AKS 0 1 2 3 | Pelvic-thigh belt | 1 | 96 |
| | | | | | |

Thigh wedge



PRICES ARE VALID FROM: 07.08.2023

Protective mask COMFORTA

| Protective mask Connorma | |
|--|-----------------|
| DESCRIPTION | EXW PRICES EURO |
| · Ultralight mask made of the special fabric ProFit™ will ensure you safety. | |
| Its main feature is a comfort design – the fabric fits perfectly to the shape of your face and the soft earbands make you forget that you wear it, even for hours. | |
| · Available in 3 sizes: S for children, M and L for adults. | 9 |
| · Available colours: MORO, GRAY, BEIGE, MELANGE, BLACK, GRAPHITE. | |
| | |

SELF-LEVELLING TRAY

DESCRIPTION EXW PRICES EURO A lap tray is a multifunctional and portable tray. A special bag filled with granules makes it possible to stably place it on your knees or on other uneven surfaces. SIZE 1 Perfect for home or school, during therapy activities, everyday activities and recreation activities. An ergonomic top made of a non-slip material has a special edge 201 which prevents objects from slipping from the tray. There is a bag filled with granules attached to the bottom with Velcro. It has a special pocket which allows you to SIZE 2 adjust the amount of the granules. There are two wide straps equipped with Velcro attached to the tray, which ensure a perfect stabilization. We can easily fix the tray 201 to the beans with them. CUSTOM-MADE. LEAD TIME ca. 30 DAYS. SIZE 3 201 SIZE 3 219 SIZE 5 219

| | JOY [™] Table | | | | | | | |
|---|--|--------------------|--|--|--|--|--|--|
| DESCRIPTION | | EXW PRICES EURO | | | | | | |
| JOY [™] 1 - cut-out board | | JOY [™] 1 | | | | | | |
| · Height adjustment, | · Disassambled table, for self-assembly. | 205 | | | | | | |
| · Wide cut-out board, | 385 | | | | | | | |
| JOY [™] 2 - plain board | | JOY [™] 2 | | | | | | |
| · Height adjustment, | | | | | | | | |
| · Wide plain board, | Wide plain board, | | | | | | | |
| JOY [™] 3 - tilt cut-out board | | JOY [™] 3 | | | | | | |
| · Height adjustment, | · Tabletop with tilt adjustment, | | | | | | | |
| · Wide cut-out board, | · Disassambled table, for self-assembly. | 494 | | | | | | |
| JOY [™] 4 - tilt plain board | | JOY [™] 4 | | | | | | |
| · Height adjustment, | Tabletop with tilt adjustment, | 104 | | | | | | |
| · Wide plain board, | · Disassambled table, for self-assembly. | 494 | | | | | | |

| <u>KIDOO[™] Table</u> | | | | | | | | | |
|--|--|-----------------|--|--|--|--|--|--|--|
| DESCRIPTION | | EXW PRICES EURO | | | | | | | |
| · Height adjustment, | | SIZE 1 | | | | | | | |
| · Wide plain board, | | 508 | | | | | | | |
| · Tabletop with tilt adjustment, | | SIZE 2 | | | | | | | |
| · Disassambled table, for self-assembly. | | 559 | | | | | | | |
| | | SIZE 3 | | | | | | | |
| | | 612 | | | | | | | |
| | | SIZE 4 | | | | | | | |
| | | 661 | | | | | | | |



COMPATIBILITY TABLE



MATCHING FlexPoint® PRODUCTS WITH Akces-MED® PRODUCTS

| | ULISES EVO** O | | | | | | | | | | | | | | | RACER* RACER EVO* RACER HOME* | | | | ZEBRA Invento™ DALMATIAN | | | JUMBO™ | | | KIDOO™ KIDOO HOME™ | | | | | JORDI™ JORDI HOME™ | | | | |
|-------|----------------|--------------|-----|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------------------------------|--------------|--|--------------|--------------------------------|--------------|--------------|--------------|--------------|--------------|-----------------------|--------------|--------------|--------------|--------------|-----------------------|--------------|--------------|-----------------------|----------------------------------|
| | | | 4.4 | | 2. | - | | • | | F | A | CTIVE | | | | | | | | | In | wento | - | | • | - | | | | | | | | | - |
| - | SIZE | 1 | 1a | 2 | 2a | 3 | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 4 |
| | XS | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | × | * | | v | ¥ | × | 10 | 10 | 10 | 10 | Y | | V | V / | ~ | × | • | | | | × | × | * | × / | × |
| 5 | S | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Y | × | × | Y / | | v / | 10 | 10 | 10 | 10 | × | × | × -/ | × | ×, | | × | × | × | × | | × | ř | × | |
| FP-01 | M | 1 | 1 | 1 | 1 | 1 | 222 | 1 | 1 | 1 | | × | Č, | × | × | | 10 | 10 | 10 10 | 10 10 | | Ý | × | | ř | × | • ./ | | × | Ň | | × -/ | × -/ | × | V / |
| | L XL | | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | × ./ | | × ./ | | × | · / | 10 | 10 10 | 10 | 10 | | | × | • ./ | × | × | ~ | × ./ | × | | v | | × -/ | | × / |
| - | | 1 | | 4 | 1 | 1 | 1 | | 1 | 1 | × | × | × / | × | × | × | 10 | | | 2000 | | <u> </u> | × | × | - | × | | × | × | × | × | | | ~ | × |
| | XXS | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | × . | × . | × | × | × | V I | 10 | 10 | 10 | 10 | | × | × | | × | × | × | × | × | V | × | × | × . | × / | <u>v</u> |
| | XS | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ~ | * | | * | × | × | 10 | 10 | 10 | 10 | V | | × | × | ~ | × | * | * | | | × | * | * | ~ | ✓ ✓ |
| FP-02 | s | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ~ | * | * | × | | × / | 10 | 10 | 10 | 10 | Ň | ×, | × | Ň | ×, | | ~ | × | * | * | | × | × | × | × |
| H | M | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | × | ~ | ×, | ~ | * | | 10 | 10 | 10 | 10 | × | ×. | × | V V | × | * | × | × | × | ~ | * | × | × | ×. | V. |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | V | - | ~ | × | ×. | v | 10 | 10 | 10 | 10 | | × | Ý | × | ~ | ~ | × | × | ~ | × | v | × | × | ~ | V |
| | XL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ~ | × . | ~ | ~ | 1 | V | 10 | 10 | 10 | 10 | V | × | Ý | ~ | ~ | ~ | ~ | ~ | ~ | × | ~ | \checkmark | ~ | $\mathbf{\mathbf{v}}$ | × |
| | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | ~ | 1 | < | \checkmark | \checkmark | 10 | 10 | 10 | 10 | ~ | ~ | 1 | 1 | ~ | ~ | ~ | 1 | 1 | 1 | ~ | ~ | 1 | \checkmark | \checkmark |
| 8 | м | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | \checkmark | ~ | ~ | 1 | 1 | ~ | 10 | 10 | 10 | 10 | ~ | ✓ | ~ | 1 | 1 | ~ | ~ | ~ | 1 | 1 | 1 | \checkmark | 1 | \checkmark | ✓ |
| đ | L | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | \checkmark | | ~ | ~ | ~ | 1 | 10 | 10 | 10 | 10 | \checkmark | \checkmark | ~ | ~ | \checkmark | ~ | | | \checkmark | ~ | ~ | \checkmark | | ~ | ✓ |
| | XL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | \checkmark | \checkmark | 1 | \checkmark | \checkmark | 1 | 10 | 10 | 10 | 10 | \checkmark | \checkmark | \checkmark | \checkmark | ~ | ~ | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark |
| FP-04 | U | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | × | × | × | × | × | × | × | × | × | × | x | × | × | × | × | × | × | × | × | × | × | × | × | × | * |
| H | | | | | 2 | | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | XS | 3 | 3 | 3 | | | 3 | 3 | | 3 | 8 | 8 | | 8 | | 8 | 8 | 8 | 8 | 8 | × | × | × | × | × | × | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 5 | s | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | × | × | × | × | × | × | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| FP-05 | М | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | × | × | × | × | × | × | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | ļ. | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | × | × | × | × | × | × | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | XL | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | * | × | * | * | × | × | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | s | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | 1 | ~ | \checkmark | ~ | \checkmark | \checkmark | 10 | 10 | 10 | 10 | ~ | \checkmark | \checkmark | ~ | ~ | ~ | ~ | ~ | 1 | ~ | 1 | ~ | - | ~ | \checkmark |
| FP-06 | М | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | \checkmark | 1 | ~ | ✓ | - | ~ | 10 | 10 | 10 | 10 | ~ | ✓ | V | 1 | ~ | ~ | \checkmark | ✓ | 1 | - | ✓ | \checkmark | ✓ | \checkmark | ~ |
| | <u> </u> | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | \checkmark | ~ | 1 | ~ | \checkmark | 1 | 10 | 10 | 10 | 10 | V | \checkmark | 1 | • | ~ | 1 | \checkmark | ~ | ~ | ~ | \checkmark | \checkmark | \checkmark | \checkmark | ~ |
| | XS | ~ | ~ | \checkmark | \checkmark | \checkmark | \checkmark | 1 | \checkmark | \checkmark | 1 | ~ | \checkmark | ~ | \checkmark | | \checkmark | ~ | ~ | \checkmark | ~ | ~ | \checkmark | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | ~ | ~ | \checkmark | \checkmark |
| | S | \checkmark | ✓ | 1 | ~ | \checkmark | 1 | 1 | 1 | \checkmark | - | 1 | 1 | ✓ | ~ | ~ | \checkmark | 1 | 1 | \checkmark | \checkmark | ~ | 1 | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 1 | ~ | \checkmark | ✓ |
| 9 | м | \checkmark | - | 1 | 1 | ~ | ~ | 1 | 1 | ~ | \checkmark | 1 | 1 | ~ | 1 | 1 | \checkmark | ✓ | 1 | 1 | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | \checkmark | \checkmark | ~ | 1 |
| Ę | L. | 4 | 4 | 4 | 4 | 4 | \checkmark | ~ | \checkmark | 1 | \checkmark | | 1 | \checkmark | \checkmark | ✓ | \checkmark | Image: A second s | 1 | ✓ | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | XL. | 4 | 4 | 4 | 4 | 4 | ×. | \checkmark | \checkmark | 1 | \checkmark | \checkmark | ~ | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | ~ | ~ | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | XXL | 4 | 4 | 4 | 4 | 4 | \checkmark | \checkmark | \checkmark | \checkmark | Ý | ~ | \checkmark | \checkmark | V | \checkmark | \checkmark | V. | ~ | \mathbf{I} | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | XS | 5 | 5 | 5 | 5 | | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | 13 | 13 | 13 | 13 | 13 | × | × | × | * |
| FP-11 | s | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | × | × | * | × | × | × | 13 | | 13 | 13 | 13 | × | × | × | * |
| đ | м | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | x | × | × | × | × | × | × | × | 13 | | | | 13 | × | x | × | * |
| | Ŀ | 6 | 6 | 6 | 6 | 6 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | | × | × | × | × | × | | 1 | 13 | 13 | 13 | × | × | × | × |
| | XS | V | ✓ | \checkmark | \checkmark | \checkmark | ~ | 1 | \checkmark | \checkmark | ~ | 1 | 1 | ~ | \checkmark | \checkmark | ~ | 1 | ~ | \checkmark | V | ✓ | _ | 1.00 | 11 | 10110-00 | | | 12 | 12 | 12 | V | 1 | ~ | \checkmark |
| | S | V | 1 | 1 | 1 | \checkmark | ✓ | 1 | 1 | \checkmark | 1 | ~ | 1 | ~ | 1 | \checkmark | V | 1 | 1 | \checkmark | × | × | _ | | 11 | | | 12 | 12 | 12 | 12 | ✓ | 1 | ✓ | ✓ |
| FP-12 | м | \checkmark | V. | V | ~ | V | \checkmark | V | 1 | ~ | \checkmark | ~ | ~ | \checkmark | ~ | 1 | ~ | ~ | 1 | ~ | × | × | × | 11 | 11 | 11 | | 12 | | 12 | 12 | \checkmark | \checkmark | 1 | \checkmark |
| đ | L. | 4 | 4 | 4 | 4 | 4 | \checkmark | 1 | 1 | ~ | \checkmark | | 1 | V | \checkmark | 1 | ~ | \checkmark | 1 | ~ | × | × | × | 11 | 11 | | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | XL | 4 | 4 | 4 | 4 | 4 | \checkmark | \checkmark | \checkmark | ~ | \checkmark | | \checkmark | \checkmark | \checkmark | ~ | \checkmark | ~ | ~ | \checkmark | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | XXL | 4 | 4 | 4 | 4 | 4 | \checkmark | \checkmark | \checkmark | \checkmark | \checkmark | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| | xs | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | x | × | × | × | × | × | × | × | x | × | 13 | | 13 | 13 | 13 | × | × | × | × |
| FP-13 | s | 5 | 5 | 5 | 5 | | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | | | 13 | | 13 | × | × | × | × |
| FP | М | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | 13 | | | | 13 | × | × | × | × |
| | Û. | 6 | 6 | 6 | 6 | 6 | 5 | 5 | 5 | 5 | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | 13 | 13 | 13 | 13 | 13 | × | × | × | × |
| | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | ULIS | ies e | vo | ти | I | O | MBF | RELO | D™ | URS | URSUS US HO URSU | ME™ S | NC | NOVA VA EV VA HO | /0* | | RACE | CER* R EVO I HOM | | lı DA | ZEBR) ivento LMAT | IAN | JL | ЛВ | C™ | ĸ | | DOC O HC | | тм | JO | | RDI™ HOM | |
|-------|--------|-----|--------|------|-------|------------|-----------------------|---|--------------|-----|--------|--------------|-----|------------------------|--------------|--------------|------------------------|--------|--------------|--------------|------------------------|--------------|----------|-------------------------|-----|----|----|----|--------------|----|--------------|--------------|----|--------------|--------------|--------------|--------------|
| | siz | E | 1 | 1a | 2 | 2 a | 3 | | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 4 |
| | 5 | | ~ | ~ | ~ | V | - | | ~ | ~ | ~ | \checkmark | 1 | ~ | ~ | V | ~ | ~ | ~ | V | V | \checkmark | ~ | 1 | V | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | ~ | ~ | 1 | \checkmark |
| FP-14 | | | ✓ | 1 | ~ | ¥ | • | 1 | ~ | ~ | 1 | 1 | ~ | ~ | ✓ | V | ~ | 1 | 1 | 1 | 1 | 1 | × | x | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | \checkmark | \checkmark | 1 | ~ |
| - | £ | | 4 | 4 | 4 | 4 | 4 | | 4 | 4 | 4 | 4 | ~ | \checkmark | \checkmark | \checkmark | ~ | 1 | \checkmark | \checkmark | 1 | 1 | × | * | * | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| ND. | | 10 | ✓ | 1 | V | V | - | 1 | ~ | 1 | V | \checkmark | 1 | 1 | 1 | 1 | 1 | 1 | ~ | 1 | 1 | \checkmark | 1 | 1 | 1 | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 1 | 1 | 1 | \checkmark |
| FP-15 | M | | ~ | 1 | ~ | 1 | V | 1 | \checkmark | ~ | ~ | ~ | ~ | \checkmark | ~ | ~ | ~ | ~ | ~ | ~ | 1 | \checkmark | × | × | × | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | ~ | \checkmark | ~ | ~ |
| | L | - | 4 | 4 | 4 | 4 | 4 | - | 4 | 4 | 4 | 4 | V | √. | V. | V | ~ | ~ | ~ | \checkmark | V | × | × | × | × | 11 | 11 | | 12 | 12 | 12 | 12 | 12 | 4 | 4 | 4 | 4 |
| 20 | | | 7 | 7 | 7 | 7 | 7 | | 7 | 7 | 7 | 7 | * | * | × | × | × | × | × | × | | × | 11 | 11 | 11 | × | × | * | 13 | 13 | 13 | 13 | 13 | 7 | 7 | 7 | 7 |
| FP-20 | M | | 7 | 7 | 7 | 7 | 7 | - | 7 | 7 | 7 | 7 | × | x | x | Ý | × ./ | × | × ./ | × / | × ./ | × ./ | ×× | ×× | ×× | × | × | ×× | 13 | 13 | 13 | 13 | 13 | 7 | 7 | 7 | 7 |
| | | | / x | * | | / | | | * | ~ | / × | × | * | × | × | * | × | × | × | × | × | × | × | × | × | * | × | * | 13 | 13 | 13 | 13 | 13 | * | / | * | × |
| FP-21 | S M | | ÷ | - | × | × | Ĉ | | - | - | - | ÷ | - | | | ÷ | ~ | - / | ÷ | × | ÷ | × | ŝ | ÷ | × | × | x | x | ÷ | - | - | ÷ | ÷ | × | 9 × | 9 | × |
| £ | | | × | × | × | × | | | x | × | × | × | × | × | × | × | × | × | x | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | × | 9 |
| | XS | 5 | 16 | 16 | 16 | 16 | 10 | 5 | 16 | 16 | 16 | 16 | × | × | × | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | × | × | × | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| | | | 16 | 16 | 16 | 16 | 10 | 5 | 16 | 16 | 16 | 16 | x | × | × | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | × | × | × | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| FP-22 | м | r I | 16 | 16 | 16 | 16 | 10 | 5 | 16 | 16 | 16 | 16 | x | x | × | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | x | x | × | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| E. | | | 16 | 16 | 16 | 16 | 16 | 5 | 16 | 16 | 16 | 16 | x | x | x | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | x | × | x | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| | | | 16 | 16 | 16 | 16 | 10 | 5 | 16 | 16 | 16 | 16 | x | × | x | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | × | × | × | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| | s | | 1 | ~ | V | 1 | • | 1 | ✓ | ~ | ~ | ~ | 1 | 1 | 1 | \checkmark | 1 | ~ | 1 | \checkmark | 1 | 1 | × | × | x | × | x | × | \checkmark | 1 | 1 | \checkmark | ~ | ~ | 1 | \checkmark | ~ |
| FP-30 | М | 1 | ~ | ~ | ~ | V | • | | ✓ | ~ | ~ | ~ | 1 | 1 | 1 | 1 | 1 | 1 | ~ | 1 | 1 | ~ | × | × | × | × | × | × | \checkmark | 1 | 1 | ~ | ~ | \checkmark | ✓ | ✓ | \checkmark |
| dir. | | | ~ | ~ | ~ | 1 | 1 | 5 | \checkmark | ~ | 1 | 15 | ~ | 1 | 1 | \checkmark | 1 | 15 | V | 1 | 1 | 15 | × | × | × | × | × | × | \checkmark | ~ | \checkmark | 1 | ~ | \checkmark | \checkmark | ~ | ~ |

| KEY: | |
|------|--|
| ✓ | You can mount the selected FlexPoint® product without the need to buy additional assembly elements. |
| ~ | You can mount the selected FlexPoint [®] product without the need to buy additional assembly elements. However, it is not recommended due to the size mismatch. |
| 1 | You can mount the selected FlexPoint® product conditionally (check the list below). |
| | You can mount the selected FlexPoint® product conditionally (check the list below). However, it is not recommended due to the size mismatch. |
| × | The selected FlexPoint® product cannot be mounted. |
| 1 | To mount the FlexPoint [®] products, you must additionally buy the mounting elements FP-EM-7/P (if you already have the vest with the front adjustment P – use side) or FP-EM-7/T (if you already have the vest with the rear adjustment T – caregiver side). There are two pieces of the elements in a set – you need to buy one set. Mount the lower straps of the vest in the designated place on the frame of the stroller. |
| 2 | To mount the FlexPoint [®] product, you must additionally buy the mounting elements. As the product can be mounted in several ways, you should buy the selected set of the mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting elements. |
| 3 | For the FP-05 product equipped with the mounting triangle: To mount the product, you must additionally buy the mounting elements. As the product can be mounted in several ways, you should buy the selected set of the mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting elements. For the FP-05 product equipped with the buckles, fastened circumferentially: If you have the FP-05 belt fastened circumferentially, you do not need an additional mounting elements. |
| 4 | To mount the belts, use the additional mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected se of the mounting elements. |
| 5 | The belts consist of the BASIC STRAPS and ADDITIONAL STRAPS. <u>MOUNTING OF THE BASIC STRAPS</u> : The straps can be mounted in several ways. It is possible to mount the BASIC STRAPS without the use of the additional mounting elements. In that case, use the designated place at the frame of the stroller. <u>MOUNTING OF THE ADDITIONAL STRAPS</u> : To mount the ADDITIONAL STRAPS you must additionally buy the mounting elements. As the ADDITIONAL |

BELTS can be mounted in several ways, you should buy the selected set of the mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting. The belts consist of the BASIC STRAPS and ADDITIONAL STRAPS.

MOUNTING OF THE ADDITIONAL STRAPS: To mount the BASIC STRAPS, use the additional mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting elements. MOUNTING OF THE ADDITIONAL STRAPS: To mount the ADDITIONAL STRAPS you must additionally buy the mounting elements. As the ADDITIONAL

6 body <u>two pieces</u> of the selected set of the monthing elements.
6 MOUNTING OF THE ADDITIONAL STRAPS: To mount the ADDITIONAL STRAPS you must additionally buy the mounting elements. As the ADDITIONAL BELTS can be mounted in several ways, you should buy the selected set of the mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting elements.

To mount the FlexPoint* product, you must additionally buy the mounting elements. As the product can be mounted in several ways, you should buy the selected set of the mounting elements (1) FP-EM-1 or (2) FP-EM-1 + FP-EM-3. You need to buy two pieces of the selected set of the mounting elements – it applies to the front of the thigh abduction belts. The back of the thigh abduction belts is mounted in the designated place at the frame of the stroller.

| 8 | It is possible to mount only the FP-05 chest belt equipped with buckles, fastened circumferentially. The chest belt equipped with the mounting triangles cannot be mounted. |
|----|---|
| 9 | In case of the JORDI [™] chair, it is possible to mount the FP-21 belts in the narrow (FP-21/W) as well as the wide (FP-21/S) version, provided that the seat is not equipped with a footrest. In case of the JORDI [™] chair equipped with a footrest or in case of the JORDI HOME [™] stroller (which is equipped with a footrest as standard), it is suggested to buy a narrow version of the belt. |
| 10 | To mount the vest, you must buy the "female" buckle member (mounting element FP-EM-8) and mount it on the vest as instructed. ATTENTION! It is possible to mount only the vest with the rear adjustment T – caregiver side. After mounting the vest, the adjustment is no longer available. It is impossible to mount the vest with the front adjustment P – user side. |
| 11 | Mount the belts with the use of the wood screw (FP-EM-6) in the designated place. You need to buy two pieces of the element FP-EM-6. |
| 12 | Mount the belts in the designated place with the use of the mounting element: - For KIDOO [™] size 1, 2, 3 – FP-EM-4-M6x16 - For KIDOO [™] size 4, 5 – FP-EM-4-M6x20 You need to but <u>two pieces</u> of the mounting element. |
| 13 | Mount the belts in the designated place with the use of the mounting element: - For KIDOO [™] size 1, 2, 3 - FP-EM-4-M6x16 - For KIDOO [™] size 4, 5 - FP-EM-4-M6x20 You need to but <u>four pieces</u> of the mounting element. |
| 14 | Ankle stabilizers are available with the KIDOO HOME [™] and JORDI HOME [™] strollers, and also with the KIDOO [™] and JORDI [™] chairs equipped with footrests (for KIDOO [™] it is KDO_616 or KDO_618; for JORDI [™] it is JRI_619). The size of the ankle stabilizers (FP-22) should be selected based on the measurement of the leg above the ankle, according to the size table on the website <u>flex-point.pl/en/</u> . |
| 15 | It is recommended to use the extender for universal stabilizing belt (FP-A-1). |
| 16 | The size of the ankle stabilizers (FP-22) should be selected based on the measurement of the leg above the ankle, according to the size table on the website flex- point.pl/en/. |

ATTENTION! The sizes indicated in the table are only a suggestion.

Before buying the **FlexPoint**[®] belts, check the size table on the website <u>flex-point.pl/en/</u> and select the appropriate size of the **FlexPoint**[®] product for the user.

ATTENTION! The detailed instructions for mounting the FlexPoint® products can be found in the user's manual of a given stroller or chair.

The user manuals are available on the website **<u>en.akces-med.com</u>** in the given product tab.



AKCES-MED Sp. z o. o. Jasionka 955B 36-002 Jasionka, POLAND BDO 000031619 akces-med.com

SALES DEPARTAMENT

export@akces-med.com phone +48 (17) 864 04 70 phone +48 (17) 864 04 73

MEDICAL ADVISER

mobile +48 516 183 883

akces-med

PRICELIST 2023 m www.bodymapsystem.com www.reh4mat.com www.bodymapsystem.com www.reh4mat.com www.bodymapsystem.com www.reh4mat.com www.bodymapsys

BodyMap

1 BodyMap

1BodyHap

Body VACUUM SYSTEM BY ORTHODESIGN




Version: 19.06.2023

BodyMap® System refers to first class medical products which are designed for adults as well as children with cerebral palsy. All these products provide perfect stabilization during seating or lying position. What is more, it is a perfect choice for the disabled due to the fact that it prevents bed sores and muscle stiffness.

| | Vacuum pump Handy, small vacuum pump, ideal for small and medium-sized cushions. |
|------------|--|
| Ð | Large hand pump Highly efficient manual pump. Ideal for mattresses and big cushions. |
| \bigcirc | Self-adhesive function The bottom of selected cushions is covered with self-adhesive function. Various elements can be easily attached to it with Velcro tapes which helps while stabilizing patients in the cushion or mounting the cushion in the desired place, e.g. in the stroller or a car seat. In other cushions, the self-adhesive function is made on request. |
| | Repair kit For each cushion is added repair kit, which features a tube of neoprene glue, a set of patches and instruction manual. |
| | Valve with chain. The pump valve is small and easy to lose. With the chain you'll never have to search for it. |
| | Service valve. The service valve together with the granule bag (WG/1 or WG/2) makes it possible to control the amount of the granules in the BodyMap® cushions. Service valve is situated at the back of BodyMap® cushion thanks to which it is not very visible and, moreover, it is not an obstacle while using the product. The service valve is a standard equipment in the selected BodyMap cushions. In other cushions, the service valve is made on request. |

Attention! The measurements have been made after the air was pumped out and the cushion was initially shaped. The tolerance of the dimensions in the size table is +/- 2 cm. The dimensions of the product may slightly differ depending on the way it is shaped.



| | | | | | | | PRICE (€) | I. | | | | | | | | |
|---|---------------------|--------------------------|-----------------------|--|------------------------|-------------------------------|-------------------------|----------------------|----------------------|-------------------------|--------------------------|----------|--------------------|-----------------|---------------|-----|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | | ANTI-MIGRATION PAD | | | |
| | SITT | ING P | ÓSITIO | NING CU | SHION | I WITH | THIGH | ABD | υсто | - | DG | ΕΑΓ | ND | LAT | ER | AI |
| | | | | | SUPP | | ODYN | IAP ® | A + | | | | | | | |
| | 1 | 34 | 48 | 383 | 177 | 212 | 67 | 60 | 100 | 105 | | 93 | | | 33 | |
| | 2 | 40 | 08 | 450 | 208 | 249 | 77 | 71 | 116 | 120 | | 108 | | | 33 | |
| | 3 | 468 | 515 | 515 | 237 | 284 | 92 | 85 | 137 | 134 | | 127 | | 4 | 40 | |
| + | 4 | 558 | 614 | - | 282 | 339 | 105 | 98 | 158 | 156 | | 148 | | | 40 | |
| | 5 | 578 | - | - | 293 | 351 | 112 | 105 | 168 | 161 | | 156 | | | 47 | |
| | sitting p An ana | oosition. A tomic sha | A special a pe and la | cushion with h bduction wedg teral supports n as coccyx and | ge reduce of the Bo | s contractu odyMap® A | res of add + cushion | ductors a prevent | and mair the ante | ntains the erior pel | e legs vic til es. | s in th | e req h pro | uired ovides | posi s con | tic |
| | | | | all | | | A A | - Co | :)) | 1 | 40 | 27 | 26 | 7 | 6 | |
| | | A IS | 3 | 2 | -1 |) /// | | | S. | 2 | 42 44 | 29 30 | 36 40 | 8 9 | 6 7 | |
| | | | The second | | | B | Martin Martin | 11 H | 1 | 4 | 45 | 32 | 41 | 9 | 8 | |
| | | | 1- | 11 | | * | - | A | - | 5 | 54 | 41 | 44 | 10 | 8 | |
| | | | | | | | | | † т | | | | | | | |
| | | | | | | A – Cı | ıshion wid depth, C | • | eat width | | - | | | hion | | |

* IN CASE OF ORDERING THE CUSHION WITH A SELF-ADHESIVE FUNCTION, ITS PRICE INCREASES BY 7 %. ** AVAILABLE WHILE STOCKS LAST

| | | | | | | | PRICE (€) | 1 | | | | |
|----------|--------------------|------------------------|-------------------------|-------------------|--------------------------|-------------------------------|--------------------------|----------|---------------|------------------------|-----------------------------------|---|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | | | | E | ВАСК С | USHIO | N BOD | OYMA | P® B | | | |
| | 1 | 21 | 12 | 234 | 140 | 168 | 39 | 32 | 58 | 71 | - | - |
| | 2 | 29 | 92 | 322 | 161 | 193 | 45 | 39 | 68 | 80 | - | - |
| | 3 | 405 | - | 446 | 182 | 219 | 53 | 46 | 79 | 88 | - | - |
| m | 4 | 438 | - | - | 204 | 244 | 60 | 53 | 89 | 97 | - | - |
| BODYMAP® | back cu ensurir | urvature, and the corr | at the sar ect postu | ne time impro | oving the dy stabiliz | poor postu ation. It also | re. The c o allows to | ushion i | ncreases | s the comfo | ort of the s e posture b | n of scoliosi and itting patient by y patients with a |
| 0 | | | | Varyage (| | | | С | | Size | A B | ons [cm] C T |
| 0 | | | | | | ŤΤ | | NyMap" | | 1 2 | 39304739 | 31 6 41 7 |
| | | | | | | G. | | Ŵ | // – | 3 4 | 58 49 70 60 | 52 9 64 8 |
| | | | | | | | A | | В | | vidth, B – Cusł ushion thickne | ion length, T – ess |
| | INCLUI | | ØĆ | | | | | | | | | QUEST - SEE * |
| | * | N CASE O | F ORDERI | NG THE CUSH | | H A SELF-AD | | | N, ITS P | RICE INCR | EASES BY 7 | %. |
| | | | | | AVAIL | | SIUCKS | LASI | | | | |

| | | | | | | | PRICE (€) |) | | | | |
|----------|-------------------|------------------------|-------------------------|-------------------|--------------------------|-------------------------------|----------------------------------|-----------------------|-----------------------|---|---|-------------------------------------|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | | BA | ACKRE | ST CUSHI | ON W | ITH LAT | ERAL | SUPP | ORTS | BODY | MAP® E | }+ |
| | 1 | 32 | 29 | 362 | 166 | 200 | 64 | 57 | 95 | 101 | - | - |
| | 2 | 44 | 18 | 493 | 226 | 272 | 84 | 77 | 126 | 129 | - | - |
| | 3 | 618 | - | 679 | 313 | 375 | 120 | 112 | 179 | 170 | - | - |
| | 4 | 627 | - | - | 318 | 382 | 126 | 119 | 189 | 172 | - | - |
| ÷ | 5 | 667 | - | - | 338 | 406 | 133 | 126 | 200 | 182 | - | - |
| BODYMAP® | and for The cu | everybod shion posi | y who's in tions the | a sitting posit | ion for a l educes th | ong time, e. ne pressure | .g. in a wh e on the t | ieelchair. oone em | inence, | i.e. shoulde | | nuscle weakness r vertebrae. Our |
| Q | | 6 | \$7Boo | lyMap | | | A | ¥ | Size | | imensions | |
| BC | | | | | | C S | North P | ↑ T | 1 2 3 4 5 | 31 24 3 36 28 3 39 31 3 49 42 4 | A2 A3 B 31 36 7 31 40 7 36 44 7 45 63 12 48 64 14 | 301164015646156 |
| | | | | | | | A ₂ A ₃ | - | Pelot | Width, A1 - Wi ttes depth, C - elottes length | Total cushion | length, C1 – |
| | INCLUI | DED: (| \bigcirc | (f) | | ATTENT | ION! SELF | -ADHES | VE FUN | CTION ON | SPECIAL RE | QUEST - SEE * |
| | * | N CASE O | F ORDERI | NG THE CUSH | | | | | N, ITS P | RICE INCR | EASES BY 7 | %. |
| | | | | | ** AVAIL | ABLE WHIL | E STOCKS | LAST | | | | |

| | | | | | | | PRICE (€) |) | | | | | | |
|----------|-----------------------------|---------------------------------------|---------------------|---|---|--|--|------------------------------------|------------------------------------|---|--|--|--|--|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | D | INCONTINENCE COVER | ANTI-MIGRATION PAD | |
| | | | | POS | ITION | ING CH | AIR BO | DON | AP® | | | | | |
| | 1 | 53 | 38 | - | 217 | - | 67 | 60 | 100 | 10 | 5 | - | | 27 |
| | 2 | 57 | 71 | - | 238 | - | 73 | 67 | 110 | 11 | 3 | - | | 27 |
| | 3 | 624 | 687 | - | 260 | _ | 81 | 74 | 121 | 12 | 1 | - | | 33 |
| B | 4 | 658 | 724 | - | 280 | - | 88 | 81 | 131 | 13 | 0 | - | | 40 |
| | 5 | 697 | - | - | 301 | - | 95 | 88 | 142 | 13 | 8 | - | | 47 |
| 4 | 6 | 743 | - | - | 322 | | | | | | | | | |
| | - | • | | n chair which | functions | | | | | | nile tr | | | • |
| BODYMAP® | cars an curvatu | id wheelch ure, at the | airs. The same time | n chair which cushion makes e improving th ushion can be e | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | l eful wh ort and | nile tr I corr stable | ection of | scoliosi by pati | patients s and ba ents wit |
| BODYMAP | cars an curvatu | id wheelch ure, at the | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | eful whort and stands | nile tr l corr stable <u>A</u> 26 30 | Dimensi A1 22 26 | scoliosi by patie ons [cm B 58 60 | patients s and be ents wit |
| BODYMAP | cars an curvatu | id wheelch ure, at the | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | eful whort and stands | nile tr l corr stable <u>A</u> 26 30 35 | Dimensi A1 22 26 30 | scoliosi by patie ons [cm] B 58 60 77 | patients s and ba ents wit |
| BODYMAP | cars an curvatu | id wheelch ure, at the | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | eful whort and stands | nile tr l corr stable <u>A</u> 26 30 | Dimensi A1 22 26 | scoliosi by patie ons [cm B 58 60 | patient: s and b ents wit |
| BODYMAP | cars an curvatu | id wheelch ure, at the | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | Size | nile tr l corr stable <u>A</u> 26 30 35 44 | Dimensi A1 22 26 30 36 | scoliosi by patie ons [cm B 58 60 77 87 | patient: s and b ents wit I T 6 6 6 6 10 |
| BODYMAP | cars an curvatu | id wheelch ure, at the | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. lt als | backrest a rt hips an so allows t | and seat | l . It is us es comf | size 1 2 3 4 5 6 | nile tr I corr stable 26 30 35 44 47 50 shion v | Dimensi A1 22 26 30 36 40 | scoliosi by pati ons [cm] 8 58 60 77 87 95 103 sishion len | patients s and b ents wit 1 1 6 6 6 6 10 9 10 |
| BODYMAP | cars an curvatu | nd wheelch ure, at the The shap | airs. The same time | cushion makes e improving th | functions s it possib le poor po | both as a l le to suppo osture. It als nged if nece | backrest a rt hips an so allows t | and seat ad provid to obtain | . It is use es comf a correc | Size 1 2 3 4 5 6 A - Cus | A 26 30 35 44 47 50 c | Dimensi A1 22 26 30 36 40 42 vidth, B - Cu | scoliosi by pati bons [cm] 58 60 77 87 95 103 shion len kness | patient: s and b ents wit T 6 6 6 10 9 10 ygth, T - |
| BODYMAP | cars an curvatu hump. | DED: | e of the cu | cushion makes e improving th | functions s it possib e poor po easily cha | both as a le to suppo osture. It als nged if nece | backrest a rt hips an so allows t essary. | And seat | It is use es comf a correc | Size 1 2 3 4 5 6 A - Cus | A 26 30 35 44 47 50 whion v c | Dimensi A1 22 26 30 36 40 42 vidth, B - Co ushion thic SPECIAL | scoliosi by pati ons [cm 8 58 60 77 87 95 103 shion len kness REQUES | patients s and be ents wit T 6 6 6 10 9 10 9 10 |

| | | | | | | PRICE (€) | | | | | |
|------------------------------|---|--------------------------------------|---|--------------------------------------|---|------------------------------------|----------------------------------|----------------------------------|--|--|---|
| SIZE | PRODUCT * | | PRODUCT PATTERN * | | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | PO | OSITIC | NING CH | AIR W | | | | D LAT | ERAL S | UPPOR | Т |
| | 1 | | | | BODYN | /AP® | AC | | | | |
| 1 | 60 |)4 | - | 273 | - | 84 | 77 | 126 | 126 | - | 33 |
| 2 | 62 | 24 | - | 294 | - | 92 | 85 | 137 | 134 | - | 40 |
| 3 | 671 | 739 | - | 315 | - | 98 | 91 | 147 | 143 | - | 40 |
| 4 | 711 | 782 | - | 335 | - | 105 | 98 | 158 | 151 | - | 47 |
| 5 | 764 | - | - | 357 | - | 112 | 105 | 168 | 160 | - | 47 |
| 6 | 843 | - | - | 378 | - | 120 | 112 | 179 | 168 | - | 53 |
| while t and co and sta | ransportat rrection of able postu est is usefu | ion of pat scoliosis re by pat | n chair with lat tients in cars a and back curv ients with a h ljusting the cor | and wheel ature, at t ump. Wic | chairs. The the same ti de lateral su | cushion n me impro upports p | nakes it ving the rovide p | possible poor po erfect st | to support sture. It als abilization | : hips and p o allows to of the pati | orovides comf obtain a corr ent whereas t |

| | Size | | | D | imen | sions | [cm] | | | | |
|---|----------------|-----|-------|----------------|------|--------|------|------|------|---------------------|---------|
| | 5126 | Α | A1 | A2 | В | B1 | B2 | B3 | D | Т | |
| AL DOOMAN | 1 | 38 | 29 | 33 | 90 | 35 | 28 | 28 | 18 | 6 | |
| | 2 | 44 | 32 | 35 | 107 | 37 | 30 | 41 | 19 | 6 | |
| | 3 | 48 | 37 | 44 | 123 | 44 | 33 | 46 | 24 | 7 | |
| | 4 | 56 | 42 | 54 | 137 | 50 | 37 | 50 | 25 | 8 | |
| | 5 | 60 | 48 | 63 | 145 | 59 | 37 | 49 | 24 | 9 | |
| the second se | 6 | 66 | 50 | 72 | 154 | 61 | 40 | 53 | 24 | 9 | |
| | A2 CONTRACTOR | | B. | B ₂ | В | | | | - |) – Pelo ion thi | ckness |
| INCLUDED: | ATTENTION! SEI | | | | | | | | | | 5T - SE |
| * IN CASE OF ORDERING THE CUSHION WITH | | FUN | CTION | I ITC | DRIC | E INIA | DEA | | T VC | 0/- | |
| | | | CHOI | N, 113 | | E IIN | | 3636 | 517 | 70. | |

| | | | | | | | PRICE (€) | l. | | | | |
|------------|--|--|---|---|--|--|--|---|---|---|---|--|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | | BACK | CUSHI | ON WITH | HEAD | REST A | ND LA | TERA | L SUP | PORT | BODYM | AP® C |
| | 1 | 29 | 99 | - | 204 | - | 60 | 53 | 89 | 97 | - | - |
| | 2 | 33 | 39 | - | 217 | - | 67 | 60 | 100 | 105 | - | - |
| | 3 | 379 | 417 | - | 232 | - | 71 | 63 | 105 | 109 | - | - |
| | 4 | 419 | 461 | - | 245 | - | 73 | 67 | 110 | 113 | - | - |
| | 5 | 458 | - | - | 260 | - | 81 | 74 | 121 | 121 | - | - |
|) | 6 | 498 | - | - | 273 | - | 84 | 77 | 126 | 126 | - | - |
| YMA | back cu ensurir hump. lateral | urvature, ang the corr BodyMapo supports p | at the sar ect postu ® produc provide pe | ne time impro re and the boo ts are ideal for | oving the dy stabiliza r children tion of the | poor postu ation. It also with cereb patient wh | re. The control of allows to allows to rail palsy mereas the | ushion in o obtain and pation e headre | ncreases a correc ents wit st is use | the comfo t and stable h muscle w | ort of the s e posture b eakness or | n of scoliosis and itting patient by y patients with a spasticity. Wide correct position |

| Ξ | | | | ↓ | A | | | | | | | | | | |
|---|-----------|-------------|------------------|-----------|--|-----------------------------|--------|------|------|-------|-------|-------|--------|--------|----|
| | |) BodyMap | | | | | Size | | | Dime | ensio | ns [c | m] | | |
| | | | | ΎΓ | | в, / | Size | Α | A1 | A2 | В | B1 | B2 | D | Т |
| | | | | | | | 1 | 35 | 27 | 29 | 52 | 23 | 21 | 12 | 7 |
| | | ×. | | // n/ | <i>[</i>] D | 7 | 2 | 40 | 34 | 31 | 56 | 23 | 26 | 15 | 7 |
| | | M | | | | в | 3 | 44 | 34 | 38 | 65 | 30 | 30 | 15 | 7 |
| | | | | | $\gamma = \Pi \Pi /$ | B ₂ | 4 | 47 | 38 | 40 | 74 | 35 | 31 | 20 | 8 |
| | | | | | | | 5 | 55 | 44 | 47 | 84 | 44 | 32 | 23 | 8 |
| | | | | J + (| | | 6 | 65 | 49 | 50 | 95 | 48 | 40 | 22 | 8 |
| | | | | A – Wid | A ₂ dth, A1 – Width, E length | 3 – Total c 1, D – Pelot | | • | - | | | • | B2 – P | elotto | es |
| | INCLUDED: | \oslash | Ð | ATTE | ENTION! SELF-A | DHESIV | E FUNC | TION | NON | SPECI | AL RE | QUE | ST - S | EE * | |
| | * IN CASE | OF ORDERING | THE CUSHION WITH | A SELF-A | DHESIVE FUN | CTION, | ITS PF | RICE | INCF | REASE | S BY | 7 % | • | | |
| | | | ** AVAILA | ABLE WHIL | E STOCKS LAS | ST | | | | | | | | | |

| | | | | | | | | PRICE (€) | 1 | | | | |
|--------------------|------------------|--------------------------|-----------------------|-------------------|---------------------------|---------------------------|--|--|------------------------|------------------|---|--|--|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | | | | | | HEA | DREST BODYMAP® D | | | | | | |
| 0 | 2 | 29 | 94 | | 324 | 126 | - | 56 | 49 | 83 | - | - | - |
| AP® | - | | | | | | n be easily s frames. The | • | • | | | | d on most of the essary. |
| BODYMAP® | E I Browneg | | | | | | Size Dimensions [cm] A A1 B C T 2 38 22 13 19 6,5 A - Headrest width, A1 - Width - inside, T - Headrest thickness, B - Headrest depth, C - Headrest height | | | | | | |
| | INCLU | DED: | ØĊ | | 00 | | ATTENTIC | | | | | CLUDED. | |
| | | | | | BUTT | ERFLY | HEADF | REST B | ODYN | /AP® | DX | | |
| | | | | | | | | | | | | | |
| X | 2 | 34 | 43 | | 378 | 148 | - | 67 | 60 | 100 | - | - | - |
| NP® DX | A butte | erfly-shape | ed orthop | edic ł | neadrest f | for head a | - and neck su hairs as we | pport whi | l ich can b | e easily | - shaped to | - the patient | - 's head. It can be |
| BODYMAP® DX | A butte | erfly-shape | ed orthop | edic ł | neadrest f | for head a | | pport whi | l ich can b | e easily nes. | Size A1 2 37 - Headrest wi | Dimensi A2 B 41 22 dth - top, A2 - | |
| | A butte | erfly-shape ed on mos | ed orthop | edic ł | neadrest f | for head a | chairs as we | A1 | ich can b ding fram | e easily nes. | Size A1 2 37 - Headrest wi bottom, B - H | Dimensi A2 B 41 22 dth - top, A2 - eadrest heigh thickness | ons [cm] B1 C T 19 19 5 Headrest width - |
| | A butte mount | erfly-shape ed on mos | ed orthopest of the w | edic P /heelo | neadrest f chairs, pos | for head a sitioning c | chairs as we | A, A, A, A, C A, C A, C A, C A, C A, C C C C C C C C C C C C C | ADHESI | e easily nes. | Size A1 2 37 - Headrest wi bottom, B - H | Dimensi A2 B 41 22 dth - top, A2 - eadrest heigh thickness CLUDED. | ons [cm] B1 C T 19 19 5 Headrest width – t, T – Headrest |

| | | | | | | | | PRICE (€) | I | | | | | |
|----------|--|-----------|------------|-------------------|-------|---------------|--|-----------------|-------|---------------|------------------------------|--------------------|---|--|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD | |
| | | | | | STR/ | AIGHT | HEADR | EST BO | ODYN | IAP® | DY | | | |
| Ъ | 2 | 29 | 94 | | 323 | 126 | - | 56 | 49 | 83 | - | - | - | |
| | BodyMap® DY is a straight orthopedic headrest which can be easily shaped to the patient's head. It can be mounted on most of the wheelchairs, positioning chairs as well as standing frames. | | | | | | | | | | | | | |
| BODYMAP® | | | P.BodyMap' | | | | | b)BodyMagi | | c – | ↓ Siz ↑⊤ 2 A - Headres | A 2 40 | isions [cm] C T 17 3 eadrest height, T - | |
| Ω | | | | | | | Headrest thickness | | | | | | | |
| | INCLUI | DED: (| DÔ | |) | | ATTENTIC | ON! SELF- | ADHES | IVE FUN | ICTION IN | CLUDED. | | |
| | | | _ | | TRIAN | IGULA | R HEAD | REST | BODY | MAP | ® DZ | - | | |
| | 2 | 34 | 43 | | 378 | 148 | - | 67 | 60 | 100 | - | - | - | |
| P® DZ | - | • | - | | • | | for head ar sitioning cha | | | | - | haped to th | ne patient's head. | |
| BODYMAR | | |)BodyMap | | | | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | | | |
| | INCLUI | DED: | | 56 | ÌÒ |) | ATTENTIC | DN! SELF- | ADHES | IVE FUN | ICTION IN | CLUDED. | | |
| | * IN CASE OF ORDERING THE CUSHION WITH A SELF-ADHESIVE FUNCTION, ITS PRICE INCREASES BY 7 %. ** AVAILABLE WHILE STOCKS LAST | | | | | | | | | | | | | |

| | | | | | | | PRICE (€) |) | | | | | | | |
|----------|---|-------------------------|----------------------------|--|------------------------|-------------------------------|-----------------|-----------|---------------|----------------------------------|-----------------------|-------------|--------------------|----------|--------|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | • | ANTI-MIGRATION PAD | • | |
| | UPP | ER LIN | IB SUP | PORT FO | R WHI | | | | LERS / | AND ST | ΓAN | DIN | G F | RAN | 1ES |
| | 1 | 2 | 17 | - | 133 | BODY | 60 | E | 90 | 97 | | _ | | 27 | |
| ш | 2 | | 38 | _ | 161 | - | 73 | 67 | 110 | 113 | | - | | 27 | |
| BODYMAP® | BodyMap® E is a special upper limb support for wheelchairs, positioning chairs and standing frames which can be easily shaped to the patient's arm. It can be mounted on most of the wheelchairs, positioning chairs as well as standing frames. The shape of the arm support can be easily changed if necessary. | | | | | | | | | | | | | | |
| X | | | | | | | | A | | Size | Dir A1 | mensi A2 | ons [c B | :m] C | |
| 9 | | | - | | | | | Z, | . J | 1 | 20 | 22 | 32 | 13 | - |
| BC | 4 | -5 | | | | | C C | В | | 2 | 25 | 26 | 41 | 13 | |
| | | | | | | | | lengt | h, C - Heig | al width – fro ht – rear side | 2 | - | tal cus | hion | |
| | INCLU | | | | | | | | | | | JED. | | | |
| | | | L | USHION S | | IZING | | PER | ворт | WAP® | , INI | | | | |
| | | | | | Pri | ce depends | s on cush | ion size | | | | | | | |
| IAP® M | wheelc cushior | hair or po naccordin | ositioning og to the pa | an excellent po chair with a ta atient's needs, ects upper liml | able, you so you ca | can mount In place anc | our cush | ion on it | t and co | ntinue the | e thera | apy!Yc | ou car | n shap | be the |
| BODYMAP | | - | | | | в Додина | | A A | | | ishion w n, T– Cus | | | | |
| | INCLUE | DED: | | Ö T | | ATTENT | ION! SELF | -ADHES | IVE FUN | CTION ON | SPEC | IAL R | EQUE | ST- SE | E * |
| | * | IN CASE O | F ORDERI | NG THE CUSH | | | | | N, ITS P | RICE INCR | REASES | 5 BY 7 | %. | | |
| | | | | | ** AVAIL | ABLE WHIL | E STOCKS | LAST | | | | | | | |

| PRICE (€) | | | | | | | | | | | | |
|-------------------|-----------------------------|---|---------------------------------------|--|--|--|-----------------------------------|------------------------------------|--------------------------------|---|--|---|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD |
| | | | | ONE-SID | ED TRI | JNK ST | ABILIZ | ER <mark>B</mark> | DDYN | IAP® H | | |
| | 1 | 294 | - | - | 132 | - | 56 | 53 | 83 | 74 | - | 20 |
| | 2 | 360 | - | - | 162 | - | 68 | 65 | 101 | 90 | - | 25 |
| | 3 | 430 | - | - | 193 | - | 82 | 78 | 120 | 107 | - | 30 |
| BODYMAP® H | shape polyest pelotte | of trunk si er and the s which st in hospita | upport ca e second c abilize pa | n be easily ch one is laminate atient's trunk. | anged if i ed with the Self-adhe | necessary. (e self-adhes sive functio | One side ive fabric n makes | of Bodyl that allo it easier | Map® H ows to at to asse | l trunk sup tach additio mbly trunk | port is lam onal tapes, < support. | ing position. The inated by elastic straps as well as If the product is nas self-adhesive |
| Ο | | | | | | | | | | Size | | sions [cm] |
| $\mathbf{\Omega}$ | | | | | | / | | | 2. | 1 | A 35 | B C 35 20 |
| | | | | | | 1 | | | c | 2 | | 45 30 |
| | | | | | | | | |) | 3 | 55 | 50 40 |
| | | | | | | | 11111 | В | - | A – Cushion | width, B – Cu Cushion hei | shion length, C- ght |
| | INCLUI | DED: | \mathbb{Z} | \bigcirc | | ATTENTIC | N! SELF- | ADHESI | VE FUN | | CLUDED. | |

| | | | | | | | PRICE (€) | | | | | | |
|--------------|-------------------|------------|----------------------|--|---------------|-------------------------------|------------------------|-----------------------------|---|-------------------------|---------------------|--------------------|--|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD | |
| | | | | STAB | ILIZIN | G MAT | FRESS | BODY | (MAP | ® K | | | |
| | 1 | 643 | - | - | 273 | - | 84 | 77 | 126 | 126 | - | | 47 |
| | 1+ | 843 | - | - | 337 | - | 105 | 98 | 158 | 152 | - | | 47 |
| | 2 | 1133 | - | - | 413 | - | 129 | 122 | 194 | 180 | - | | 93 |
| | 2+ | 1479 | - | - | 591 | - | 140 | 133 | 210 | 251 | - | | 93 |
| | 3 | 1272 | - | - | 546 | - | 182 | 175 | 273 | 235 | - | | 113 |
| \mathbf{X} | 3+ | 1660 | - | - | 664 | - | 210 | 203 | 314 | 280 | - | | 113 |
| | 4 | 1378 | - | - | 595 | - | 193 | 186 | 288 | 256 | - | | 133 |
| d | 4+ | 1797 | - | - | 719 | - | 228 | 220 | 340 | 300 | - | | 133 |
| BODYMAP® | produc the cor | ts support | every pa oning of | ng mattresses rt of the patie the trunk, pelv cted. | nt's body | and therefo | ore are id | eal in th | e bedsor | e prophyla the BodyM | xis. Usi lap® pi | ng the | m guarantee s, the posture s [cm] T |
| | | | 1 | | | | _ | and and the second second | The second se | 1 1+ 2 | 50 70 | 100 150 | 10 20 10 |
| | | 9 | 1 | | | A | | В | | 2+ 3 3+ | 90 | 200 | 20 15 30 |
| | | | | | | A – Mat | tress width, Mattre | , B – Mattre ss thicknes | - | T - 4+ | 120 | 200 | 15 30 |
| | INCLU | DED: | | I () () | | ATTENTI | ON! The | mattress | | ed with a s des | elf-adh | esive f | abric at the |
| | *1 | N CASE O | | NG THE CUSH | | H A SELF-AD | DHESIVE F | UNCTIO | N, ITS PI | | ASES B | Y7% | |
| | | | | | ** ^\/^!! / | ABLE WHILI | | LACT | | | | | |

| | | | | | | | PRICE (€) |) | | | | | | |
|---|---------|-------------|-------------|---|---------------|--|------------------------|--|---------------|------------------------|-----------------------|-------------------------------------|----------------------|-----------------------|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | • | ANTI-MIGRATION PAD | • |
| | | | | FEET CC | ORREC | | USHIO | N BO | DYM | AP® N | J | | | |
| | 1 | 511 | - | - | 216 | - | 133 | 126 | 200 | 184 | | - | | 40 |
| Ζ | 2 | 800 | - | - | 337 | - | 203 | 196 | 304 | 276 | | - | | 53 |
| BODYMAP® | standir | ng. The cus | hion keep | rection cushio os deformed fe rmations resul | eet in the | required th | erapeutic | position | i. It is a g | great pro | | or pass | ive reh | abilitation |
| ODY | | | 2 | | | | | and the second s | | | Size 1 2 | Dime A 55 80 | B 30 50 | [cm] T 15 15 |
| Ω | | | | | | B A - Cushion width, B - Cushion length, T- Cushion thickness | | | | | | | | |
| | INCLUE | DED: | $\oslash @$ | | | ATTENTION! SELF-ADHESIVE FUNCTION ON SPECIAL REQUEST - SEE * | | | | | | | | T - SEE * |
| | | | | STA | BILIZII | NG ROL | LER B | ODYN | /AP® | 0 | | | | |
| | 1 | 677 | - | - | 285 | - | 175 | 168 | 263 | 237 | | - | | - |
| | 2 | 777 | - | - | 327 | - | 203 | 196 | 304 | 268 | | - | | - |
| | 3 | 697 | - | - | 293 | - | 182 | 175 | 273 | 244 | | - | | - |
| 0 | 4 | 976 | - | - | 411 | - | 252 | 245 | 377 | 331 | | - | | - |
| SectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSectorSector<l< th=""><th>5</th><th>1162</th><th>-</th><th>-</th><th>489</th><th>-</th><th>301</th><th>294</th><th>451</th><th>390</th><th></th><th>-</th><th></th><th>-</th></l<> | 5 | 1162 | - | - | 489 | - | 301 | 294 | 451 | 390 | | - | | - |
| BODYMAP® | therap | eutic posit | ion and c | es body stabili: orrects deforn ıpport in the p | nations in | thy lying p | osition. It | t can also | o be use | ed to reli | eve the | e parti | cular b | ody parts. |
| | | | | | | | | | | Size | Di | mensio | ons [cm | 1] |
| B | | | | | | le l | | | | 1 | | A 25 | B 50 | |
| | | | | alternation | | * | B | A | | 2 | | 35 18 | 50 50 80 | _ |
| | | | | | | A – The | diameter of Cushion | | on, B - | 4 | | 25 35 | 80 80 | |
| | INCLU | 4 | \bigcirc | | | | ION! SELF | -ADHESI | | | | | | T - SEE * |
| | * | IN CASE O | F ORDERI | NG THE CUSH | | | | | N, ITS P | RICE INC | CREASE | S BY 7 | %. | |
| | | | | | ** AVAILA | ABLE WHIL | ESTOCKS | LASI | | | | | | |

| | | | | | | | PRICE (€) |) | | | | | |
|-----------|--|-----------|----|---------------------------------|---------------|-------------------------------|-----------------|------|---------------|------------------------|---|--------------------|-----------|
| | SIZE | PRODUCT * | | PRODUCT PATTERN * | VISMEMO COVER | INCONTINENCE VISMEMO COVER | COTTON COVER ** | | 3D MESH COVER | AERATING-MASSAGING PAD | INCONTINENCE COVER | ANTI-MIGRATION PAD | • |
| | | | | BAT | HRIN | G BODY | MAP® | S SV | VIMM | ER | | | |
| S SWIMMER | 1 | 466 | - | - | - | - | - | - | - | - | - | | - |
| 22 | 2 | 566 | - | - | - | - | - | - | - | - | - | | - |
| | • | | | ied as a standa mbs and trun | | | | | | • | water exerci | se und | er load. |
| Σ | | 2 | | | | A1 | 19 March | | | Size | Dimensi A1 A2 | ons [cr B | n] T |
| | | | | | | | 8° | ul . | \mathbf{i} | 1 · | 40 6 | 40 | 6 |
| BOD | | | | | | | | |) ↓ | A1 – Headro | 60 8 est width – top, , B – Headrest o thickne | lepth, T | |
| W ZEST | | | ÓC | \bigcirc | | | | | | | N SPECIAL R | _ | T - SEE * |
| | * IN CASE OF ORDERING THE CUSHION WITH A SELF-ADHESIVE FUNCTION, ITS PRICE INCREASES BY 7 %. ** AVAILABLE WHILE STOCKS LAST | | | | | | | | | | | | |
| | | | | | ···· AVAIL/ | ADLE WHIL | SIUCKS | LASI | | | | | |

| VACUUM PUMPS | | | | | | | |
|--------------|--|-----------|--|--|--|--|--|
| CODE | NAME | PRICE (€) | | | | | |
| 1 | MANUAL VACUUM PUMP – SMALL | | | | | | |
| BM_001 | Handy, small vacuum pump. Perfect for small and medium cushions. Each cushion includes this vacuum pump free of charge. | 56 | | | | | |
| 2 | MANUAL VACUUM PUMP – BIG | | | | | | |
| BM_002 | Very efcient manual vacuum pump. Perfect for mattresses and big cushions. Each mattress includes this vacuum pump free of charge. | 91 | | | | | |
| m | ELECTRIC VACUUM PUMP | | | | | | |
| BM_003 | Pump is ergonomically shaped and it is equipped with elastic connection pipe for BodyMap® cushions. Pipe is easy to carry and pump and, more to the point, it is comfortable to use. Pump is powered with the aid of batteries AA (1,5V x 6) (not included). | 115 | | | | | |
| | ELECTRIC DUAL-FUNCTION PUMP | | | | | | |
| BM_005 | With electric dual-function pump it is possible to adjust the hardness of the cushion to the individual needs of the patient. This pump allows precise pumping out or in the air in order to achieve the desired hardness. Noiseless, efcient and made of durable aluminum. Strongly recommended for large cushions and mattresses | 210 | | | | | |
| | AIR VACUUM BLOW GUN | | | | | | |
| BM_006 | The Air Vacuum Blow Gun helps to quickly increase the amount of granules in the cushion. It's especially recommended for large cushions and mattresses. Note: The use of the gun is only possible for cushions that have a service valve (ZW), which is not standard equipment on some cushions, and is made to order. | 110 | | | | | |

| | ADDITIONAL EQUIPMENT | | | | | | | | | |
|------|---|---|-----------|--|--|--|--|--|--|--|
| CODE | | NAME | PRICE (€) | | | | | | | |
| | | GRANULES | | | | | | | | |
| МG | WG/1 18x26 cm 50 g granules 2,5 liters | Bags are created so as to have control over the amount of granules in BodyMap® cushions. It is highly beneficial due to the fact that it is possible to adjust BodyMap® cushions to user's needs. It is necessary to take the size of BodyMap® cushion into account while choosing the size of bag with granules. There is a key added to the | 31 | | | | | | | |
| | WG/2 28x48 cm 200 g granules 9 liters | bag which facilitates opening and closing the service valve in order to add or decrease the amount of the granules. BodyMap® cushion has to be equipped with service valve in order to pour in or take out granules. The service valve (ZW) is custom-made. | 59 | | | | | | | |
| | | REPAIR KIT | | | | | | | | |
| ZN | <image/> <image/> <image/> <image/> | The repair kit includes a tube of neoprene glue, a set of patches and instruction manual. The set enables self- repair of minor damage of the BodyMap® cushion. The set is added free of charge to any BodyMap® cushion. | 7 | | | | | | | |
| | | SERVICE VALVE | | | | | | | | |
| ZW | | The service valve together with the granule bag (WG/1 or WG/2) makes it possible to control the amount of the granules in the BodyMap® cushions. Service valve is situated at the back of BodyMap® cushion thanks to which it is not very visible and, moreover, it is not an obstacle while using the product. What is more, it is really easy to use it – you just need to unscrew cork and either pour in or take out specific amount of granules. WARNING! You must order the granule bag (small – WG/1 or large – WG/2) separately if you want to add the granules to the BodyMap® cushions. | | | | | | | | |
| | | VALVE | | | | | | | | |
| Ζ | | An indispensable element of every BodyMap® cushion. Allows you to deflate or inflate the cushion. It is a standard equipment for every cushion. | 33 | | | | | | | |

| CODE | NAME | | PRICE (€) | | | | | | |
|---|--|--|---|--|--|--|--|--|--|
| | SUPPORT FOR THE FOREAR | RM | | | | | | | |
| РР | It is universal and durable support with wide range of adjustments. Designed for stabilizing the upper limbs with BodyMap® System. Perfect for hemiplegia and hemiparesis to support and relieve upper limbs with paresis or palsy. Thanks to universal grip the support can be mounted on wheelchairs, special needs strollers, etc. This support is designed for use with BodyMap® E cushion. We can fix the cushion on the support using velcro tapes available in our offer also. WARNING! The price of the support does not include the BodyMap® E cushion, which must be ordered separately. 396 | | | | | | | | |
| | LAP TRAY | | | | | | | | |
| on othe ergonom with gran are two beans w | y is a multifunctional and portable tray. A special bag filled with granules makes it r uneven surfaces. Perfect for home or school, during therapy activities, every nic top made of a non-slip material has a special edge which prevents objects fron nules attached to the bottom with Velcro. It has a special pocket which allows you wide straps equipped with Velcro attached to the tray, which ensure a perfect st ith them. The tray is available in five sizes. n additional bag with granules is available in two sizes. | yday activities ar n slipping from th to adjust the am | nd recreation activities. An ne tray. There is a bag filled ount of the granules. There | | | | | | |
| SK/1 | | size 1 | 191 | | | | | | |
| SK/2 | | size 2 | 191 | | | | | | |
| SK/3 | | size 3 | 209 | | | | | | |
| SK/4 | | size 4 | 209 | | | | | | |
| SK/5 | | size 5 | 209 | | | | | | |

| | MOUNTING AND S | TABILIZA | ΓΙΟΝ | |
|------|---|---|--|--------------------------------|
| CODE | NAME | SIZE | | PRICE (€) |
| | NON-ELASTIC S | TABILIZING | BELT | |
| 7 | Non-elastic stabilizing belt – it is non-elastic belt with Velcro ta have stabilization and to fasten cushion on chair, rehabilitatio | - | at the end. It make | s it possible for a patient to |
| TON | | | TON/110/4 TON/120/4 | 11 |
| | | | TON/135/4 TON/170/5 TON/190/5 | 14 |
| | | | TON/200/5 | |
| | GROMMETS FOR | FASTENING | TAPES | |
| ٩ | Grommets for fastening the tapes – these are grommets with cushion. Grommets are used so as to adjust tapes on cushi with various types of tapes. One set is equipped with 4 gromn WARNING! The cushion must be equipped with the self-adh cushions. | ons. They have dinets. | fferent sizes and, n hich is available in | noreover, they can be used |
| | | | P/2,5 P/3 P/4 P/5 | 7 |
| | STABILIZING TA | PE WITH CL | AMPS | |
| lok | Stabilizing belt with clamps – it is adjustable as well as non possible for a patient to have stabilization and to fasten cushin | | | e aid of clamp. It makes it |
| | The second se | | TOK/185/4 | 20 |
| | | | TOK/185/5 | 39 |
| | ONE-SIDED STABILIZ | ING TAPE W | ITH CLAMP | |
| ТJК | Stabilizing tape with clamp – it is non-elastic as well as adjust which tape can be fastened to self-adhesive surface of cushic tape together with front clasp with clamps can create pelvic equipped with the self-adhesive function, which is available in | on. Tape can be us belt that stabilize | ed so as to fasten v s the patient. WARI | vest on pillow. Furthermore, |
| | | | TJK/63/2,5 | 14 |
| | | | TJK/63/3 | |
| | | | TJK/63/4 TJK/63/5 | 17 |
| | | | 110000 | |

| CODE | NAME | SIZE | | PRICE (€) | | | | | | | | |
|----------|--|---|---------------------|-----------------------------|--|--|--|--|--|--|--|--|
| | NON-ELASTIC STABILI | ZING TAPE \ | WITH CLAMP | | | | | | | | | |
| TONK | Non-elastic stabilizing tape with clamp – it is non-elastic as we together with front clasp with clamps thanks to which pel Furthermore, it is possible to fasten cushion on chair, rehabili cushion. | vic belt is created | d and stabilization | of the patient is possible. | | | | | | | | |
| 2 | | | TONK/174/2,5 | 22 | | | | | | | | |
| L . | | E | TONK/174/3 | 25 | | | | | | | | |
| | | | TONK/174/4 | 28 | | | | | | | | |
| | | | TONK/174/5 | 32 | | | | | | | | |
| | FRONT CLASE | WITH CLA | MPS | | | | | | | | | |
| ZPK | Front clasp with clamps – this part is equipped with clamps th with clamp. Pelvic belt that stabilizes the patient can be fast adhesive surface of BodyMap cushion. | | | | | | | | | | | |
| N | | | ZPK/19/2,5 | 14 | | | | | | | | |
| | | | ZPK/19/3 | 14 | | | | | | | | |
| | | | ZPK/19/4 | 17 | | | | | | | | |
| | | | ZPK/19/5 | | | | | | | | | |
| | NON-ELAST | IC CHEST BE | LT | | | | | | | | | |
| N | possible to fasten BodyMap® cushion on chair, rehabilitation | Non-elastic chest belt – it is universal and adjustable belt that is used so as to stabilize the patient. Moreover, it makes it possible to fasten BodyMap® cushion on chair, rehabilitation stroller etc. Belt is equipped with fastener made of Velcro tapes thanks to which it can be adjusted at any length. Additionally, belt is secured by means of tape with clamp. | | | | | | | | | | |
| _ | | | PPN/185/8 | 28 | | | | | | | | |
| | | | PPN/185/17 | 37 | | | | | | | | |
| | | | PPN/185/25 | 50 | | | | | | | | |
| | FASTENING TAP | PE FOR HEAI | DREST | | | | | | | | | |
| 12 | Fastening tape for headrest – it is non-elastic tape that can be Tape is used so as to stabilize patient's head in BodyMap he adhesive function, which is available in most of the custom-ma | adrest. WARNING | | | | | | | | | | |
| | | | TZ/30/2,5 | 22 | | | | | | | | |
| | A CONTRACTOR OF | | TZ/30/5 | 28 | | | | | | | | |

| CODE | NAME | SIZE | | PRICE (€) | | | | |
|------------|--|------------|---------|-----------|--|--|--|--|
| | 4-POINT VEST | | | | | | | |
| K 4 | The trunk stabilizing vest. It has a large adjustment range, which makes it easier to fit it to the user. WARNING! In order to mount the vest, it is necessary to order a suitable tape, e.g. TJK ONE-SIDED STABILIZING TAPE WITH CLAMP. The cushion must also be equipped with the self-adhesive function, which is available in most of the custom-made cushions. | | | | | | | |
| × | | | K4/1 | | | | | |
| | | | K4/2 | 84 | | | | |
| | | | K4/3 | | | | | |
| | 6-POII | NT VEST | | | | | | |
| K6 | The trunk stabilizing vest. It has a large adjustment range, which makes it easier to fit it to the user. WARNING! In order to mount the vest, it is necessary to order a suitable tape, e.g. TJK ONE-SIDED STABILIZING TAPE WITH CLAMP. The cushion must also be equipped with the self-adhesive function, which is available in most of the custom-made cushions. | | | | | | | |
| × | | | K6/1 | | | | | |
| | | | K6/2 | 147 | | | | |
| | | | K6/3 | | | | | |
| | FASTENING BEL | T FOR HEAI | DREST | | | | | |
| PMZ | Fastening belt for headrest – it is non-elastic belt that is used so as to fasten BodyMap® headrest on stroller's frame, chairs etc. BodyMap® headrest has self-adhesive surface thanks to which belt with Velcro tapes can be fastened to cushion and, moreover, headrest can be mounted to frame at any height. WARNING! The cushion must be equipped with the self-adhesive function, which is available in most of the custom-made cushions. | | | | | | | |
| | | | PMZ/2,5 | 14 | | | | |

| CODE | NAME | SIZE | | PRICE (€) | | | | | | |
|--|-----------|------|------|-----------|--|--|--|--|--|--|
| | H HARNESS | | | | | | | | | |
| The trunk stabilizing vest. It has a large adjustment range, which makes it easier to fit it to the user. WARNING! In order to mount the vest, it is necessary to order a suitable tape, e.g. TJK ONE-SIDED STABILIZING CLAMP. The cushion must also be equipped with the self-adhesive function, which is available in most of the o cushions. | | | | | | | | | | |
| ¥ | | | KH/1 | | | | | | | |
| | | | KH/2 | 98 | | | | | | |
| | | | KH/3 | | | | | | | |

MANUFACTURER OF MODERN ORTHOPAEDIC BRACES

REH4MAT

36-060 Głogów Małopolski, ul. Piaski 47, POLAND

ul. Truskawkowa 17, Widna Góra, 37-500 Jarosław, POLAND tel. +48 (016) 621 42 20 tel. +48 (016) 621 41 35, fax.: +48 (016) 621 42 13 biuro@reh4mat.com www.reh4mat.com; www.probraces.com BDO: 000303600

DISTRIBUTOR





FlexBoild

PRICE LIST 2023



Version: 28.02.2023

Prices are viled from: 28.02.2023

FlexPoint[®] system consists of many elements which provide the correct and safe stabilization of the trunk, pelvis and lower limbs. Due to the universal attachment methods, it is ideal for the vast majority of strollers and car seats offered on the market of medical devices. The selected products of the FlexPoint[®] are equipped with additional elements allowing easier fastening of belts to people with hand disfunctions.

Depending on individual needs, the user can choose a classic solution or an advanced dynamic product. FlexPoint[®] is a system recommended especially for people with spasticity. The dynamic design of the products is based on soft, elastic and stretchable relieving elements. This guarantees the highest comfort of use. At the same time, it significantly reduces the risk of bodily injury which might be caused by, among others, the excessive pressure from inflexible belts.

The correct sitting position supported by the FlexPoint[®] means safety and comfort during work, therapy and recreation throughout the day.

| | POSTURAL DYNAMIC | SUPPOR | T PRODUCT | S FlexPoint @ | 3 | |
|--|---|--------|--|--|---------------------|------------|
| MODEL: FP-01 | | DYN | AMIC 4-POINT CHES slim vest with zipp | | | |
| | A. Contraction | SIZE | COLOUR | 1 | DG CODE | PRICE (€) |
| | 10000 | Μ | | FP-01-M / WZ / P * | FP-01-M / WZ / T * | 173 190 |
| 5110000 | AP MA | L | | FP-01-L / WZ / P * | FP-01-L / WZ / T * | 186 |
| | | XL | | FP-01-XL / WZ / P * | FP-01-XL / WZ / T * | 186 |
| MODEL: FP-01 | | | AMIC 4-POINT CHES slim vest without zij | | | |
| | | | | | DG CODE | |
| | ACTA | SIZE | COLOUR | | Jun Part | PRICE (€) |
| $\langle \rangle$ | | М | | FP-01-M / WB / P * | FP-01-M / WB / T * | 153 168 |
| Dista Can | A A A | L | | FP-01-L / WB / P * | FP-01-L / WB / T * | 166 |
| | | XL | | FP-01-XL / WB / P | FP-01-XL / WB / T * | 166 |
| MODEL: FP-01 | | | AMIC 4-POINT CHES | | | |
| | | | | | DG CODE | |
| | | SIZE | COLOUR | | Size Cont | PRICE (€) |
| | | S | | FP-01-S / SZ / P * | FP-01-S / SZ / T * | 186 205 |
| | | Μ | | FP-01-M / SZ / P * | FP-01-M / SZ / T * | 186 205 |
| St. A | | L | | FP-01-L / SZ / P * | FP-01-L / SZ / T * | 200 |
| | | XL | | FP-01-XL / SZ / P * | FP-01-XL / SZ / T * | 200 |
| MODEL: FP-01 | | | AMIC 4-POINT CHES | | | |
| | | 012 | | est without zipper CATALOG CODE | | |
| | The | SIZE | COLOUR | - Con | The second second | PRICE (€) |
| | AYA | XS | | FP-01-XS / SB / P * | FP-01-XS / SB / T * | 133 146 |
| | | S | | FP-01-S / SB / P * | FP-01-S / SB / T * | 166 183 |
| DIE CO | | Μ | | FP-01-M / SB / P * | FP-01-M / SB / T * | 166 183 |
| | | L | | FP-01-L / SB / P * | FP-01-L / SB / T * | 180 |
| | | XL | | FP-01-XL / SB / P * | FP-01-XL / SB / T * | 180 |
| P Hold & Pull™ System FRONT ADJUSTMENT - PATIENT SIDE | Hold & Pull [™] S FRONT ADJUST CAREGIVER | MENT - | | * The product is e mounting trian regulator (F | gles with a 🛛 😪 | |

| MODEL: FP-02 | DYNAMIC H HARNESS | | | | | | | |
|--|--|---------------|----------------|------------------|------------------|-----------|--|--|
| | | SIZE | COLOUR | CATALO | DG CODE | PRICE (€) | | |
| | | XXS | | FP-02- XXS / P * | FP-02- XXS / T * | 154 | | |
| | | XS | | FP-02- XS / P * | FP-02- XS / T * | 154 | | |
| | | S | | FP-02- S / P * | FP-02- S / T * | 168 | | |
| /9 81 | | Μ | | FP-02- M / P * | FP-02- M / T * | 168 | | |
| | | L | • | FP-02- L / P * | FP-02- L / T * | 183 | | |
| | | XL | | FP-02- XL / P * | FP-02- XL / T * | 183 | | |
| MODEL: FP-03 | | (| LASSIC H HARNE | SS | | | | |
| | | SIZE | COLOUR | CATALO | OG CODE | PRICE (€) | | |
| | | S | | FP-03- S / P * | FP-03- S / T * | 154 | | |
| | | Μ | | FP-03- M / P * | FP-03- M / T * | 154 | | |
| H H | | L | | FP-03- L / P * | FP-03- L / T * | 168 | | |
| | | XL | | FP-03- XL / P * | FP-03- XL / T * | 168 | | |
| MODEL: FP-04 | | 2-POINT CHEST | BELT WITH FAST | ENING SUPPORT | | | | |
| | (Cor) | SIZE | | CATALOG CODE | PRICE | (€) | | |
| | | UNIVERSAL | • | FP-04-U * | 100 | | | |
| P Hold & Pull™ System FRONT ADJUSTMENT - PATIENT SIDE | T Hold & Pull™ System FRONT ADJUSTMENT - CAREGIVER SIDE | | | | | | | |

| MODEL: FP-05 | | | DYNAM | MIC 2-POINT CHEST | BELT ** | | |
|--|---------------------|--|-------------------|--------------------------------|--|--------------------------------|------------|
| | | CATALOG CODE | | | | | |
| | SIZE | COLOUR | | | | | PRICE (€) |
| | | | mounting triangle | buckle - cicrcumferentially | mounting triangle | buckle - cicrcumferentially | |
| S A | XS | | FP-05-XS / P * | FP-05-XS / P / O | FP-05-SX / T * | FP-05-SX / T / O | 87 96 |
| | S | | FP-05-S / P * | FP-05-S / P / O | FP-05-S / T * | FP-05-S / T / O | 100 110 |
| | М | | FP-05-M / P * | FP-05-M / P / O | FP-05-M / T * | FP-05-M / T / O | 100 |
| | L | | FP-05-L / P * | FP-05-L / P / O | FP-05-L / T * | FP-05-L / T / O | 113 |
| | XL | Ŏ | FP-05-XL / P * | FP-05-XL / P / O | FP-05-XL / T * | FP-05-XL / T / O | 113 |
| MODEL: FP-06 | | | ļ | MIC 4-POINT CHES | | ļI | |
| | | | | | CATALO | | |
| | a R | | SIZE | COLOUR | | and the second second | PRICE (€) |
| | LY I | | S | | FP-06-S / P * | FP-06-S / T * | 100 |
| | | | М | | FP-06-M / P * | FP-06-M / T * | 113 |
| | | | L | | FP-06-L / P * | FP-06-L / T * | 126 |
| MODEL: FP-07 | | | UNILA | TERAL CHEST STA | BILIZER | | |
| ~ ~ | ~ 1 | <u> </u> | | | CATALO | OG CODE | |
| · Dana | | | | COLOUR | | JUR A | PRICE (€) |
| | M | | S | | FP-07-S / P * | FP-07-S / T * | 165 |
| Ĥ | | | | | | | 182 |
| | | | M . | | FP-07-M / P * | FP-07-M / T * | 176 |
| | | | L | | FP-07-L / P * | FP-07-L / T * | 187 |
| P Hold & Pull™ System FRONT ADJUSTMENT - PATIENT SIDE | | T Hold & Pull™ FRONT ADJUS CAREGIVE | STMENT - | | * The product is e mounting trian regulator (F | gles with a 🛛 😪 | |
| ** AVAILABLE CIRCUMFERENTI | AL BELT WITH A BUCK | LE OR A MOUNTI | NG TRIANGLE | | | | |

| MODEL: FP-08 | DYNAMIC 6-POINT CHEST VEST | | | | | | | | |
|--|--|----------|------------------------------------|--|----------------|-----------|--|----------|-----|
| | A Real Provide A Real ProvideA Real ProvideA Real ProvideA Real ProvideA Real ProvideA Real Prov | | | CATALO | | | | | |
| | | SIZE | COLOUR | | Jan Market | PRICE (€) | | | |
| (4) (4) | | ×o | | | | 154 | | | |
| | | XS | | FP-08-XS / P * | FP-08-XS / T * | 169 | | | |
| e | | • | | | | 165 | | | |
| | The second secon | S | | FP-08-S / P * | FP-08-S / T * | 182 | | | |
| | | | | | | 176 | | | |
| | 001 | м | | FP-08-M / P * | FP-08-M / T * | 196 | | | |
| | | L | | FP-08-L / P * | FP-08-L / T * | 187 | | | |
| | | XL | • | FP-08-XL / P * | FP-08-XL / T * | 198 | | | |
| MODEL: FP-09 | | 4-POIN | T VEST WITH RELIE standard vest | VING FOAM | | | | | |
| 0 0 | | | | CATALO | OG CODE | | | | |
| | | 0175 | SIZE COLOUR | FP-09-S / T * | | PRICE (€) | | | |
| A B | | SIZE | | | | | | | |
| • | | S | | | | 180 | | | |
| | | м | | FP-09 | -M / T * | 195 | | | |
| and and | | | | | L | | | -L / T * | 210 |
| | | XL | | FP-09- | XL / T * | 225 | | | |
| MODEL: FP-09 | | 4-POIN | T VEST WITH RELIE slim vest | VING FOAM | | | | | |
| 0 0 | 1 ~ 1 | | | CATALO | OG CODE | | | | |
| | 2 Th | SIZE | COLOUR |) | | PRICE (€) | | | |
| | | UZL | COLOUR | U.S. | | r NoL (e) | | | |
| | | XS | | FP-09-X | S/W/T* | 135 | | | |
|) (| | S | | FP-09-S | ;/W/T* | 150 | | | |
| 6 | | м | | | I/W/T* | 165 | | | |
| | Cher | L | | | /W/T* | 180 | | | |
| | | XL | | FP-09-X | _/W/T* | 195 | | | |
| P Hold & Pull™ System FRONT ADJUSTMENT - PATIENT SIDE | T Hold & Pull™ FRONT ADJUS CAREGIVEF | STMENT - | | * The product is e mounting trian regulator (F | gles with a | | | | |

| MODEL: FP-10 | DYNAMIC 2-POINT BELT WITH PELVIC STABILIZATION AND ABDOMINAL RELIEF | | | | | | |
|--|--|-------------------|-------------------|---|------------|--|--|
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| 0.0 | | XS | | FP-10-XS * | 153 | | |
| | | S S | | FP-10-X5 | 166 | | |
| | | M | | FP-10-M * | 166 | | |
| | | L | | FP-10-L * | 179 | | |
| O | | XL | Ĭ | FP-10-XL * | 179 | | |
| | | XXL | Ŏ | FP-10-XXL * | 179 | | |
| | | 7012 | • | | | | |
| MODEL: FP-11 | DYNAMIC 4 | I-POINT BELT WITH | I PELVIC STABILIZ | ATION AND ABDOMINA | AL RELIEF | | |
| | 1= 1 | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| A A | The second secon | XS | | FP-11-XS * | 194 | | |
| | | S | | FP-11-S * | 207 | | |
| A S A | | М | | FP-11-M * | 207 | | |
| C | NIN / | L | | FP-11-L * | 220 | | |
| MODEL: FP-12 | | DYNA | MIC 2-POINT PELV | /IC BELT | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| | | | | | | | |
| | | XS | | FP-12-XS * | 87 | | |
| 0 | | S | | FP-12-S * | 100 | | |
| | | M . | | FP-12-M * | 100 | | |
| | AT L | L | | FP-12-L * | 113 | | |
| | 1 the | XL | | FP-12-XL * | 113 | | |
| | | XXL | | FP-12-XXL * | 113 | | |
| MODEL: FP-13 | | DYNA | MIC 4-POINT PELV | /IC BELT | | | |
| | 1= L | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| | and a state of the | XS | | FP-13-XS * | 128 | | |
| | | S | Ŏ | FP-13-S * | 141 | | |
| 6 | | М | | FP-13-M * | 141 | | |
| | | L | | FP-13-L * | 154 | | |
| MODEL: FP-14 | | | 2-POINT PELVIC BI | FLT | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| | | S | | FP-14-S * | 61 | | |
| | | M | | FP-14-5 * FP-14-M * | 67 | | |
| | 1 Cana - | L | | FP-14-L * | 74 | | |
| | | L | | FF•14•L | 14 | | |
| MODEL: FP-15 | | 2-POINT PELVI | C BELT WITH FAS | TENING SUPPORT | | | |
| | 1= | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| OF CONTRACTOR | | S | | FP-15-S * | 80 | | |
| | AN / | м | | FP-15-M * | 94 | | |
| | 1 AV | L | | FP-15-L * | 107 | | |
| P Hold & Pull™ System FRONT ADJUSTMENT - PATIENT SIDE | T Hold & Pull™ FRONT ADJUS CAREGIVER | STMENT - | | * The product is ec mounting triang regulator (FF | les with a | | |

| MODEL: FP-16 | PELVIS STABILIZER | | | | | | | |
|--|--|-------|----------|-------------------|---------------------|--------------|--------------|--|
| A CONTRACTOR OF A CONTRACTOR O | | 17.7 | SIZE | COLOUR | CATALOG CODE | PRICE | (€) | |
| \wedge | | Sel S | S | | FP-16-S * | 330 | | |
| | VAL | | М | | FP-16-M * | 374 | | |
| A VA | | | L | | FP-16-L * | 413 | | |
| No. Contraction of the Article of th | | | XL | | FP-16-XL * | 451 | | |
| MODEL: FP-20 | | | TU | IIGH ABDUCTION BE | :I TE | | | |
| | | | SIZE | COLOUR | CATALOG CODE | PRICE | (£) | |
| | | | \$ | | FP-20-S * | 87 | (-) | |
| | 101-10 | 1 | M | | FP-20-M * | 94 | | |
| | N.C. | _ | L | • | FP-20-L * | 100 | | |
| MODEL: FP-21 | | | | IIC BREATHABLE CA | | | | |
| WODEL. FF-21 | 14 11 11 | SIZE | COLOUR | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| S | | | • | | 73 | | 100 | |
| | OHKES | S | | FP-21-S / W | 81 | FP-21-S / S | 110 | |
| | and the second s | М | | FP-21-M / W | 87 | FP-21-M / S | 113 | |
| | | L | | FP-21-L / W | 93 | FP-21-L / S | 120 | |
| MODEL: FP-22 | | | DYNAMI | C ANKLE STABILIZE | RS (2 PCS) | | | |
| ~ ~ | | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | |
| Yes set | 11 11 | | | | FP-22-XS | 128 | | |
| | HLAN | A COL | S | | FP-22-S | 141 | | |
| | | | М | | FP-22-M | 141 | | |
| | | | L XL | | FP-22-L FP-22-XL | 154 | | |
| | | | ۸L | | FF-22-AL | 134 | | |
| MODEL: FP-23 | | | ANATOMIC | THIGH ABDUCTION E | BELTS (2 PCS) | Γ | | |
| | | | SIZE | COLOUR | CATALOG CODE | PRICE | (€) | |
|)) ((| | | М | | FP-23-M * | 105 | | |
| 1 | | | L | | FP-23-L * | 121 | | |
| MODEL: FP-25 | | | | LIMB STABILIZER | | | | |
| | | | SIZE | COLOUR | CATALOG CODE | PRICE | (€) | |
| | | М | • | FP-25-M | 50 | | | |
| | | O.D | L | • | FP-25-L | 65 | | |
| P Hold & Pull [™] System FRONT ADJUSTMENT - PATIENT SIDE T Hold & Pull [™] System FRONT ADJUSTMENT - CAREGIVER SIDE A regulator (FP-EM-2) | | | | | | | | |

| MODEL: FP-26 | LOWER LIMB STABILIZER | | | | | | | |
|--|--|------|---------------------------|----------------|-----------|--|--|--|
| | | SIZE | COLOUS | CATALOG CODE | PRICE (€) | | | |
| | | м | | FP-26-M | 100 | | | |
| | S.C. | L | • | FP-26-L | 125 | | | |
| MODEL: FP-30 | | UNIV | ERSAL STABILIZIN | G BELTS | | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | 61. | S | | FP-30-S | 94 | | | |
| 0 | | М | | FP-30-M | 107 | | | |
| | a Cast | L | • | FP-30-L | 120 | | | |
| MODEL: FP-31 | | S | EMI-RIGID TRUNK | VEST | | | | |
| 8 8 | a Ch | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | | c c | | 55.04.0 | 217 | | | |
| • | MUI | S | | FP-31-S | 238 | | | |
| | | М | | FP-31-M | 217 | | | |
| sto () () ors | | L | | FP-31-L | 234 | | | |
| | | S | EMI-RIGID TRUNK | /FST | | | | |
| MODEL: FP-31 | | | with zipper | | | | | |
| | A PA | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | | S | | | 243 | | | |
| 0 | | | | | 265 | | | |
| | | М | | FP-31-M / Z | 243 | | | |
| s10-()-0Cs | | L | | FP-31-L / Z | 259 | | | |
| MODEL: FP-32 | | | AIR VEST standard vest | | | | | |
| | 1 m | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | 9 9 | S | | FP-32-S / S * | 167 | | | |
| | | М | | FP-32-M / S * | 167 | | | |
| | | L | | FP-32-L / S * | 180 | | | |
| Jan M | Chan | XL | | FP-32-XL / S * | 190 | | | |
| MODEL: FP-32 | | | AIR VEST thin vest | | | | | |
| 0 0 | 1-2 | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| A A | A B | XS | | FP-32-XS / W * | 148 | | | |
| | | S | | FP-32-S / W * | 153 | | | |
| | | М | | FP-32-M / W * | 167 | | | |
| 10 Q | | L | | FP-32-L / W * | 167 | | | |
| | | XL | | FP-32-XL / W * | 183 | | | |
| T Hold & Pull™ System FRONT ADJUSTMENT - CAREGIVER SIDE | * The product is equipped with mounting triangles with a regulator (FP-EM-2) | | | | | | | |

| MODEL: FP-40 | BELTICAR® FASTENING BELT | | | | | | | |
|---------------|--------------------------|--------|-----------------|--------------|-----------|--|--|--|
| R | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | belticar [®] | MINI | • | FP-40-MINI | 200 | | | |
| | | MAXI | | FP-40-MAXI | 270 | | | |
| MODEL: FP-41 | | BE | LTICAR® CHEST | BELT | | | | |
| \mathcal{Q} | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | 🔊 belticar | S | | FP-41-S | 100 | | | |
| | by FLEXPOINT | Μ | | FP-41-M | 120 | | | |
| EP | | L | | FP-41-L | 150 | | | |
| MODEL: FP-42 | | BE | LTICAR® PELVIC | BELT | | | | |
| R | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| (11111)) | 🔊 belticar | S | | FP-42-S | 100 | | | |
| | by FLEXPOINT | Μ | | FP-42-M | 120 | | | |
| E | | L | | FP-42-L | 150 | | | |
| MODEL: FP-43 | | BELT | FICAR® SHOULDE | R BELT | | | | |
| R | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | | S | | FP-43-S | 100 | | | |
| | | Μ | | FP-43-M | 120 | | | |
| | | L | | FP-43-L | 150 | | | |
| MODEL: FP-44 | | | BELTICAR® SE | T | | | | |
| R | belticar® | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | | S | | FP-44-S | 400 | | | |
| | | Μ | | FP-44-M | 450 | | | |
| E E | | L | | FP-44-L | 480 | | | |
| MODEL: FP-45 | | BELTIC | CAR® HB FASTENI | NG BELT | | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | 🔊 belticar | MINI | • | FP-45-MINI | 270 | | | |
| | by FLEXPOINT | MAXI | • | FP-45-MAXI | 360 | | | |
| MODEL: FP-46 | | | BELTICAR® HB S | ET | | | | |
| <i>f</i> r | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| (H-I)) | 🔊 belticar | S | | FP-46-S | 470 | | | |
| | by FLEXPOINT | Μ | | FP-46-M | 510 | | | |
| L'AL | | L | | FP-46-L | 570 | | | |
| FP-A-4 | | ADJUST | ABLE CHEST BUC | CKLE (1 PC) | | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| N.U. | 🔊 belticar | MINI | | FP-A-4-MINI | 13 | | | |
| | By FLEXPOINT | MAXI | | FP-A-4-MAXI | 20 | | | |

| ACCESSORIES | | | | | | | | |
|---|---|---------------------|--|-------------------|-----------|--|--|--|
| FP-A-1 | | EXTENDER FOR U | INIVERSAL STABILI | ZING BELTS (1 PC) | | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | 61. | S | | FP-A-1-S | 40 | | | |
| G | 1 CAI | М | • | FP-A-1-M | 53 | | | |
| | Hell Soul | L | | FP-A-1-L | 61 | | | |
| FP-A-2 | | DYNAMIC RELIE | VING PAD FOR SAF | ETY BELTS (1 PC) | | | | |
| | | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| and | | S | | FP-A-2-S | 26 | | | |
| a | | м | | FP-A-2-M | 31 | | | |
| | | L | | FP-A-2-L | 34 | | | |
| FP-A-3 | | DYNAMIC RE | LIEVING ANATOMIC | C PAD (2 PCS) | | | | |
| | 5 | SIZE | COLOUR | CATALOG CODE | PRICE (€) | | | |
| | | MINI | | FP-A-3-MINI | 74 | | | |
| | 7=6 | MAXI | | FP-A-3-MAXI | 87 | | | |
| | | | | | | | | |
| | МС | DUNTING ELE | MENTS | | | | | |
| FP-EM-1 | | | Holder clamp | | | | | |
| ~ ~ ~ | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| | Included elements: holder clamp Ø25, scre two reducing holder clam | | The holder clamp fits Ø19, Ø22, Ø25 pipes | FP-EM-1 | 26 | | | |
| FP-EM-2 | | | Mounting triangle | 9 | | | | |
| | | | SIZE | CATALOG CODE | PRICE (€) | | | |
| | | | Mounting triangle for a 25 mm wide belt | FP-EM-2-25 | 12 | | | |
| | Included elements: mounting triangle of a regulator | selected size and a | Mounting triangle for a 30 mm wide belt | FP-EM-2-30 | 13 | | | |
| | · · · | | Mounting triangle for a 40 mm wide belt | FP-EM-2-40 | 17 | | | |
| | | | Mounting triangle for a 50 mm wide belt | FP-EM-2-50 | 21 | | | |
| FP-EM-3 | | Retracta | ble belt with cicn | ch buckle | | | | |
| | | | SIZE | CATALOG CODE | PRICE (€) | | | |
| | | | Set with an 18 mm retractable belt | FP-EM-3-18 | 34 | | | |
| | Included elements: cinch buckle, re countersunk screw with M6 thread, 10 | | Set with an 20 mm retractable belt | FP-EM-3-20 | 40 | | | |
| Card and and and and and and and and and an | cap nut, button head screw with M6 the with M6 cap nut | | Set with an 25 mm retractable belt | FP-EM-3-25 | 47 | | | |
| | | | Set with an 30 mm retractable belt | FP-EM-3-30 | 53 | | | |
| | | | Set with an 35 mm retractable belt | FP-EM-3-35 | 61 | | | |

| FP-EM-7 | Retractable belt with mounting triangle and cicnch buckle | | | | | | | |
|--|---|---------------------------------------|---------------|-----------|--|--|--|--|
| | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| On | Included elements: cinch buckle, retractable belt available | Set with an 18 mm retractable belt | FP-EM-7-18 | 49 | | | | |
| | in five lengths (18 mm, 20 mm, 25 mm, 30 mm or 35 mm) with mounting triangle of a selected size and a regulator | Set with an 20 mm retractable belt | FP-EM-7-20 | 55 | | | | |
| | (25 mm, 30 mm, 40 mm lub 50 mm). NOTE: When placing an order, select the width of the | Set with an 25 mm retractable belt | FP-EM-7-25 | 62 | | | | |
| | mounting triangle (choose the mounting triangle for a belt width of 25 mm, 30 mm, 40 mm or 50 mm). | Set with an 30 mm retractable belt | FP-EM-7-30 | 68 | | | | |
| | | Set with an 35 mm retractable belt | FP-EM-7-35 | 75 | | | | |
| FP-EM-4 | Moun | ting screw with v | vasher | | | | | |
| | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| | Screw with; M4 thread - 16 mm long | Screw with M4 thread, 16 mm long | FP-EM-4-M4x16 | 1 | | | | |
| | M5 thread - 16 mm long M6 thread - 16 mm long | Screw with M5 thread, 16 mm long | FP-EM-4-M5x16 | 1 | | | | |
| and a state of the | M6 thread - 20 mm long | Screw with M6 thread, 16 mm long | FP-EM-4-M6x16 | 1 | | | | |
| | | Screw with M6 thread, 20 mm long | FP-EM-4-M6x20 | 1 | | | | |
| FP-EM-5 | Moun | ting screw with o | cap nut | | | | | |
| | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| Manun | Screw with M6 thread, | Screw with M6 thread, 25 mm long | FP-EM-5-M6x25 | 3 | | | | |
| Cara BO | 25 / 30 / 35 mm long | Screw with M6 thread, 30 mm long | FP-EM-5-M6x30 | 3 | | | | |
| | | Screw with M6 thread, 35 mm long | FP-EM-5-M6x35 | 3 | | | | |
| FP-EM-6 | | Wood screw | | | | | | |
| | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| Autor Co | Screw 14 mm long | Screw, 4 thread, 14 mm long | FP-EM-6 | 1 | | | | |
| FP-EM-7/T | | Mounting strap | | | | | | |
| | The strap is used to mount the Flexpoint® vests on strollers equipped with fixing holes on the backrest. There are 2 pieces of the strap in a | SIZE | CATALOG CODE | PRICE (€) | | | | |
| | set. The strap FP-EM-7/ is designed for FlexPoint® vests with the rear adjustment (caregiver side). | Buckle member, 2,5 cm wide | FP-EM-7/T | 31 | | | | |
| FP-EM-7/P | | Mounting strap | | | | | | |
| | The strap is used to mount the Flexpoint® vests on strollers equipped | SIZE | CATALOG CODE | PRICE (€) | | | | |
| | with fixing holes on the backrest. There are 2 pieces of the strap in a set. | | | | | | | |
| | The strap FP-EM-7/P is designed for FlexPoint® vests with the front adjustment (user side). | Buckle member, 2,5 cm wide | FP-EM-7/P | 31 | | | | |
| FP-EM-8 | "Female" | buckle member, | 3 cm wide | | | | | |
| | | SIZE | CATALOG CODE | PRICE (€) | | | | |
| DifferPoint | "Female" buckle member, 3 cm wide. | "Female" buckle member, 3 cm wide | FP-EM-8 | 7 | | | | |

DYNAMIC SEATING POSITIONING

R E H 4 M A T ul. Piaski 47 36-060 Głogów Małopolski

POLAND

Mailing address: ul. Truskawkowa 17, Widna Góra 37-500 Jarosław P O L A N D

tel. 16 621 42 20 tel. 16 621 41 35 wew. 3 tel. kom. 512 290 523 fax 16 621 42 13 e-mail: biuro@reh4mat.com

Official distributor: A K C E S - M E D S P. Z O. O. Jasionka 955B 36-002 Jasionka, POLSKA

tel. +48 17 864 04 70 www.akces-med.com

Export department e-mail: export@akces-med.com

tel. +48 17 864 04 77 tel. +48 508 382 502 BDO: 000303600



PRICE LIST 2023

)PCO









Version: 28.02.2023

Prices are valid from: 28.02.2023

PCO® (Postural Compression Orthoses) are the medical devices class I, which provide dynamic compression and muscles control with pediatric neurologic disorders such as CP and spina bifida. They are more and more popular among physiotherapists and neurologists.

Dynamic PCO® orthoses are made of Lycra and neoprene elements which reduce pressure in bone prominences. Lycra provides deep pressure control abnormal muscle tone.

Our PCO® orthoses are available in various options: single arm or leg sleeves, suits and shirts.

High sensory dynamics and core stability treat the abnormal tone in case of neurologic dysfunctions. Deep compression of particular body parts send more and better sensory information to the brain, increasing proprioception, which in turn decreases high muscles tone and spasticity.

PCO® orthoses do not limit the range of motion and deep compression of joints normalizes the muscle tonus and reduces involuntary movements, which are often in CP children.

Using of Postural Compression Orthoses is recommended for many neuromuscular conditions, mainly CP, with following symptoms: high tone and spasticity, low tone, athetoid, dystonic, dyskinetic, ataxic and mixed presentation.

Dynamic PCO® orthoses are the best addition to traiditonal physical therapy and other occupational activities.

PCO products are made to individual order, production time is about 10 working days.

| POSTURAL COMPRESSION ORTHOSES | | | | | | | | |
|--|--|----------|------------------|--|--|--|--|--|
| | MODEL: PCO-T | -01 | | | | | | |
| LYCRA TLSO ORTHOSIS WITH NEOPRENE BACK PANEL | Our TLSO orthosis PCO-T-01 increases stabilization and body awareness in case of neurological disorders. | | PRICE (€) 300 | | | | | |
| | MODEL: PCO-T-02 | | | | | | | |
| | | | PRICE (€) | | | | | |
| LYCRA TLSO ORTHOSIS WITH X- BACK PANEL AND CROTCH STRAP | Our pediatric TLSO PCO-T-02 increases stabilization and body awareness in case of neurological disorders. | | 333 | | | | | |
| | ADDITIONAL X-PANEL | | | | | | | |
| | MODEL: PCO-T | -03 | I | | | | | |
| | | li 💮 | PRICE (€) | | | | | |
| LYCRA TLSO ORTHOSIS WITH BACK RIGID PANEL AND CROTCH STRAP | Our pediatric TLSO PCO-T-03 increases stabilization and body awareness in case of neurological disorders. | | 532 | | | | | |
| | MODEL: PCO-T | -04 | I | | | | | |
| LYCRA TLSO ORTHOSIS WITH BACK RIGID CORSET AND CROTCH STRAP | Our pediatric TLSO PCO-T-04 increases stabilization and body awareness in case of neurological disorders. | j J | PRICE (€) 633 | | | | | |
| | MODEL: PCO-T | -09 | | | | | | |
| LONG LYCRA DYNAMIC SUIT TLSO | Long Compression Dynamic suite PCO-T- 09 is designed for stability and posture control improvement in case of neurological disorders. Provides trunk, pelvic and hip stability, improves balance and coordination and body awareness. | | PRICE (€) 167 | | | | | |
| | MODEL: PCO-T | -10 | 1 | | | | | |
| | Long dynamic suite with short sleeves | A | PRICE (€) | | | | | |
| LONG LYCRA DYNAMIC SUIT WITH SHORT SLEEVES | PCO-T-10 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and upper extremity and covers the sensory deficits. | | 200 | | | | | |
| | MODEL: PCO-T | -11 | | | | | | |
| LONG LYCRA DYNAMIC SUIT WITH LONG SLEEVES | Long Lycra dynamic suite with long sleeves PCO-T-11 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and upper extremity and covers the sensory deficits. | | PRICE (€) 233 | | | | | |

| MODEL: PCO-T-16 | | | | | | | | |
|---|--|-----|------------------|--|--|--|--|--|
| SLEEVELESS LYCRA DYNAMIC SUITE | Sleeveless Compression Dynamic suite PCO-T-16 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk's and back's muscles and soft tissues. | | PRICE (€) 133 | | | | | |
| | MODEL: PCO-T | -17 | | | | | | |
| SHORT LYCRA DYNAMIC SUIT WITH SHORT SLEEVES | Compression Dynamic suite PCO-T-17 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and upper extremity and covers the sensory deficits. | | PRICE (€) 154 | | | | | |
| | MODEL: PCO-T | -18 | | | | | | |
| SHORT LYCRA DYNAMIC SUIT WITH LONG SLEEVES | Short Compression Dynamic suite PCO-T- 18 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and upper extremity and covers the sensory deficits. | | PRICE (€) 173 | | | | | |
| | MODEL: PCO-T | -23 | | | | | | |
| UPPER BODY COMPRESSION ORTHOSIS | Upper body compression suite PCO-T-23 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk's, back's and pelvic muscles and soft tissues. | | PRICE (€) 154 | | | | | |
| | MODEL: PCO-T | -24 | | | | | | |
| UPPER BODY COMPRESSION ORTHOSIS WITH SHORT SLEEVES | Upper Body Compression Orthosis with short sleeves PCO-T-24 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk's, back's and pelvic muscles and covers the sensory deficits. | | PRICE (€) 173 | | | | | |
| | MODEL: PCO-T | -25 | | | | | | |
| UPPER BODY COMPRESSION ORTHOSIS WITH LONG SLEEVES | Upper body compression orthosis with long sleeves PCO-T-25 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk's, back's and pelvic muscles and covers the sensory deficits. | | PRICE (€) 194 | | | | | |
| | MODEL: PCO-L | -01 | | | | | | |
| LONG COMPRESSION LOWER BODY ORTHOSIS | Long compression lower body orthosis PCO-L-01 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and lower extremities, including ankles, and covers the sensory deficits. | | PRICE (€) 213 | | | | | |

| MODEL: PCO-L-02 | | | | | | | |
|---|---|-------------|------------------|--|--|--|--|
| COMPRESSION HIP AND LOWER LIMBS ORTHOSIS | Compression hip and lower limbs orthosis PCO-L-02 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and lower extremities and covers the sensory deficits. | | PRICE (€) 200 | | | | |
| | MODEL: PCO-L | -03 | | | | | |
| SHORT COMPRESSION LOWER BODY ORTHOSIS | Short compression lower body orthosis PCO-L-03 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk, lower extremities and pelvis and covers the sensory deficits. | | PRICE (€) 173 | | | | |
| | MODEL: PCO-L | -08 | | | | | |
| LONG COMPRESSION LOWER LIMB SLEEVE | Long compression lower limb sleeve PCO- L-08 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and lower extremities, including ankles, and covers the sensory deficits. | | PRICE (€) 113 | | | | |
| | MODEL: PCO-L | -09 | | | | | |
| MIDI COMPRESSION LOWER LIMB SLEEVE | Midi compression lower limb sleeve PCO- L-09 is designed for stability and posture control improvement in case of neurological disorders. Improves function of trunk and lower extremities and covers the sensory deficits. | Ĩ | PRICE (€) 100 | | | | |
| | MODEL: PCO-L | -10 | | | | | |
| THIGH COMPRESSION SLEEVE | Our thigh compression sleeve PCO-L-10 is designed for stability and posture control improvement in case of neurological disorders. Improves function of lower extremity and covers the sensory deficits. | Ĩ | PRICE (€) 80 | | | | |
| | MODEL: PCO-L | -11 | | | | | |
| CALF COMPRESSION SLEEVE | Our calf compression sleeve PCO-L-11 is designed for stability and posture control improvement in case of neurological disorders. Improves function of lower extremity and covers the sensory deficits. | | PRICE (€) 87 | | | | |
| | MODEL: PCO-L | -12 | | | | | |
| ANKLE COMPRESSION SLEEVE | Our ankle compression orthosis PCO-L-12 is designed for stability and posture control improvement in case of neurological disorders. Improves function of ankle joint and covers the sensory deficits. | | PRICE (€) 74 | | | | |
| | MODEL: PCO-A | \-01 | 20105 (0) | | | | |
| UPPER LIMB COMPRESSION LONG SLEEVE | Upper limb compression long sleeve PCO- A-01 is designed for stability and posture control improvement in case of neurological disorders. Improves function of arm and hand and covers the sensory deficits. | | PRICE (€) 107 | | | | |

| MODEL: PCO-A-02 | | | | | | | | |
|---------------------------------------|---|------|-----------------|--|--|--|--|--|
| | Forearm compression sleeve PCO-A-02 is | | PRICE (€) | | | | | |
| FOREARM COMPRESSION SLEEVE | designed for stability and posture control improvement in case of neurological disorders. Improves function of forearm and hand and covers the sensory deficits. | | 87 | | | | | |
| | MODEL: PCO-A | -03 | | | | | | |
| | Wrist compression sleeve PCO-A-03 is designed for stability and posture control | | PRICE (€) | | | | | |
| WRIST AND THUMB COMPRESSION SLEEVE | disorders. Improves function of hand and covers the sensory deficits. | | 67 | | | | | |
| | MODEL: PCO-A-07 | | | | | | | |
| | Upper limb compression sleeve PCO-A-07 | | PRICE (€) | | | | | |
| UPPER LIMB COMPRESSION SLEEVE | is designed for stability and posture control improvement in case of neurological disorders. Improves function of arm and forearm and covers the sensory deficits. | | 87 | | | | | |
| | MODEL: PCO-A | 08 | | | | | | |
| | Forearm compression sleeve PCO-A-08 is | | PRICE (€) | | | | | |
| FOREARM COMPRESSION SLEEVE | designed for stability and posture control improvement in case of neurological disorders. Improves function of arm and covers the sensory deficits. | | 67 | | | | | |
| | MODEL: PCO-H | I-01 | | | | | | |
| COMPRESSION CAP | Compression cap PCO-H-01 is designed for stability and posture control improvement in case of neurological disorders. Improves function of the head and covers the sensory deficits. | | PRICE (€) 67 | | | | | |



MREH4MAT ul. Piaski 47 36-060 Głogów Małopolski

MAILING ADDRESS REH4MAT ul. Truskawkowa 17, Widna Góra 37-500 Jarosław POLAND BDO: 000303600 \$\$ +48 (016) 621 42 20 \$\$ +48 (016) 621 41 35 \$\$ biuro@reh4mat.com \$\$ handel@reh4mat.com

www.reh4mat.com www.pcodynamic.com

© Sławomir Wroński 2023





VERSION: 28.07.2023 PRICES ARE VILED FROM: 28.07.2023

STABILObed® is the modular 1st medical class system that is used for precise and effective positioning the patient in the lying position. STABILObed® system has a wide range of applications. The STABILObed® system consists of independent elements: Different Shaped Cushions.

STABILObed
system is a range of blocks and cushions, used for stabilization of different body parts. They are covered by innovative fabric PureMed[™].

This material is very safe for human and easy to sterilize. Particular components of system can be used for patient immobilization in diagnostic imaging (MRI, CT scan, X-ray). Depending on type, shape and purpose, STABILObed® cushions are filled with:

| *** | Granulate – micro-beads with small granulometry. The micro-beads may go smoothly inside the cushion and because of that, it can be anatomic-shaped very easy. What is more, PureMed [™] , with high vapour permeability, allows the air to go outside the cushion and be around the patient's body. |
|-------------------------|---|
| Visinanow Contractor | VISmemo ^w - is our innovative memory foam. The foam creates initial shaping under the first pressure. Thereafter, the foam is more soft, because of patient's temperature. VISmemo ^w foam is the most active in areas with high bed sores risk. |
| ↓ | Comfort foam – soft foam with a lot of closed, small air bubbles. It allows to maintain the patient's shape precisely. |
| | Off-loading foam – it's rigid technical foam, created in recycling process. The structure is closed what allows to back to initial position even after long-term lying. |
| | Silicone – this filling consists of silicone fibers in round shape with 0,5 cm diameter. There are air inside what prevents against the sweating of the user. The cushion filled silicone is very soft and lightweight and can maintain the perfect anatomic shape. It's Pressure-resistant even after long-term lying (supine) pressure. |

| PureMed* | PureMed ^{TW} is very safe for human and easy to sterilize. It consists of antibacterial components based on silver zeolite (AgZ) and because of it, there is a possibility of multiple use by patients in hospitals or rehabilitation centers. |
|------------------------|---|
| ļ | Each component of STABILObed® is covered by soft, skin-friendly material. |
| RadioLogic** | The components of system can be used for immobilization of patient in diagnostic imaging (MRI, CT scan, X-ray). |
| Antystip ** | Some of the STABILObed ® elements are covered by special non slip fabric. It increased the comfort of use and prevents against unwanted moving elements on the mattress. |
| VetcroFit** | STABILObed © components are equipped with set of Velcro. It allows to place the cushion and wedges on the mattress covered by self-adhesive sheet and prevents against their migration. |
| Exception | Special system of adjustment, located in the cover, helps to shape the STABILObed® parts. |
| Voltra Strap System | STABILObed ® pillows adapted to the Tubular Mattress system have a Velvro straps that stabilize the pillows preventing them from moving. |

| POSTURAL AIDS SYSTEM IN THE LYING STABILObed® | | | | | | | | | |
|--|--|--------------------------|------------|---------------|-----------|-----------------|-----------|---------------|-----------|
| P-SS-01 | LOWER EXTREMITY ABDUCTION | | 1 | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | PILLOW | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| C-TV | Our abduction pillow protects the patient from adduction contracture of | P-SS-01/1 | 97 | P-SS-01/1/PZ | 61 | P-SS-01/1/WG | 46 | P-SS-01/1/PF | 34 |
| | the hips and, furthermore, it decreases the risk of bedsores that can appear on medial side of lower limbs. | P-SS-01/2 | 103 | P-SS-01/2/PZ | 64 | P-SS-01/2/WG | 48 | P-SS-01/2/PF | 36 |
| | | P-SS-01/3 | 109 | P-SS-01/3/PZ | 67 | P-SS-01/3/WG | 53 | P-SS-01/3/PF | 40 |
| FILLING: | FEATURES: Restologe" Viewskelt" Aryslep" Viewskelt | | | | | | | | |
| | | PM-SS-01/1 | 117 | - | - | - | - | - | - |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System ¹ | PM-SS-01/2 | 124 | - | - | - | - | - | - |
| | | PM-SS-01/3 | 132 | - WASHABLE | - | - GRANULATIN | | - FROTTE C | - |
| P-SS-02 | CYLINDRICAL CUSHION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Our bolter line roll pillow can be used in various ways, but maintained under knees allows to achieve Semi- Fowler position. Cylindrical cubition should be used by patients who are placed in led for a long time. It brings the lower back into a zero-graymy position, improves circulation and en- ter our patients and the second secon | P-SS-02/1 | 88 | P-SS-02/1/PZ | 65 | P-SS-02/1/WG | 35 | - | - |
| C | prevents against the swollen lower extremity. • Also, when you use our abduction block (P-SS-03) you will maintain the legs in anti-bedsore position (in abduction). | P-SS-02/2 | 110 | P-SS-02/2/PZ | 73 | P-SS-02/2/WG | 54 | - | - |
| FILLING: | FEATURES: Vielder | | | | | | | | |
| Available to use with | READY for Modular Mattress System [™] | PM-SS-02/1 | 106 | - | - | - | - | - | - |
| TUBULAR MATTRESS M-SS | | PM-SS-02/2 | 132 | - | - | - | - | - | - |
| P-SS-06 | CALF WEDGE | | | WASHABLE | | GRANULATIN | | FROTTE C | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | It prevents from bedsores that can appear on heel bone. Reduces risk of thrombophilebitis (vein inflammation). The length is excellent to support the knee against the hyperextension. | P-SS-06/1 | 80 | P-SS-06/1/PZ | 61 | P-SS-06/1/WG | 31 | P-SS-06/1/PF | 67 |
| FILLING: | FEATURES: | | | | | | | | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System" | PM-SS-06/1 | 96 | - | - | - | - | - | - |
| P-SS-08 | LATERAL POSITIONING CUSHION | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| J | Keeps the patient in the lateral (safe) position and supports knees, pelvic and upper body. Allow patient to keep semi-ventral and semi-lateral position. Lateral positioning cusion can be used with thermoscitive support cusion (P-55-22), which prevents against the bedsores additionally. Highly recommeded for pregnant women to maintain asfe position on the left side for long night. Available in one size compatible with all patient sizes. There is special string and ribbing inside that allow to achieve a required position of the cushion. | P-SS-08/1 | 360 | P-SS-08/1/PZ | 245 | P-SS-08/1/WG | 165 | P-SS-08/1/PF | 160 |
| FILLING: | FEATURES: Redistope" Pureled" Escret: FEATURES: FEATURES: Pureled" -&- | | | | | | | | |
| | | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-SS-09 | ANTI BEDSORE ROUND CUSHION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Our anti-bedsore round cushion is in decubitus prophylaxis and in bedsores, postoperative and after injury treatment. | P-SS-09/1 | 42 | P-SS-09/1/PZ | 28 | P-SS-09/1/WG | 20 | P-SS-09/1/PF | 27 |
| - | When it's used under head, it prevents against the bedsores on the occipital bone and support the ervical lordosis. The inner hole in the cushion effectively relieves the sensitive points of | P-SS-09/2 | 58 | P-SS-09/2/PZ | 43 | P-SS-09/2/WG | 23 | P-SS-09/2/PF | 40 |
| b]Stabile | the patient's body. It doesn't allow them to come into contact with a hospital mattress, what improves the blood supply and nourishments of soft tissues. | P-SS-09/3 | 75 | P-SS-09/3/PZ | 63 | P-SS-09/3/WG | 23 | P-SS-09/3/PF | 53 |
| FILLING: | FEATURES: Lediclogs" Parklet" Arystap" | | | | | | | | |
| Available to use with | READY for Bio | PM-SS-09/1 | 48 | - | - | - | - | - | - |
| TUBULAR MATTRESS M-SS | Modular Mattress System ^w | PM-SS-09/2 PM-SS-09/3 | 67 87 | - | - | - | - | - | - |
| -D CC 40 | | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-SS-10 | KNEE WEDGE | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Using of the knee wedge in laying position reduces the pressure and pain | P-SS-10/1 | 122 | P-SS-10/1/PZ | 80 | P-SS-10/1/WG | 60 | P-SS-10/1/PF | 54 |
| E 1 | in the lower back. • Used together with ring cusion (P-SS-13) achieves Semi-Fowler position, where pelvis and lower back is at 30°. | P-SS-10/2 | 133 | P-SS-10/2/PZ | 85 | P-SS-10/1/WG | 65 | P-SS-10/1/PF | 58 |
| at a | It improves blood circulation and reduces the risk of lower limb swelling. Prevents against the knee hyperextension. | P-SS-10/3 | 160 | P-SS-10/3/PZ | 100 | P-SS-10/1/WG | 80 | P-SS-10/1/PF | 61 |
| FILLING: | FEATURES: Beinlager" Prinkler" Artyslin" Warsolitik | | | | | | | | |
| | | | | | | | | | |
| Available to use with | READY for | PM-SS-10/1 | 140 | - | - | - | - | - | - |
| Available to use with TUBULAR MATTRESS M-SS | READV for Modular Mattress System" | PM-SS-10/1 PM-SS-10/2 | 140 159 | - | - | - | - | - | - |

| | | POSTUR | AL AIDS SYSTEI | M IN THE LYING ST | ABILObed® | | | | | |
|--|--|--------------------------|----------------|-------------------|-----------|--------------|-----------|--------------|-----------|--|
| P-SS-12 | LATERAL POSITIONING WEDGE | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE COVER | | |
| P-55-12 | LATERAL POSITIONING WEDGE | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| | Highly recommended for patients who are placed in bed for a long time and required frequent changes of position. It provides support for the trunk from one side. | P-SS-12/1 | 175 | P-SS-12/1/PZ | 80 | - | - | P-SS-12/1/PF | 61 | |
| | Relieves the sensitive areas of the body and significantly reduces the risk of bedsores. Available in one size compatible with all patient sizes. | P-SS-12/2 | 210 | P-SS-12/2/PZ | 106 | - | - | P-SS-12/2/PF | 80 | |
| FILLING: | FEATURES: Detectory:" | | | | 1 | | 1 | | | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System" | PM-SS-12/1 | 193 | - | - | - | - | - | - | |
| P-SS-13 | RING CUSHION | | 1 | WASHABLE | | GRANULATIN | | FROTTE C | | |
| 6 | Long roller is ideal for patients requiring body stabilization in lying position. It helps in proper head positioning and contributes to anti-bedsore prophysics by perioding sensitive across of the body. It can also be used by pregnant women to increase the comfort of lying down. It is also possible to purchase thermaactive support cusion. There is special string and ribbing inside that allow to achieve a required position of the cushion. | P-SS-13/1 | PRICE (6) | P-SS-13/1/PZ | 235 | P-SS-13/1/WG | PRICE (6) | CATALOG CODE | PRICE (6) | |
| FILLING: | FEATURES: EasyTit" | | | | | | | | | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System ¹ | PM-SS-13/1 | 361 | - | - | - | - | - | - | |
| | | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER | |
| P-SS-14 | SEMI-SOFT BOLSTER PILLOWS | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| | The semi-soft bolster pillows are the perfect solution to place the patient in semi-lateral or semi-vertral positions. They improve anti-bedsore prophylaxis. Using of semi-soft bolster pillows helps to prevent against the limbs. | P-SS-14/1 | 132 | P-SS-14/1/PZ | 84 | P-SS-14/1/WG | 67 | - | - | |
| 5 | deformation and muscles contractures. • To increase anti-bedrox prophytical is its highly recommend to use bolster pillow together with thermaactive support cushion (P-S5-22). | P-SS-14/2 | 156 | P-SS-14/2/PZ | 97 | P-SS-14/2/WG | 80 | - | - | |
| FILLING: | FEATURES: O | | | | | | | | | |
| | V PILLOW | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER | |
| P-SS-15 | V PILLOW | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| ~ | Our 'V' shaped cushion comfortably supports the head and prevents against the bedsores. It is great aid in sitting and semi-reclined position. Our 'V' pillow can be used with thermoactive support cusion. | P-SS-15/1 | 64 | P-SS-15/1/PZ | 53 | P-SS-15/1/WG | 21 | P-SS-15/1/PF | 34 | |
| FILLING: | FEATURES: Resistors" PureMed" | | l | | L | | | | | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System" | PM-SS-15/1 | 77 | - | - | - | - | - | - | |
| D CC 17 | SEMI-RIGID BOLSTER PILLOWS FOR | | Į | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER | |
| P-SS-17 | TRUNK SUPPORT | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| | The semi-rigid bolster pillows are the perfect solution to place the patient in lateral, semi-lateral or semi-ventral positions. They improve anti-bedsore prophylaxis. | P-SS-17/1 | 116 | P-SS-17/1/PZ | 67 | P-SS-17/1/WG | 61 | - | - | |
| 0 | We highly recommend to use our semi-rigid bolster pillow with shaped wedges (K-SS-08), that prevent against the slipping and changing position of bolster pillow. | P-SS-17/2 | 136 | P-SS-17/2/PZ | 83 | P-SS-17/2/WG | 67 | - | - | |
| FILLING: | FEATURES: Printed Printed | | | | | | | | | |
| P-SS-18 | HEADREST | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | |
| | | P-SS-18/1 | 67 | P-SS-18/1/PZ | 54 | P-SS-18/1/WG | 24 | P-SS-18/1/PF | 30 | |
| 100 | Headrest makes it possible to place the lying patient in middle position. It prevents from cervical spinal deformations and revents against the bedsores. | P-SS-18/2 | 79 | P-SS-18/2/PZ | 61 | P-SS-18/2/WG | 28 | P-SS-18/2/PF | 34 | |
| | | P-SS-18/3 | 87 | P-SS-18/3/PZ | 64 | P-SS-18/3/WG | 30 | P-SS-18/3/PF | 38 | |
| FILLING: | FEATURES: Residues" Printfull" Angelina Constant | | | | | | | | | |
| Available to use with | READY for | PM-SS-18/1 | 80 | - | - | - | - | - | - | |
| TUBULAR MATTRESS M-SS | Modular Mattress System [®] | PM-SS-18/2 PM-SS-18/3 | 94 104 | - | - | - | - | - | - | |
| | | 111-33-10/3 | 104 | - | - | - | - | - | - | |

| | | POSTUR | AL AIDS SYSTEN | I IN THE LYING STA | | | | | |
|---|--|--|---------------------------------------|--------------------------|---|----------------------------|---|--------------|--|
| P-SS-19 | NECK RING CUSHION | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | Our neck ring cushion allows to place the head in the middle position | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| G | both in sitting and semi-reclined positions. • It supports the cervical spine and prevents against the neck deformations. • It prevents against the bedsores on the occipital bone. • Neck ring custon can be used with thermoactive support cusion (P-SS- 22), with prevents against the bedsores additionally. | P-SS-19/1 | 120 | P-SS-19/1/PZ | 80 | P-SS-19/1/WG | 53 | P-SS-19/1/PF | 39 |
| LING: | FEATURES: Detroited of the second sec | | | | | | | | |
| P-SS-20 | UPPER EXTREMITY SUPPORT WITH | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | PROTECTOR | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| - and | It's equipped with original memory foam VISmemo[®], that prevents patient from bedsores that can appear in elbow and forearm area. It stabilizes upper limb and helps to avoid the muscle contractions. | P-SS-20/1 | 94 | P-SS-20/1/PZ | 88 | P-SS-20/1/WG | 19 | - | - |
| | It statutes upper intra and neps to avoid the muscle contractions. Available in one size compatible with all patient sizes. | P-SS-20/2 | 125 | P-SS-20/2/PZ | 115 | P-SS-20/2/WG | 29 | - | - |
| LING: 🙀 👤 | FEATURES: Briticage" Parkkal" Arging" Con | | | | | | <u> </u> | 1 | |
| P-SS-21 | SILICONE PILLOW | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | The silicone pillow helps to put the patient in a safe position and improves anti-bedsore prophylaxis. It prevents against the pathological deformities and neck muscles contractures. The cushion is covered with a soft, skin-friendly material in white color. To place the patient in lateral or semi-lateral lying position, there is necessary to use the self-adhesive wedges (K-SS-02) or shaped wedges (KSS-08) together with silicone pillow. | P-SS-21/1 | 39 | - | - | - | - | | _ |
| | FEATURES: | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-SS-22 | THERMOACTIVE SUPPORT CUSHION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| 0 | Thermoactive support cushion is made of memory foam VISmemo³⁴. This foam molds to the body in response to heat and pressure, everity distributing body weight. It then returns to its original shape one eyo remove the pressure. This high solution increases a blood and oxygen supply in soft tissues. It's highly recommended for decubitus prophyakis and it should be used in areas of the body at high risk for pressure Sore. Thermoactive support cusion is available with others parts of STABILObed® system. | P-SS-22/1 | 76 | P-SS-22/1/PZ | 26 | - | - | P-55-22/1/PF | 21 |
| LING: | FEATURES: Restorage" Percebut" | | | | | | 4 | | |
| | | | | | | | | | |
| P-SS-23 | PEDIATRIC IMMOBILIZER | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-SS-23 | PEDIATRIC IMMOBILIZER | CATALOG CODE | PRICE (€) | WASHABLE CATALOG CODE | COVER PRICE (€) | GRANULATIN CATALOG CODE | IG INSERT PRICE (€) | FROTTE C | |
| P-SS-23 | PEDIATRIC IMMOBILIZER Immobilizer is designed for children with spasticity. It secures children with limbs and trunk deformlies. It prevents deepening deformlies and helps in the process of physiotherapy. It can also be used to transport a child with recent truum. The product consists of three elements the head | CATALOG CODE P-SS-23/1 | PRICE (€) 325 | | | | 1 | | |
| P-55-23 | Immobilizer is designed for children with spaticity. It secures children with limbs and trunk deformities. It prevents deepening deformities and helps in the process of physiotherapy. It can also be used to transport a | | | | | | 1 | CATALOG CODE | |
| 1 here | Immobilizer is designed for children with spasticity. It secures children with limbs and trunk deformities. It prevents deepening deformities and helps in the protects of physiotherapy. It can alobe used to transport a child with recent trauma. The product consists of three elements: the head stabilizer and 2 independent elements with Velors straps. Immobilizer has no steel elements to it can be used in X-ray. MRI and | P-SS-23/1 P-SS-23/2 | 325 | | | | 1 | CATALOG CODE | |
| 1 her | Immobilizer is designed for children with spasticity. It secures children with limbs and truck deformities. It prevents despering deformities and helps in the process of physiotherapy. It can also be used to transport a child with recent trauma. The product consists of three elements the head stabilizer and 2 independent elements with Velor stars. Immobilizer has no steel elements so it can be used in X- ray. MRI and CT scanning procedures. Immobilizer has no steel elements so it can be used in X- ray. MRI and CT scanning procedures. Immobilizer has no steel elements to it can be used in X- ray. MRI and CT scanning procedures. | P-SS-23/1 P-SS-23/2 PM-SS-23/1 | 325 396 327 | | | | 1 | CATALOG CODE | |
| ung: Vereit Analable to use with | Immobilizer is designed for children with spasticity. It secures children with limits and trunk deformities. It prevents deepening deformities and helps in the process of physiotherapy. It can also be used to transport a children with Unders straps. The secures children with Valcos straps. The secure should be the secure straps of the secure straps of the secure straps. The secure straps of the secure straps. The secure straps of the secure | P-SS-23/1 P-SS-23/2 | 325 396 | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (6) |
| ung: Vereit Analable to use with | Immobilizer is designed for children with spasticity. It secures children with limits and trunk deformities. It prevents deepening deformities and helps in the process of physiotherapy. It can also be used to transport a children with Unders straps. The secures children with Valcos straps. The secure should be the secure straps of the secure straps of the secure straps. The secure straps of the secure straps. The secure straps of the secure | P-SS-23/1 P-SS-23/2 PM-SS-23/1 | 325 396 327 | CATALOG CODE | PRICE (€) | CATALOG CODE - - | PRICE (€) | CATALOG CODE | PRICE (€) |
| LING: VIEW CONTRACTORS AND | Immobilizer is designed for children with spasticity. It secures children with limbs and trunk deformities. It prevents deepening deformities and helps in the process of physiotherapy. It can also be used to transport a children with limbs and trunk. The product consists of the elements the head stabilizer and 2 independent elements with Vetros straps. Immobilizer has no steel elements so it can be used in X- ray. MRI and CT scanning procedures. Immobilizer the second stabilizer of a constraint of the elements the head stabilizer and 2 independent elements to it can be used in X- ray. MRI and CT scanning procedures. Immobilizer the second stabilizer of a stroller or a car, it protects the paleint of the second stabilizer of | P-SS-23/1 P-SS-23/2 PM-SS-23/1 PM-SS-23/2 | 325 396 327 416 | CATALOG CODE WASHABLE | PRICE (€) - - - - - - | CATALOG CODE GRANULATIN | PRICE (€) - - - - IG INSERT | CATALOG CODE | PRICE (€) |
| LINE: Version Constraints Available to use with TUBULAR MATTRESS M-SS | Immobilizer is designed for children with spasticity. It secures children with limbs and truck deformities. It prevents despering deformities and helps in the process of physiothenapy. It can also be used to transport a child with recent traums. The product consists of three elements: the head stabilizer and 2 independent elements: so it can be used in X- ory. MRI and CT scanning procedures. Terrures: Immobilizer has no steel elements: so it can be used in X- ory. MRI and CT scanning procedures. Immobilizer has no steel elements: so it can be used in X- ory. MRI and CT scanning procedures. Immobilizer has no steel elements: so it can be used in X- ory. MRI and CT scanning procedures. Immobilizer has no steel in the anti-bedrore prophylaxis and trastmet of the existing bedrores as well as in post-operative and posturumatic conditions. | P-SS-23/1 P-SS-23/2 PM-SS-23/1 PM-SS-23/2 CATALOG CODE | 325 396 327 416 ₽RICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) - - IG INSERT PRICE (€) | CATALOG CODE | PRICE (€) - - - - - - - - - - - - - - - - - - - |

| | | POSTUR | AL AIDS SYSTEM | / IN THE LYING STA | \BILObed® | | | | |
|--|--|--------------|----------------|--------------------|-----------|-----------------|-----------|---------------|------------|
| P-SS-25 | HEAD CUSHION | | | WASHABLE | COVER | GRANULATIN | NG INSERT | FROTTE | COVER |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Thanks to its design, the cushion provides an additional side support for the head, and the filling with the thermoplastic shape memory foam VISmemo™ is a guarantee of the highest comfort while lying down. | | | | | | | | |
| Com I | The cushion reduces the pressure in the occiput area which significantly decreases the risk of bedsores. Also, it is equipped with a special Velcro strip to prevent the cushion | P-SS-25/1 | 56 | P-SS-25/1/PZ | 26 | - | - | P-SS-25/1/PF | 21 |
| - Aller | from slipping during using. In order to keep the proper hygiene of the product, it is recommended to use an additional terry cover. | | | | | | | | |
| FILLING: VBream" | FEATURES: Katologe" Parkkel" Warselit | | | | | | | | |
| P-SS-26 | ORTHOPEDIC NECK PILLOW | | | WASHABLE | COVER | GRANULATIN | NG INSERT | FROTTE | COVER |
| F-33-20 | OKTHOPEDIC NECK FIELOW | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | This pillow has been designed and made as an anatomically profiled 3D pillow. It is made of memory shape foam VISmemo[™] which adjusts | P-SS-26/1 | 57 | P-SS-26/1/PZ | 28 | - | - | P-SS-26/1/PF | 24 |
| 21 | perfectly to the patient's body shape. Thanks to its design, it provides a proper support for the neck and head. The thermoelastic shape memory foam keeps the shape of the body for a short time after we stop putting | P-SS-26/2 | 62 | P-SS-26/2/PZ | 34 | - | - | P-SS-26/1/PF | 30 |
| | pressure on it and slowly returns to its original form. • The cushion is equipped with a cover made of special PureMed [™] fabric, which is very easy to disinfect. | P-SS-26/3 | 72 | P-SS-26/3/PZ | 40 | - | - | P-SS-26/1/PF | 34 |
| Vi8memn** | Bedistoge" PereMed ^{ma} Veterafit* | P-SS-26/4 | 96 | P-SS-26/4/PZ | 51 | - | - | P-SS-26/2/PF | 44 |
| FILLING: | FEATURES: | | | | | 1 | | 1 | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System" | PM-SS-26/2 | 65 | - | - | - | - | - | - |
| | | PM-SS-26/3 | 76 | - WASHABLE | COVER | GRANULATIN | INSERT | - FROTTE (| - COVER |
| P-SS-27 | REFLUX BABY WEDGE | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | The anti-reflux wedge has been created for infants with problems related to the gastroesophageal reflux. | | | | | | | | |
| | Using the wedge significantly relieves the effects of the condition by putting the little patients in the proper lateral position and securing them at the same time. | P-SS-27/1 | 144 | - | - | - | - | - | - |
| | at the same time. The correct position of the child prevents the backflow of the gastroesophageal content, which significantly reduces the risk of choking. | | | | | | | | |
| FILLING: | FEATURES: Kentelseye" ParaMart | | | | | | | | |
| P-SS-28 | PEDIATRIC LOWER LIMBS | | | WASHABLE | COVER | GRANULATIN | NG INSERT | FROTTE | COVER |
| F-35-20 | ABDUCTION WEDGE | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| 2 aug | Pediatric lower limbs abduction wedge protects the young patients | P-SS-28/1 | 135 | P-SS-28/1/PZ | 90 | P-SS-28/1/WG | 62 | - | - |
| - | against the adduction contractures of the hip joints and reduces the risk of bedsores on the medial side of the lower limbs. It helps to maintain the correct supine position by controlling the position of the legs. In order to | P-SS-28/2 | 136 | P-SS-28/2/PZ | 93 | P-SS-28/2/WG | 64 | - | - |
| C | prevent leg crossing, the wedge has been equipped with a special upper cover fastened with VelcroFit [™] . | P-SS-28/3 | 143 | P-SS-28/3/PZ | 95 | P-SS-28/3/WG | 68 | - | - |
| | RotlinLoge." PareMed." AntySlip." Veccolit." | P-SS-28/4 | 150 | P-SS-28/4/PZ | 100 | P-SS-28/4/WG | 73 | - | - |
| FILLING: | FEATURES: | | | | | | | | |
| P-SS-29 | UNIVERSAL POSITIONING CUSHION | | | WASHABLE | | GRANULATIN | | FROTTE | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| 5 | The cushion is a perfect addition in post-operative therapy. Its size and appropriate hardness helps in proper support of different body parts, e.g. a foot in numerous therapeutic positions. | | | | | | | | |
| a mente | The cover is made of patient-friendly and easy to disinfect PureMed[™] material and AntySlip[™] material, also used in the cover, prevents the | P-SS-29/1 | 54 | - | - | - | - | P-SS-29/1/PF | 37 |
| | cushion from moving. | | | | | | | | |
| FILLING: | FEATURES: | | | | | | | | |
| P-SS-30 | LOWER LIMBS POSITIONING WEDGE | | | WASHABLE | | GRANULATIN | | FROTTE | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Thanks to its design, the wedge enables the correct positioning of the lower limbs in the bends, at the same protecting the patient from the adduction contractures in the bin joints. | P-SS-30/1 | 126 | P-SS-30/1/PZ | 80 | P-SS-30/1/WG | 66 | P-SS-30/1/PF | 66 |
| Con / | adduction contractures in the hip joints. • Using the cushion prevents the knee hyperextension in the knee joints and reduces the risk of bedsores on the inner parts of the legs. It is highly | | | | | | | | |
| Carlo Carlo | recommended for the bedridden patients. It can be successfully used in both the supine and semi-reclining position, e.g. in post-operative therapy. | P-SS-30/2 | 161 | P-SS-30/2/PZ | 100 | P-SS-30/2/WG | 80 | P-SS-30/2/PF | 86 |
| FILLING: | FEATURES: Decision of the second seco | | | | | | <u>ı</u> | | <u>ı</u> |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System ¹¹ | PM-SS-30/1 | 144 | - | - | - | - | - | - |
| | | PM-SS-30/2 | 184 | - WASHABLE | COVER | - GRANULATIN | IG INSERT | - FROTTE (| - COVER |
| P-SS-31 | UNIVERSAL CUSHION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | • A cushion with an anatomic neck cut stabilizes the head in the proper position as well as fills the cervical lordoxis and prevents the bedicores around the occiput area. The versafility of the cushion makes it possible to keep the patient in a neutral position and reduces the spinal paint. • When used between the legs, it protects the pathent against the bedicores around snees and nakes. • Using the cushion also reduces the pathological adduction, e.g. after the endportable tich its programmers. • The cushion has anti-bedicore and stabilizing functions. It can be used in numerous ways, such as an under head cushion, a cushion used between or under the lower limbs, a support for upper limb elevation (anti-swelling and anti-bedicore function), an aid in maintaining the semi-lateral and semi-recumber to position on the storad. • In order the maintain a projer trygiene of the product, it is recommended to use an additional terry cover. | P-SS-31/1 | 64 | P-SS-31/1/PZ | 42 | P-SS-31/1/WG | 32 | P-SS-31/1/PF | 16 |
| FILLING: | FEATURES: Devidence" | | | <u> </u> | <u> </u> | | <u> </u> | | <u> </u> |

| | | POSTUR | AL AIDS SYSTEI | M IN THE LYING ST | ABILObed® | | | | |
|--|--|--|---|--|--|---|--|---|---|
| P-SS-32 | CYLINDRICAL CUSHION WITH THE | | | WASHABLE | COVER | GRANULATIN | G INSERT | FROTTE C | OVER |
| P-55-32 | ABDUCTION WEDGE AND SIDE SUPPORTS | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | | P-SS-32/1 | 146 | P-SS-32/1/PZ | 103 | P-SS-32/1/WG | 65 | P-SS-32/1/PF | 45 |
| | Thanks to its design, the wedge enables the correct positioning of the lower limbs in the bends, at the same protecting the patient from the | P-SS-32/2 | 185 | P-SS-32/2/PZ | 123 | P-SS-32/2/WG | 88 | P-SS-32/2/PF | 54 |
| | adduction contractures in the hip joints. The side supports placed on both sides of the wedge prevent the legs from falling sideways. | P-SS-32/3 | 221 | P-SS-32/3/PZ | 138 | P-SS-32/3/WG | 113 | P-SS-32/3/PF | 67 |
| | Using the cushion prevents the knee hyperextension in the knee joints and reduces the risk of bedsores on the inner parts of the legs. It is highly | P-SS-32/4 | 231 | P-SS-32/4/PZ | 143 | P-SS-32/4/WG | 123 | P-SS-32/4/PF | 79 |
| Alberton | recommended for the bedridden patients. It can be successfully used in both the supine and semi-reclining position, e.g. in post-operative therapy. | P-SS-32/5 | 258 | P-SS-32/5/PZ | 158 | P-SS-32/5/WG | 135 | P-SS-32/5/PF | 91 |
| | | P-SS-32/6 | 289 | P-SS-32/6/PZ | 175 | P-SS-32/6/WG | 153 | P-SS-32/6/PF | 103 |
| FILLING: | FEATURES: Redictore" Verantitie Verantitie | | | • | | • | | • | |
| | | PM-SS-32/1 | 176 | - | - | - | - | - | - |
| | Veitro Strap | PM-SS-32/2 | 221 | - | - | - | - | - | - |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System [™] | PM-SS-32/3 PM-SS-32/4 | 265 277 | - | - | - | - | - | - |
| | | PM-SS-32/5 | 309 | - | - | - | - | - | - |
| | | PM-SS-32/6 | 320 | - | - | - | - | - | - |
| K-SS-01 | THERMOACTIVE ELEVATION ARM WEDGE | | | WASHABLE | | GRANULATIN | | FROTTE C | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Elevation arm wedge stabilizes the arm in rising position and decrease the swelling of hand and forearm. It's equipped with original memory foam VISmemo¹⁰, that prevents patient from bedsores that can appear in elbow and forearm area. | K-SS-01/1 | 72 | K-SS-02/1/PZ | 40 | - | - | - | - |
| 17man | It's highly recommended for women after mastectomy or other surgeries where axillary lymph nodes were excised. Available in one size compatible with all patient sizes. | K-SS-01/2 | 126 | K-SS-02/2/PZ | 61 | - | - | - | - |
| FILLING: | _ FEATURES: Katalaage" Parakked" Aeryslag" (************************************ | | | I | 1 | I | | 1 | 1 |
| Available to use with | READY for | KM-SS-01/1 | 100 | - | - | - | - | - | - |
| Available to use with TUBULAR MATTRESS M-SS | Modular Mattress System [™] | KM-SS-01/2 | 141 | - | - | - | - | - | - |
| | WEDGE WITH SELF-GRIPPING | | | WASHABLE | COVER | GRANULATIN | G INSERT | FROTTE C | OVER |
| K-SS-02 | FUNCTION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| Distable | The wedge can be attach to the sheet, because of self-gripping function, and prevents against the slipping of cushion. Highly recommended for heavy users, patients with spasticity, as well as | K-SS-02/1 | 36 | - | ` | - | - | - | - |
| | patients that remain in the supine position for a long time. • It provides additional stabilization and comfort. | K-SS-02/2 | 52 | - | - | - | - | - | - |
| FILLING: | FEATURES: | | | | | | | | |
| <u> </u> | | | | | | | | | |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System" | KM-SS-02/1 | 38 | - | - | - | - | - | - |
| | READY for Modular Mattress System" | KM-SS-02/1 KM-SS-02/2 | 38 55 | - - WASHABI | - - | - - | - - G INSERT | - - | - - - |
| | READY for | KM-SS-02/2 | 55 | WASHABLE | COVER | GRANULATIN | G INSERT | FROTTE C | OVER |
| TUBULAR MATTRESS M-SS | READY for Medular Martress System" | | | | | | | | |
| TUBULAR MATTRESS M-SS | Read of an interest system ThereMoACTIVE LOWER LIMB RAISING WEDGE The wedge is made of an interest system and the system | KM-SS-02/2 | 55 | WASHABLE | COVER | GRANULATIN | G INSERT | FROTTE C | OVER |
| TUBULAR MATTRESS M-SS | Ready for Median Matrices System Experiment Experiment Experiment Experiment THERMOACTIVE LOWER LIMB RAISING WEDGE Theready and the second system The wedge is made of original memory foam VISmemo*. It maintains the lower limbs shightly naied, what improves blood diructation and reduces the risk of swellen andres. It can be used as an support for compression therapy and anti-deachibit presentement. We recommend to use it at night. Because of our raising wedge, the blood flows from legs to the heart, the lower externing circumference is reduced what plays to the bart, the lower externing circumference is reduced what plays to the bart, the lower externing circumference is reduced what plays to the bart, the lower externing circumference is reduced what plays antomic-shaped what prevents against the | KM-SS-02/2 CATALOG CODE K-SS-06/1 | 55 PRICE (€) 178 | WASHABLE CATALOG CODE K-SS-06/1/PZ | COVER PRICE (€) 83 | GRANULATIN | G INSERT | FROTTE C CATALOG CODE K-SS-06/1/PF | OVER PRICE (€) 60 |
| TUBLIAR MATTRESS M-SS K-SS-06 | the second | KM-SS-02/2 CATALOG CODE | 55 PRICE (€) | WASHABLE CATALOG CODE | COVER PRICE (€) | GRANULATIN | G INSERT | FROTTE C | OVER PRICE (€) |
| TUBULAR MATTRESS M-SS | Rear Ver Medular Mattress System Event Eve | KM-SS-02/2 CATALOG CODE K-SS-06/1 | 55 PRICE (€) 178 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ | ECOVER PRICE (€) 83 83 | GRANULATIN CATALOG CODE - - | G INSERT PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF | OVER PRICE (6) 60 60 |
| TUBLIAR MATTRESS M-SS K-SS-06 | the second | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 | 55 PRICE (€) 178 178 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE | COVER PRICE (€) 83 83 83 | GRANULATIN CATALOG CODE - - - GRANULATIN | G INSERT PRICE (€) - G INSERT | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF | OVER PRICE (6) 60 60 |
| TUBLIAR MATTRESS M-SS K-SS-O6 | <image/> <image/> <image/> <image/> <section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE | 55 PRICE (6) 178 178 PRICE (6) | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE | COVER PRICE (€) 83 83 83 COVER PRICE (€) | GRANULATIN CATALOG CODE - - GRANULATIN CATALOG CODE | G INSERT PRICE (€) - G INSERT PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF | OVER PRICE (6) 60 60 00VER PRICE (6) |
| TUBLIAR MATTRESS M-SS K-SS-O6 | <image/> <image/> <image/> <image/> <section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* | 55 PRICE (€) 178 178 PRICE (€) 63 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 | GRANULATIN CATALOG CODE - - GRANULATIN CATALOG CODE - | G INSERT PRICE (€) - G INSERT PRICE (€) - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE | OVER PRICE (6) 60 60 00VER PRICE (6) - |
| TUBLIAR MATTRESS M-SS K-SS-06 | EXPERIENCE IN A CONTRACT OF A CONTRACT | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* | 55 PRICE (€) 178 178 PRICE (€) 63 69 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 | GRANULATIN CATALOG CODE - - - GRANULATIN CATALOG CODE - - | G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - | OVER PRICE (6) 60 60 60 COVER PRICE (6) - - |
| TUBLIAR MATTRESS M-SS K-SS-06 | Iterations the lower links term of available with improve block directions and the links term of available with term of available with the links term of available with the links term of available with term of available available term of available available term of available available term of available available term o | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0+/PZ K-SS-07/1+/PZ K-SS-07/1/PZ | COVER PRICE (€) 83 83 83 cOVER PRICE (€) 33 39 47 | GRANULATIN CATALOG CODE - - - - - GRANULATIN CATALOG CODE - - - - - | G INSERT PRICE (€) - - - - G INSERT PRICE (€) - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - | COVER PRICE (€) 60 60 COVER PRICE (€) - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 | Provide the second secon | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/1/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - - - - G INSERT PRICE (€) - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - | OVER PRICE (6) 60 60 60 COVER PRICE (6) - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 | In the second seco | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/2 K-SS-07/3 | 55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1/PZ K-SS-07/3/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) G INSERT PRICE (€) PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - | COVER PRICE (€) 60 60 COVER PRICE (€) - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 | A constraints the lower links taylow and the transmer. A constraints the lower links taylow and the transmer. A constraints the lower links taylow and the transmer. A constraints the lower links taylow and the transmer. A transmitter the lower links taylow and the links taylow and the lower and doration and the lower links taylow and the lower and the low | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/2 K-SS-07/3 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/1/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - - - - G INSERT PRICE (€) - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - | COVER PRICE (€) 60 60 60 COVER PRICE (€) - - - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 | <image/> <image/> <image/> <image/> <section-header><image/><section-header><section-header><image/><section-header></section-header></section-header></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/2 K-SS-07/3 | 55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 100 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) G INSERT PRICE (€) PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) - - - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 FILLING: K-SS-07 FILLING: FILLING: FILLING: | <image/> <image/> <image/> <image/> <section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/2 K-SS-07/3 | 55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 100 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - | OVER PRICE (€) 60 60 0VER PRICE (€) - - - - - - - - - - - - |
| TUBLIAR MATTRESS M-SS K-SS-06 FILLING: Example K-SS-07 K-SS-07 | <image/> <image/> <image/> <image/> <section-header><image/><section-header><section-header><image/><section-header></section-header></section-header></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/2 K-SS-07/3 | 55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 100 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ K-SS-07/0*/PZ K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/3/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | OVER PRICE (€) 60 60 0VER PRICE (€) - - - - - - - - - - - - |
| TUBLIAR MATTRESS M-SS K-SS-O6 FILLING: EXAMPLE K-SS-O7 FILLING: EXAMPLE FILLING: FILLING: FIL | <image/> <image/> <image/> <image/> <section-header><image/><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 CATALOG CODE K-SS-07/0* K-SS-07/1* K-SS-07/1* K-SS-07/1 K-SS-07/3* K-SS-07/3* | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 130 100 130 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ WASHABLE | COVER PRICE (€) 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) - - - - - - - - - - - - - |
| TUBULAR MATTRESS M-SS K-SS-06 FILING: Image: State Stat | <image/> <image/> <image/> <image/> <section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/1* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/3 K-SS-07/3 K-SS-07/4 CATALOG CODE | 55 PRICE (€) 178 178 178 178 PRICE (€) 63 69 93 101 130 100 130 100 130 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ K-SS-07/4/PZ K-SS-07/4/PZ | E COVER PRICE (€) 83 83 83 E COVER PRICE (€) 33 39 47 47 61 61 61 61 61 51 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) - - - - - - - - - - - - - |
| TUBULAR MATTRESS M-SS K-SS-06 FILLING: EXECUTE: FILLING: FILLING: <t< td=""><td><image/><image/><image/><image/><image/><image/></td><td>KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/2 K-SS-07/3 K-SS-07/3 K-SS-07/4 CATALOG CODE K-SS-08/1</td><td>55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 100 130 130 PRICE (6) 40</td><td>WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE -</td><td>COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 61 61 61 61 61 61 61 61 61 61</td><td>GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - -</td><td>G INSERT PRICE (€) G INSERT PRICE (€) G INSERT G INSERT G INSERT PRICE (€) G INSERT</td><td>FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - -</td><td>COVER PRICE (6) 60 60 COVER PRICE (6) - - - - - - - - - - - - -</td></t<> | <image/> <image/> <image/> <image/> <image/> <image/> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/2 K-SS-07/3 K-SS-07/3 K-SS-07/4 CATALOG CODE K-SS-08/1 | 55 PRICE (6) 178 178 178 PRICE (6) 63 69 93 101 130 100 130 130 PRICE (6) 40 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE - | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 61 61 61 61 61 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) G INSERT PRICE (€) G INSERT G INSERT G INSERT PRICE (€) G INSERT | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) - - - - - - - - - - - - - |
| TUBULAR MATTRESS M-SS K-SS-06 FILING: Image: State Stat | <image/> <image/> <image/> <image/> <image/> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/1 K-SS-07/3 K-SS-07/3 K-SS-07/3 K-SS-07/4 K-SS-08/1 K-SS-08/1 K-SS-08/2 K-SS-08/3 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 130 100 130 100 130 100 130 54 40 54 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ K-SS-06/2/PZ K-SS-06/2/PZ K-SS-07/0*/PZ K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE - - - - | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 61 61 61 61 61 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) |
| TUBULAR MATTRESS M-SS K-SS-06 FILLING: EILLING: K-SS-08 FILLING: FILLING: <tr< td=""><td><image/><image/><image/><image/></td><td>KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/1 K-SS-07/3 K-SS-07/3 K-SS-07/3 K-SS-07/4 K-SS-08/1 K-SS-08/2 K-SS-08/3</td><td>55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 130 100 130 100 130 100 130 100 130</td><td>WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ K-SS-06/2/PZ K-SS-07/0*/PZ K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE - - - - - - - - - -</td><td>COVER PRICE (€) 83 83 83 83 83 83 83 9 47 47 61 61 61 61 61 61 61 61 61 61 61 61 61</td><td>GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - -</td><td>G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€)</td><td>FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - -</td><td>COVER PRICE (6) 60 60 COVER PRICE (6)</td></tr<> | <image/> <image/> <image/> <image/> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/1 K-SS-07/3 K-SS-07/3 K-SS-07/3 K-SS-07/4 K-SS-08/1 K-SS-08/2 K-SS-08/3 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 130 100 130 100 130 100 130 100 130 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ K-SS-06/2/PZ K-SS-07/0*/PZ K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE - - - - - - - - - - | COVER PRICE (€) 83 83 83 83 83 83 83 9 47 47 61 61 61 61 61 61 61 61 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) G INSERT PRICE (€) | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) |
| IUBULAR MATTRESS M-SS K-SS-06 FILINC: EILINC: K-SS-08 FILINC: EILINC: EILINC: EILINC: EILINC: | <image/> <image/> <image/> <section-header><image/><section-header><form></form></section-header></section-header> | KM-SS-02/2 CATALOG CODE K-SS-06/1 K-SS-06/2 K-SS-07/0* K-SS-07/1* K-SS-07/1 K-SS-07/1 K-SS-07/1 K-SS-07/3 K-SS-07/3 K-SS-07/3 K-SS-07/4 K-SS-08/1 K-SS-08/1 K-SS-08/2 K-SS-08/3 | 55 PRICE (€) 178 178 178 PRICE (€) 63 69 93 101 130 100 130 100 130 100 130 54 40 54 | WASHABLE CATALOG CODE K-SS-06/1/PZ K-SS-06/2/PZ WASHABLE CATALOG CODE K-SS-06/2/PZ K-SS-06/2/PZ K-SS-06/2/PZ K-SS-07/0*/PZ K-SS-07/0*/PZ K-SS-07/1*/PZ K-SS-07/1*/PZ K-SS-07/3*/PZ K-SS-07/4/PZ WASHABLE CATALOG CODE - - - - | COVER PRICE (€) 83 83 83 COVER PRICE (€) 33 39 47 47 61 61 61 61 61 61 61 61 61 61 61 61 61 | GRANULATIN CATALOG CODE - - - - - - - - - - - - - - - - - - - | G INSERT PRICE (€) - - G INSERT PRICE (€) - - - - - - - - - - - - - | FROTTE C CATALOG CODE K-SS-06/1/PF K-SS-06/2/PF FROTTE C CATALOG CODE - - - - - - - - - - - - - - - - - - - | COVER PRICE (6) 60 60 COVER PRICE (6) |

| | | POSTU | RAL AIDS SYSTEN | I IN THE LYING ST | | | | | |
|--|--|----------------------------|------------------|---|--------------------------------|------------------------------|-----------|------------------------------|------------------|
| K-SS-09 | LOWER LIMB RAISING WEDGE | | | WASHABLE | E COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | It maintains the lower limbs slightly raised, what improves blood circulation and reduces the risk of swollen ankles. It can be used as an support for compression therapy and anti-deability treatment. We recommend to use it at night. Because of our raising wedge, the blood flows from legs to the heart, the lower extremity circumference is reduced what allows to wake up in the bed in the morring and putting the | K-SS-09/1 | 119 | K-SS-09/1/PZ | 84 | - | - | K-SS-09/1/PF | 60 |
| | reduced what allows to wake up in the beal in the morning and putting the compression studings on Our thermoactive wedge is anatomic-shaped what prevents against the lower limb deformations It maintains pelvic tilt and provides zero gravity back pain relief. | K-SS-09/2 | 119 | K-SS-09/2/PZ | 84 | - | - | K-SS-09/2/PF | 60 |
| | FEATURES: | | | | | | | | |
| K-SS-10 | BRAUN SPLINT | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | It maintains the lower limb slightly raised, what improves blood. circulation and reduces the risk of swollen ankle. It can be used as an | K-SS-10/0* K-SS-10/1 | 47 | K-SS-10/0*/PZ K-SS-10/1/PZ | 33 47 | - | - | - | - |
| | support for compression therapy and anti-decubitus treatment. It prevents from bedsores that can appear on heel bone. | K-SS-10/1 | 74 | K-SS-10/1/PZ | 47 | | - | - | _ |
| 2 | Reduces risk of thrombophlebitis (vein inflammation). The length is excellent to support the knee against the hyperextension. Our thermoactive splint is anatomic-shaped what prevents against the | K-SS-10/3 | 95 | K-SS-10/3/PZ | 61 | - | - | - | - |
| | lower limb deformations. | K-SS-10/4 | 95 | K-SS-10/3/PZ | 61 | - | - | - | - |
| | FEATURES: Reduktors" Priraktei" Arrysing" | | + | | + | | | | |
| | Veicro Strap | KM-SS-10/1 | 96 | | - | - | - | - | - |
| Available to use with TUBULAR MATTRESS M-SS | READY for Modular Mattress System' | KM-SS-10/2 | 117 | - | - | - | - | - | - |
| | | KM-SS-10/3 | 148 | - | - | | | | - |
| K-SS-11 | BRAUN SPLINT WITH FOOT SUPPORT | | | WASHABLE CATALOG CODE | 1 | GRANULATIN CATALOG CODE | | FROTTE C | |
| | | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Braun splint is made of anatomic-shaped polyurethane foam and soft memory, thermoactive VisMemo foam. Density and rigidity of polyurethane foam allows to maintain the patient's leg in the required position, providing relaxation and support. The surface that contacts with skin is made of thermoelastic memory foam | K-SS-11/1 | 131 | K-SS-11/1/PZ | 78 | - | - | - | - |
| | Wakemo • While lying on the back, daily use of Braun splint guarantees excellent support for lower limb and provide slightly leg elevation. Our leg pillows often use to support and relaxation in post-injury, anti bedsores and antivaricose veins therapy. Its anatomic shape provides full satisfaction and prevents against the bedsores and lower limb swelling. | K-SS-11/2 | 155 | K-SS-11/2/PZ | 93 | - | - | - | - |
| | This Braun splint is innovative because of foot statistization in lying position. Our splint prevents against the thigh external rotation that is excellent lower leg immobilizer after hip joint replacement. | K-SS-11/3 | 186 | K-SS-11/3/PZ | 93 | - | - | - | - |
| | FEATURES: Retinitory of Parender ArtyStary * | | | | | | | | |
| W-SS-01 | REHABILITATION ROLLER | | | WASHABLE | E COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| W-33-01 | REHADILITATION ROLLER | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Rehabilitation roller is made of rigid polyurethane foam. This specialshaped devices are covered by durable, washable fabric with hygienic medical certificate. This fabric prevents roller against the soaking or stains and deart cause chafes or bedsores. Our roller is 1st class | W-SS-01/1 | 30 | W-SS-01/1/PZ | 12 | - | - | - | - |
| | medical device and it is easy to disinfection so it can be used by many patients in health centres. The cover is fastened with zipper what makes it easy to remove. The rollers are available in many standard sizes or we can manufacture custom roller in the individual size special for you. The rehabilitation rollers are mainly used in physiotherapy exercises. A wide | W-SS-01/2 | 48 | W-SS-01/2/PZ | 21 | - | - | - | - |
| | range of available sizes allows to use them while massage therapy or patient's positioning therapy also. PureMed holds Oeko-Tex Standard 100 certification what proves about its chemical neutrality for human skin. | W-SS-01/3 | 82 | W-SS-01/3/PZ | 38 | - | - | - | - |
| | FEATURES: | | | | | | | | |
| B-SS | SELF-ADHESIVE SHEET | | | WASHABLE | 1 | GRANULATIN | | FROTTE C | |
| | | KOD KATALOGOWY B-SS/1/S | CENA NETTO (ZŁ) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | The sheet is made of soft terry in a white*, gray or blue color. Due to self-adhesive function, it is possible to attach STABILObed® cushion to it in order to prevent its moving. | B-SS/1/N | 104 | | | | | | |
| | The sheet ends with gum surface to prevent slipping out of the mattress. The sheet size matches the standard mattresses, there is also possibility of custom size sheets. | B-SS/1/B* | 194 | - | - | - | - | - | - |
| | | | | - the sales department for color ava | | - | - | - | - |
| EATURES: | | | | lacing the order. In case of lack of | f information, gray color will | | | | |
| P-SS-38 | SENSORY BEAN BAG FLOOR CUSHION | | | WASHABLE | E COVER | GRANULATIN | IG INSERT | FROTTE C | |
| | Bean bag P-SS-38 is a sensory floor cushion created for disabled children. It is great help during various forms of therapy. It can be successfully used for postural drainage or other procedures. Its inside is filled with high quality granulate which make it possible to adjuic the bean bag to the shape of the user easily and quickly. In addition, the granules provide high proprioceptive feeling and improve neuromotor functions. The cushion may be put into a different shape each time, so it is an excellent support while playing learning or relaxing | P-SS-38/1 | PRICE (€) 363 | CATALOG CODE P-SS-38/1/PZ | PRICE (€) | CATALOG CODE P-SS-38/1/WG | PRICE (€) | CATALOG CODE P-SS-38/1/PF | PRICE (€) 103 |
| LLING: | FEATURES: Decemponia Constraint of the second secon | | | | | | | | |

| | | POSTUR | AL AIDS SYSTE | M IN THE LYING ST | ABILObed® | | | 1 | |
|----------|--|---------------------------|-----------------|------------------------------|----------------------|----------------------------|------------------------|------------------------------|-------------------|
| P-SS-51 | UNIVERSAL LIMB SEPARATOR | | | WASHABLE | 1 | GRANULATIN | 1 | FROTTE C | |
| Panere P | Universal limb separator protects the user from the adduction contractures and bedisores. It helps to maintain control over the correct and safe position of the secured limb. Veloro tape allows you to adjust the cushion to the circumference of the limb. Soft foam filling guarantees the highest comfort of use. | CATALOG CODE P-SS-51/1 | PRICE (€) 96 | CATALOG CODE P-SS-51/1/PZ | PRICE (€) 60 | CATALOG CODE | PRICE (€) | CATALOG CODE P-SS-51/1/PF | PRICE (€) 43 |
| FILLING: | FEATURES: Reditiloge" PireMed" | | | I | | | | | |
| | ANTI-BEDSORE CUSHION FOR THE | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-SS-52 | LOWER LIMBS | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| P | Anti-bedsore cushion for the lower limbs P-SS-S2 is an excellent choice for people who require additional comfort in the lying position. Its well thought cout design and anatomical shape make the cushion perfectly adjust to the body shape into ways. First of all susports the shins and relivers the area of the heets and ankles while lying on the back. Also, it separates the lower limbs while lying on the side. The thermoactive, soft VISmemo? memory fearn used in the cushion provides additional comfort of use and anti-beckore prophylaxis. The fearn heights to reduce the rink of pressure injuries or pressure ulcers in particularly sensitive areas such as ankles or the inside of knee joints. Anti-bedsore cushion for the lower limbs P-SS-28 is a recommended solution for people with circulatory problems in the lower limbs and for people staying in the lying position ra long time (eg), berlinden people or people after lower limb surgery especially during the recovery period). | P-SS-52/1 | 79 | P-SS-52/1/PZ | 48 | - | - | P-SS-52/1/PF | 36 |
| FILLING: | FEATURES: | | | I | I | I | | 1 | |
| P-SS-33 | LOWER LIMBS POSITIONING | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
| P-33-33 | CUSHION | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| | Lower limbs positioning cubion P-SS-33 is a modern solution in antibedioxe prophytical; Its modular structure provides support and helps in positioning the limbs in bed, in a supine, redining and sitting position. The cubion has connected segments filled with high-quality granules. As a result is an be easily and quickly adjusted to the user's body, depending on the needs. Using the cubino can accessfully releve the heal area, secure the feet, e.g. against the contact with the bed frame, separate the legs to prevent excessive pressure on the inside of the legs or to prevent their crossing. | P-SS-33/1 | 127 | - | - | - | - | P-SS-33/1/PF | 48 |
| FILLING: | FEATURES: Sedectoper | | | | I | | 1 | 1 | |
| K-SS-31 | LONG LOWER LIMB SEPARATOR | | | WASHABLE | 1 | GRANULATIN | 1 | FROTTE C | |
| bittan | The long lower limb separator K-SS-31 protects the user from the adduction contractures of the hip joints and decreases the risk of bedcores that can appear on the medial side of the lower limbs. It helps to maintain the correct supine position by controlling the legs position, preventing them from crossing. The longer shape of the separator gives a much larger contact surface between the body and the cuchion, which guarantees much better present distribution. The thermo-active, soft ViSmemo³ memory foam used in the cuchion provides additional correct or que and anti-bedstore prophysias. The fame helps to reduce the risk of pressure injuries or pressure users in particularly sensitive areas such as antikes or the risked of new joints. The tong lower limb separator K-SS-31 is a recommended solution for pooles taxing in the supine or side position for a long time (e.g., bedridden people or people after lower limb surgery especially during the recovery period). | K-SS-31/1 | PRICE (€) | K-SS-31/1/PZ | PRICE (€) | CATALOG CODE | PRICE (€) | K-SS-31/1/PF | PRICE (É) 46 |
| FILLING: | FEATURES: Retinizers ^{ur} | | | | | | | | |
| P-SS-54 | REPOSITIONING CUSHION | CATALOG CODE | PRICE (€) | WASHABLE CATALOG CODE | E COVER PRICE (€) | GRANULATIN CATALOG CODE | IG INSERT PRICE (€) | FROTTE C | OVER PRICE (€) |
| J. | P-SS-54 is an excellent addition in positional and anti-hedsore therapy. It is also an invaluable aid in daily hygiene activities. The cushion is made of a combination of soft and rigid foam, covered with an elastic FureMed[®] material. It is entreby ambacterial; water- resistant and asys to disinfect, so it can be successfully used by many people, also in such places as hospitals, rehabilitation centers and nursing home. The P-SS-54 cushion significantly facilitates turning the user from side to side. This makes caring for a backriden person easier and does not require the assistance of additional people. | P-SS-54/1 | 200 | - | - | - | - | - | - |
| FILLING: | FEATURES: Statisticans" Consider | | <u> </u> | I | <u> </u> | I | L | I | |

| P-SS-44 | HEAD IMMOBILIZER | | | WASHABLE | COVER | GRANULATING INSERT | | FROTTE COVER | |
|----------|--|--------------|-----------|--------------|-----------|--------------------|-----------|--------------|-----------|
| F-55-44 | HEAD ININOBILIZER | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| T | • The P-SS-44 professional head immobilizer is made of easy to dean and disinfect materials. It has no aluminum components in its design, making its uitable for use during specialist imaging examinations, such as CT or MR scans. In addition, the ease of hygiene allows the product to be used by many patients in health and rehabilitation centers. Head immobilizer P-SS-44 consists of several compatible components a rigid base, an occipital pressure relieving cubion for increased user comfort, 2 side positioning wedges and head stabilization straps with pressure relieving cubions. The occipital pressure relieving cubion, made of thermoelastic memory foam, perfectly reduces pressure on the occiput and the risk of bedsores and provides the user a high level of using comfort. | P-SS-44/1 | 600 | - | - | - | - | - | - |
| FILLING: | FEATURES: | > | | | | | | | |

| P-SS-55 | TRAPEZOID HEADREST | | | WASHABLE | COVER | GRANULATIN | G INSERT | FROTTE C | OVER |
|---------|---|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| F-35-55 | TRAFEZOID HEADREST | CATALOG CODE | PRICE (€) |
| - | • Trapezoid headnest P-SS-55 provides proper support for the cervical area of the spine. It helps to prevent bedsores as it comfortably and safely relieves presure on the head and neck thanks to the VISnemo memory foam. It is perfect in the sitting, semi-redining or supine position. It supports and protects the evoid spine from deformations resulting from improper support. The inner hole in the headrest effectively protects the head. As a result, the skin gropedry circulated and nourished as at it is not inferent contact with the surface. The unique shape of the P-SS-55 is designed to provide stability and comfort when using the headrest. It also provides tability and comfort when using the headrest. It also provides tability and comfort when using the headrest. It also provides tability and comfort when using the headrest and the stab or heel bump area. P-SS-55 Madrest cover is made of soft and elastic PureMed^m material. It is entirely antibacterial, water-resistant and easy to disinfect, so it can be successfully used by many people, also in such places as hospitals, rehabilitation centers and nursing homes. | P-SS-55/1 | 104 | - | - | - | - | - | - |

|--|

Med"

| M-SS | TUBULAR MATTRESS | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
|-------|---|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| WI-55 | TUBULAR MATTRESS | CATALOG CODE | PRICE (€) |
| | The modular mattress enriches the STABILObed® range of products. The modular design based on 8 elongated segments Illed with granulate is an invaluable support for the prevention of bed stores and during long-term case. Thanks to this design, Puerked²⁴ matterial and spacer fabric, the mattress cover prefetzly adjusts to the shape of the user's block. Puerket by adjusts the shape of the user's block. Puerket by adjusts the shape of the user's block. Puerket by adjusts the shape of the user's block. Puerket by adjusts the shape of the user's block. Puerket by adjusts the block of the the signerst ground the stratest of the site of the the site of the s | M-SS/1 | 975 | - | - | - | - | - | - |

| PM-SS-56 | LOWER LIMB CUSHION WITH | | | WASHABLE | COVER | GRANULATIN | IG INSERT | FROTTE C | OVER |
|----------|--|---|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| PM-55-56 | WEDGE | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) | CATALOG CODE | PRICE (€) |
| 1 | The cushion allows the correct positioning of the lower limbs in a slight bend while lying down. The wedge protects the user from the formation of adduction correctures in the ligo joints and reduces the risk of bedorses on the medial side of the lower limbs. It helps to maintain the correct supine position by controlling the leep position, preventing them from crossing. The cushion also prevents the formation of hypersetensions in the lave joints. | PM-SS-56/1 | 231 | - | - | - | - | - | - |
| | Lie big bink. Li is highly recommended for the bedridden patients. It can be successfully used in both the supine and semi-reclining position, e.g. in post-operative therapy. Using the cashion reduces the overstraining of the lumbar spine, improves the circulation and reduces the risk of the swelling of the lower limbs. | PM-SS-56/2 | 280 | - | - | - | - | - | - |
| | FEATURES: | READY for Modular Mattress System [™] | | | | | • | • | |
| SB/WG | GRANULES | | | | | | | | |
| SB/WG | GRANULES | CATALOG CODE | PRICE (€) | | | | | | |
| | SB/WG/1 18:26 cm 50 g granules 2.5 litter beneficial due to the fact that it is possible to adjust | SB/WG/1 | 31 | - | - | - | - | - | - |
| | beneficial due to the fact that it is possible to adjust STABILObed® cushions to user's needs. It is necessary to SB/WG/2 take the size of STABILObed® cushion into account while 200 g gnundes 9 liter | SB/WG/2 | 60 | - | - | - | - | - | - |



REH4MAT

36-060 Głogów Małopolski, ul. Piaski 47, POLAND Adres korespondencyjny/Mailing address: Fabryka Wyrobów Ortopedycznych Orthopedic Devices Plant ul. Truskawkowa 17, Widna Góra, 37-500 Jarosław tel. 16 621 42 20, 16 621 41 35 fax 16 621 42 13 e-mail: biuro@reh4mat.com | export@reh4mat.com www.stabilobedsystem.com | www.stabilobedsystem.pl BDO: 000303600



Istabilo

| | | | CZĘŚCI ZAMIENNE / SPARE PARTS / ЗАПЧАСТИ | | | |
|---------------|--|---------|---|-----|----------------------|---|
| | | CENY OB | OWIĄZUJĄ DO/PRICES ARE VALID FROM/цены действительны от: 28.02.2023 | | | |
| symbol/символ | akcesoria | PLN | accessories | EUF | 20 | |
| KTK_423 | Koło standard | 70 | Standard wheel | 26 | Стандартное колесо | |
| KTK_720 | Tapicerka oddychająca ATMO™ GRASS | 559 | Breathable upholstery ATMO™ GRASS | 21 | | |
| KTK_726 | Stopka standardowa | 209 | Standard feet sandal | 84 | | |
| KTK_744 | Stolik | 363 | Tray | 97 | | |
| KTK_755 | Sprężyna gazowa | 242 | Gas spring | 79 | | |
| KTK_758 | Pelota piersiowa | 194 | Chest supports with pad | 85 | | |
| KTK_759 | Pelota biodrowa | 218 | Pelvic supports with pad | 97 | | |
| KTK_760 | Pas piersiowo-biodrowy | 182 | Chest / pelvic safety belt | 73 | | |
| KTK_761 | Poduszka na stolik | 273 | Tray pad | 11 | | |
| KTK_763 | Talerzyk | 31 | Plate | 10 | | |
| KTK_764 | Miska | 61 | Bowl | 22 | | |
| - | | | 1 | | 1 | |
| KTI_403 | Stolik | 350 | Тгау | 92 | Столик | |
| KTI_423 | Koło standard | 70 | Castor with brake | 26 | 5 Стандартное колесо | |
| KTI_720 | Tapicerka oddychająca ATMO™ GRASS, SEA | 484 | Breathable upholstery ATMO ™ GRASS, SEA | 13 | | |
| KTI_726 | Zapiętek standardowy | 182 | Foot stabilization | 73 | | |
| KTI_735 | Zagłówek | 363 | Headrest | 16 | | |
| KTI_755 | Sprężyna gazowa | 242 | Gas spring | 79 | | |
| KTI_758 | Pelota piersiowa | 218 | Chest support with pad | 97 | | |
| KTI_759 | Pelota biodrowa | 194 | Pelvic support with pad | 85 | | |
| KTI_760 | Pas piersiowo-biodrowy | 182 | Chest / pelvic safety belt | 73 | | |
| KTI_764 | Miska | 61 | Bowl | 22 | | |
| | | | | | | |
| LTR_736 | Adapter 230V | 46 | Adapter 230V | 18 | 3 Адаптер 230V | |
| LTR_775 | Bateria | 605 | Battery | 19 | 8 Батарея | |
| LTR_774 | Siłownik elektryczny | 572 | Electric actuator | 17 | 6 Электропривод | |
| LTR_776 | Ładowarka | 275 | Charger | 12 | | |
| LTR_757 | Pelota kolana | 198 | Knee support | 66 | | |
| LTR_777 | Koło | 70 | Castor | 26 | б Колесо | |
| LTR_744 | Stolik | 605 | Тгау | 19 | 8 Столик | |
| LTR_778 | Podparcie bioder | 220 | Trunk pad | 77 | 7 Поддержка бедра | |
| LTR_753 | Paski stóp | 28 | Stabilizing belts | 11 | | |
| LTR_726 | Zapiętek | 72 | Foot stabilization | 28 | В Подножка на пятки | |
| LTR_779 | Pilot | 275 | Remote control | 61 | Пульт | |
| | | | | | | I |
| SMD_423 | Koło standard | 70 | Castor with brake | 26 | Стандартное колесо | |
| SMD_744 | Stolik standardowy | 363 | Tray | 18 | | |
| SMD_746 | Pas piersiowy | 303 | Chest brace | 16 | | |
| SMD_747 | Pas biodrowy | 303 | Pelvic brace | 16 | | |
| SMD_757 | Pelota kolanowa | 194 | Adjustable knee support | 85 | Коленая пелота | |

| | | r | | | | |
|-------------|--|------------|--|-----|---|-----------|
| AVL_008 | Koło standard | 161 | Castor with brake | 64 | Стандартное колесо | 73 |
| AVL_009 | Koło z hamulcem oporowym (75 mm) | 230 | Castor with friction brake (75 mm) | 92 | Колеса с фрикционным тормозом (75 мм) | 86 |
| AVL_120 | Uprząż miedniczna | 257 | Pelvic harness | 109 | Обвязка стабилизирующая таз | 128 |
| AVL_737 | Obejma piersiowa | 532 | Chest support | 213 | Грудная обойма | 218 |
| AVL_738 | Obejma biodrowa | 605 | Adjustable pelvic support | 218 | Регулируемая бедренная обойма | 242 |
| AVL_748 | Stabilizator kończyn dolnych | 452 | Lower limb stabilizer | 183 | Стабилизатор нижних конечностей | 242 |
| AVL_749 | Separator kończyn dolnych | 452 | Separator of lower limbs | 183 | Сепаратор нижних конечностей | 242 |
| AVL_756 | Pochwyt rąk | 315 | Adjustable hand grip | 97 | Рукоятки | 109 |
| | | | | 1 | 1 | |
| DMI_423 | Koło standard | 70 | Castor with brake | 26 | Стандартное колесо | 31 |
| DMI_720 | Tapicerka oddychająca ATMO™ GRASS, SEA | 559 | Breathable upholstery ATMO™ GRASS, SEA | 140 | Дышащая обивка ATMO™ GRASS, SEA | 105 |
| DMI_726 | Stopka standardowa | 209 | Standard feet sandal | 84 | Подошвы стандартные | 109 |
| DMI_727 | Pelota piersiowa | 174 | Chest supports | 70 | Грудные пелоты | 157 |
| DMI_728 | Kamizelka 4-punktowa | 219 | 4 points safety vest | 92 | 4-точечный жилет | 85 |
| DMI_733 | Poduszka siedziska | 212 | Seat cushion | 95 | Подушка сидения | 111 |
| DMI_735 | Zaglówek HexagonPro™ | 391 | Adjustable HexagonPro™ Headrest | 160 | Подголовник | 169 |
| DMI_735 | | 363 | Removable and adjustable abduction block | 121 | Регулируемый клин разводящий бедра | 133 |
| | Regulowany klin międzyudowy | | - | | | 109 |
| DMI_744 | Stolik | 363 | Tray | 97 | Столик | |
| DMI_747 | Pas biodrowy | 157 | Pelvic belt | 85 | Бедренный ремень | 97 |
| DMI_751 | Poduszka oparcia | 206 | Backrest cushion | 91 | Подушка спинки | 109 |
| DMI_753 | Paski stopek | 61 | Feet stabilizing belt | 19 | Ремни ступней | 23 |
| DMI_754 | Podłokietnik | 254 | Forearm support | 97 | Подлокотники | 116 |
| DMI_755 | Sprężyna gazowa | 242 | Gas spring | 79 | Газовая пружина | 97 |
| DMI_757 | Stabilizator kolan | 382 | Knee support | 116 | Стабилизатор колен | 121 |
| | | | | | | |
| SLK_423 | Koło standard | 70 | Castor with brake | 26 | Стандартное колесо | 31 |
| SLK_725 | Tapicerka medyczna MEDICUS™ MED SEA - dla rozmiaru 1 i 2 | 350 | Medical upholstery MEDICUS™ MED SEA - size 1 and 2 | 110 | Медицинская обивка MEDICUS™ MED SEA - размер 1, 2 | 120 |
| 521(_) 25 | Tapicerka medyczna MEDICUS™ MED SEA - dla rozmiaru 3 | 400 | Medical upholstery MEDICUS [™] MED SEA - size 3 | 124 | Медицинская обивка MEDICUS™ MED SEA - размер 3 | 134 |
| SLK_726 | Płyta podnóżka | 399 | Footrest | 206 | Подставка для ног | 218 |
| SLK_727 | Pelota piersiowa/biodrowa (drewniane) | 174 | Chest supports / Pelvic supports (wooden) | 85 | Грудная/Бедрнная пелота (деревянный) | 103 |
| SLK_733 | Poduszka siedziska | 212 | Seat cushion | 95 | Подушка сидения | 111 |
| SLK_751 | Poduszka oparcia | 206 | Backrest cushion | 91 | Подушка спинки | 109 |
| SLK_753 | Paski podnóżka | 61 | Feet stabilizing straps | 19 | Ремни ступней | 23 |
| | | | | | | -1 |
| ZBI_423 | Koło standardowe | 70 | Castor with brake | 26 | Стандартное колесо | 31 |
| ZBI_720 | Tapicerka oddychająca ATMO™ GRASS, SEA | 484 | Breathable upholstery ATMO [™] GRASS, SEA | 121 | Дышащая обивка ATMO™ GRASS, SEA | 169 |
| ZBI_726 | Stopka standardowa | 209 | Standard feet sandal | 84 | Подошвы стандартные | 109 |
| ZBI_727 | Pelota piersiowa | 174 | Chest supports | 70 | Грудные пелоты | 73 |
| ZBI_728 | Kamizelka 4-punktowa | 219 | 4 points safety vest | 92 | 4-точечный жилет | 85 |
| ZBI_733 | Poduszka siedziska | 212 | Seat cushion | 95 | Подушка сидения | 111 |
| ZBI_735 | Zaqłówek HexagonPro™ | 391 | Headrest | 160 | Подголовник | 169 |
| ZBI_735 | Regulowany klin międzyudowy | 219 | Abduction block | 80 | Регулируемый клин разводящий бедра | 85 |
| ZBI_740 | Stolik | 363 | Tray | 97 | Столик | 109 |
| | | 157 | | | Бедренный ремень | 97 |
| ZBI_747 | Pas biodrowy | | Pelvic belt | 85 | | 109 |
| | Poduszka oparcia | 206 61 | Backrest cushion | 91 | Подушка спинки | _ |
| ZBI_751 | | | Loot stabilizing bolt | 19 | Ремни ступней | 23 |
| ZBI_753 | Paski stopek | | Feet stabilizing belt | _ | | |
| | Paski stopek Podłokietnik Sprężyna gazowa | 254 242 | Forearm support Gas spring | 97 | Подлокотники Газовая пружина | 116 97 |

| JRI_725 | Tapicerka medyczna MEDICUS™ | 507 | Medical upholstery MEDICUS™ | 139 Медицинская обивка MEDICUS™ | 154 |
|------------------------|---|-------|---|--|-----|
| JRI_739 | Tapicerka medyczna EXTREME-MED™ | 507 | Medical upholstery EXTREME-MED™ | 154 Медицинская обивка EKSTREME-MED™ | 161 |
| JRI_747 | Pas biodrowy standard | 157 | Pelvic belt | 85 Бедренный ремень | 97 |
| JRI_751 | Poduszka oparcia | 242 | Backrest cushion | 85 Подушка спинки | 109 |
| JRI_752 | Poduszka siedziska | 242 | Seat cushion | 85 Подушка сидения | 109 |
| JRI_754 | Podłokietnik | 254 | Armrest | 97 Подлокотники | 116 |
| | | | | | |
| KDO_725 | Tapicerka medyczna MEDICUS™ | 507 | Medical upholstery MEDICUS™ | 139 Медицинская обивка MEDICUS™ | 154 |
| KDO_739 | Tapicerka medyczna EXTREME-MED™ | 507 | Medical upholstery EXTREME-MED™ | 154 Медицинская обивка EKSTREME-MED™ | 161 |
| KDO_747 | Pas biodrowy | 157 | Pelvic belt | 85 Бедренный ремень | 97 |
| KDO_751 | Poduszka oparcia | 242 | Backrest cushion | 85 Подушка спинки | 109 |
| KDO_752 | Poduszka siedziska | 242 | Seat cushion | 85 Подушка сидения | 109 |
| KDO_754 | Podłokietnik | 254 | Armrest | 97 Подлокотники | 116 |
| KDO_765 | Noga przód/tył | 73 | Leg | 31 передняя нога | 43 |
| | | | | | |
| HPO_700 | Tapicerka wodoodporna HYDRO™ | 889 | Waterproof upholstery HYDRO™ | 318 Водостойкая обивка HYDRO™ | 368 |
| | Koło tył - pytać o wersję! | 103 | Rear wheel - ask for version! | 51 Колесо заднее - попросите версию! | 48 |
| | Koło przód - pytać o wersję! | 103 | Front wheel - ask for version! | 51 Колесо переднее - попросите версию! | 48 |
| | Peloty boczne | 182 | Side supports | 72 Боковые пелоты | 86 |
| | Osłona przeciwdeszczowa - Hippo 1 | 187 | Rain cover | 83 Дождевик | 84 |
| | Osłona przeciwieszczowa - Hippo 2 | 187 | Rain cover | | 84 |
| | Grzebień regulacji oparcia | 55 | Backrest adjustment | 83 Дождевик 14 гребень регулировка спинки | 22 |
| | Klin międzyudowy | 182 | | | 61 |
| - | kiin międzyudowy | 182 | Abduction block | 48 Регулируемый клин разводящий бедра | 01 |
| 131/1-1-01-1-01-8 | Oś tylnia kół | 61 | Real axle | 19 Ось заднего колеса | 24 |
| 131-2-1-01-1-01-8 | | | | | 10 |
| | Linka hamulca | 48 | Break cable | 12 Тормозной трос | 19 |
| 1194/1-1-1L | Gniazdo siedziska | 55 | Seat holder | 14 Гнездо для сиденья | 22 |
| 1194/1-1-1P | | | | | |
| 131/1-1-01-3-01-5 | Regulator kąta pochylenia podnóżka | 36 | Footrest angle adjustment | 10 Регулятор угла наклона подножки | 14 |
| 131/1-1-01-1-01-9 | | 61 | Break repare kit (bolt, cable, sprocket) 19 Комплект для ремонта тормозов | | |
| 131/1-1-01-1-01-6 | Zestaw naprawczy hamulca | | | 19 Комплект для ремонта тормозов | 24 |
| 1013/1-1-4 | | | | | |
| 130/1-1-02 | Zagłówek | 218 | Headrest | 85 Подголовник | 109 |
| 1074/1-1-1 | | 182 F | Folding canopy attachment | 61 Крепление козыръка | 73 |
| 1074/1-1-2 | Mocowanie daszka | | | | |
| 1074/1-1-3 | | | | | |
| 130/2-1-01-1A-1-2 | | 303 | Leg cover 79 Крышка для ног | 79 Крышка для ног | 97 |
| 130/2-1-01-1L-1-2 | | | | | |
| 130/1-1-01-1A-1-2 | Pokrowiec na nogi | | | | |
| 130/1-1-01-1L-1-2 | 1 | | | | |
| PC 726/130/1-1-11 | | | | 27 Uuuu X | |
| PC 726/130/2-1-11 | Podnóżek - pytaj o wersję! | 242 | Footrest - ask for version! | 67 Ножной стул - попросите версию! | 85 |
| 1014/1-1-4 | Widelec koła przedniego | 182 | Front wheel fork | 48 Вилка переднего колеса | 61 |
| PC 729/130/1-1-32 W-01 | | | | | |
| PC 729/130/2-1-32 W-01 | Barierka | 97 | Safety rail | 36 Барьер | 55 |
| PC 768/130/1-1-28 | | | | | |
| PC 168/130/2-1-28 | Kosz pod siedzisko | 182 | Seat storage basket | 61 Корзина под сиденьем | 79 |
| | Nit mocujący siedzisko | 2 | Seat rivet | 1 Заклепка крепления сиденья | 2 |
| | Nit mocujący siedzisko Konstrukcja wózka L lotus W-01 Hippo+ rozmiar 1 | 1650 | The construction of the stroller L lotus W-01 Hippo + size 1 | 495 рама тележкиL лотос W-01ГИППО размер 1 | 616 |
| DC 700/101/1 1 01 1 | INCUNITING WORKS FIOTUS WHILE HIDDO+ FORMULA 1 | | | L AND LIDAMA LEREKKUL ROTOC W-ULLVILLU DABMED 1 | 010 |
| | Konstrukcja wózka L lotus W-01 Hippo+ rozmiar 2 | 1760 | The construction of the stroller L lotus W-01 Hippo + size 1 | 528 рама тележкиL лотос W-01ГИППО размер 1 | 660 |

| ARO_700 | Tapicerka wodoodporna HYDRO™ | 889 | Waterproof upholstery HYDRO™ | 318 Водостойкая обивка HYDRO™ | 368 |
|-------------------------|--|------|--|--|----------|
| ARO_714 | Koło tył | 103 | Rear wheel | 51 Колесо заднее | 48 |
| ARO_717 | Koło przód | 103 | Front wheel | 51 Шина передняя | 48 |
| PC 740/132/1-1-03-AD | | | | | |
| PC 740/132/1-1-03-MEL | Klin międzyudowy | 182 | Abduction block | 48 Регулируемый клин разводящий бедра | 61 |
| PC 740/132/1-1-03-VO | | | | | |
| 133/1-1-01-1-01-8 | Oś tylnia kół | 61 | Rear axle | 48 Тормозной трос | 61 |
| 131/1-1-01-1-01-6 | Linka hamulca | 48 | Brake cable | 12 Тормозной трос | 19 |
| 1194/1-2-L | | 10 | | | |
| 1194/1-2-P | – Gniazdo siedziska | 55 | Seat holder | 14 Гнездо для сиденья | 22 |
| 131/1-1-01-3-01-5 | Regulator kąta pochylenia podnóżka | 36 | Footrest angle adjustment | 10 Регулятор угла наклона подножки | 14 |
| 131/1-1-01-1-01-9 | | 30 | | | |
| | | 61 | Destructure de la contra contra terra | 19 Комплект для ремонта тормозов | 24 |
| 131/1-1-01-1-01-6 | Zestaw naprawczy hamulca | 01 | Brake repair kit (bolt, cable, sprocket) | | 24 |
| 1013/1-2-4 | | | | | |
| 132/1-1-02-W-01 | Zagłówek | 206 | Headrest | 79 Подголовник | 97 |
| 1074/1-1-1 | - | | | | |
| 1074/1-1-2 | Mocowanie daszka | 182 | Folding canopy attachment | 61 Крепление козырька | 73 |
| 1074/1-1-3 | | | | | |
| 132/1-1-01-1AD-1-2 | | | | | |
| 132/1-1-01-1MEL-1-2 | Pokrowiec na nogi | 303 | Leg cover | 79 Крышка для ног | 97 |
| 132/1-1-01-1VO-1-2 | | | | | |
| PC 726/132/1-1-11 | Podnóżek - pytaj o wersję! | 242 | Footrest | 67 Ножной стул - попросите версию! | 85 |
| 1014/1-2-4 | Widelec koła przedniego | 182 | Front wheel fork | 48 Вилка переднего колеса | 61 |
| PC 729/132/1-1-32-W-01 | Barierka | 97 | Safety rail | 36 Барьер | 55 |
| 133/1-1-01-5-01-3 | Regulator funkcji kubełkowej (pręt) | 97 | Tilt-in-space adjustment | 36 Регулятор функции ковша (шток) | 61 |
| 133/1-1-01-6-01-7 | Regulator pochylenia rączki do pchania | 36 | Push handle adjustment | 12 Нажимная рукоятка регулятора наклона | 24 |
| PC 768/132/1-1-28 | Kosz pod siedzisko | 182 | Seat storage basket | 61 Корзина под сиденьем | 79 |
| | | | <u> </u> | · · · · · | 1 |
| RCR/RCE/RCH_700 | Tapicerka wodoodporna HYDRO™ | 1045 | Waterproof upholstery HYDRO™ | 485 Водостойкая обивка HYDRO™ | 461 |
| RCR/RCE/RCH_720 | Tapicerka oddychająca ATMO™ | 1045 | Breathable upholstery ATMO™ | 485 Дышащая обивка АТМО™ | 461 |
| RCR/RCE_702 | Opona pompowana - koło duże | 37 | Rear inflatable tire | 21 Шина задняя (РЕЙСЕР, РЕЙСЕР+) (6) | 19 |
| RCR/RCE_703 | Detka koło duże | 32 | Rear innertube | 18 Камера задняя (РЕЙСЕР, РЕЙСЕР+) | 19 |
| RCR/RCE_704 | Koło pełne duże - pytaj o wersję! | 200 | PU wheel - ask for version! | 66 Полное колесо большого размера - запросите версию! | 70 |
| RCR/RCE_711 | Koło pełne dale – pytaj o wersję! | 200 | PU wheel (front) - ask for verson! | 66 Полное колесо маленькое - попросите версию! | 70 |
| RCE_719 | Detka koło małe | 32 | Font innertube | 9 Камера пер (РЕЙСЕР, РЕЙСЕР+) | 12 |
| RCR/RCE/RCH 727 | | 182 | Adjustable lateral supports - ask for version! | 9 Камера пер (Рейсег, Рейсег+) 140 Грудные пелоты - попросите версию! | 164 |
| RCR/RCE/RCH_727 | Peloty boczne - pytaj o wersję! | 219 | | 140 Грудные пелоты - попросите версию: 88 4-точечный жилет | 97 |
| · · · · · · | Kamizelka 4-punktowa | | 4 points safety vest | | 97 |
| RCR/RCE/RCH/RCB/REB_729 | Barierka | 279 | Safety rail | 112 Барьер | |
| RCR/RCE/RCH/RCB/REB_730 | Osłona mechanizmu składania wózka | 209 | Side tubes protectors | 86 Защита боковых трубок | 109 |
| RCR/RCE_732 | Felga - pytaj o kolor! | 95 | Rear rim - ask for color! | 30 Обод - попросить цвет! | 34 |
| RCR/RCE/RCH_733 | Poduszka siedziska z wycięciem na klin | 266 | Shaped seat cushion for abduction block | 107 Подушка сидения с вырезом на клин | 105 |
| RCR/RCE/RCH_735 | Zagłówek | 233 | Headrest | 101 Подголовник | 119 |
| | | | | | . |
| 1094/1-1 | Regulator pochylenia rączki do pchania | 20 | Push handle joint | 8 Нажимная рукоятка регулятора наклона | 10 |
| ULE_704 | Koło pełne duże - pytaj o wersję! | 200 | PU wheel - ask for version! | 66 Полное колесо большого размера - запросите версию! | 70 |
| ULE_711 | Koło pełne małe - pytaj o wersję! | 200 | PU wheel (front) - ask for verson! | 66 Полное колесо маленькое - попросите версию! | 70 |
| | | | | | |
| | | | | | |

| OMO_702 | Opona koło duże | 37 | Rear inflatable tire | 21 Шина задняя | 19 |
|-------------------------------|---|------|--|--|-----|
| OMO_703 | Dętka koło duże | 32 | Rear innertube | 18 Камера задняя | 19 |
| OMO_704 | Koło pełne duże - pytaj o wersję! | 200 | PU wheel - ask for version! | 66 Полное колесо большого размера - запросите версию! | 70 |
| OMO_711 | Koło pełne małe - pytaj o wersję! | 200 | PU wheel (front) - ask for verson! | 66 Полное колесо маленькое - попросите версию! | 70 |
| OMO_723 | Tapicerka Comfort | 1045 | Upholstery Comfort | 502 Обивка Comfort | 433 |
| OMO_726 | Podnóżek FlipFlap™ z 5-punktowym paskiem stabilizującym stopę | 363 | Multi-adjustable foot plates FlipFlap [™] with 2 way feet stabilizing belts | 103 Подножка FlipFlap™ с 5-и точечными ремнями стабилизирущими стопы | 121 |
| OMO_735 | Zagłówek | 233 | Headrest | 101 Подголовник | 119 |
| | | | | | -1 |
| CPK 301/M8x75/1-1 | Pokrętło klamkowe | 20 | Handle bar | 6 Ручка рукоятки | 7 |
| 1066/1-1 | Regulator funkcji kubełkowej | 71 | Tilt-in-space adjuster | 22 Регулятор функции ковша | 23 |
| 1068/1-1 | Regulator pochylenia rączki do pchania | 20 | Push handle joint | 8 Нажимная рукоятка регулятора наклона | 10 |
| 141/1-1-01-6-01 | Uchwyt do prowadzenia | 245 | Push handle | 76 Направляющая ручка | 80 |
| 140/1-1-11-2-01-2 | Podnóżek | 213 | Footplate | 66 Ножной стул | 70 |
| PC 729/140/1-1-32-P | Barierka | 198 | Safety rail | 61 Барьер | 64 |
| PR 615/1-1 | Siedzisko | 2820 | Seat unit | 877 Сиденье | 920 |
| PR 608/1-1 | Rama | 2830 | Outdoor frame | 879 Рама | 922 |
| 1077/40-1 | Zacisk pasów | 8 | Belts clamp | 4 Поясной зажим | 8 |
| 101/1-1-01-1-01 | Hamulec | 28 | Brake | 11 Тормоз | 15 |
| PC 726/140/1-1-11 | Podnóżek z paskami stabilizującymi stopy | 335 | Footplate with feet belts | 103 Подставка для ног с ремнями для стабилизации стопы | 110 |
| PC 701/1006/1-1-GREY KSZ/01 V | N- Koło duże pompowane | 155 | Pneumatic rear wheel | 32 Большое надувное колесо | 0 |
| PC 702/1000/1-4-2 | Opona tył | 37 | Rear pneumatic tire | 10 Задняя шина | 14 |
| PC 703/1000/1-2-1 | Dętka koło tylne | 32 | Rear inntertube | 9 Внутренняя труба заднего колеса | 12 |
| USS_702 | Opona koło duże | 37 | Rear inflatable tire (9) | 21 Шина задняя (9) | 22 |
| USS_703 | Dętka koło duże | 32 | Rear innertube | 18 Камера задняя | 20 |
| USS_704 | Koło pełne duże - pytaj o wersję! | 200 | PU wheel - ask for version! | 66 Полное колесо большого размера - запросите версию! | 70 |
| USS_711 | Koło pełne małe - pytaj o wersję! | 200 | PU wheel (front) - ask for verson! | 66 Полное колесо маленькое - попросите версию! | 70 |
| USS/USH_745 | 5-punktowe pasy | 219 | 5 points safety belts | 91 Ремни 5- точечные | 97 |
| USH_755 | Sprężyna gazowa | 242 | Gas spring | 79 Газовая пружина | 97 |
| | | | | | |
| NVA/NVE/NVH_700 | Tapicerka wodoodporna HYDRO™ | 769 | Waterproof upholstery HYDRO™ | 391 Водостойкая обивка HYDRO™ | 405 |
| NVA/NVE_702 | Opona | 37 | Inflatable tire | 21 Шина задняя | 19 |
| NVA/NVE_703 | Dętka | 32 | Innertube | 18 Камера задняя | 19 |
| NVA/NVE/NVH_722 | Tapicerka techniczna | 280 | Waterproof upholstery HYDRO™ | 70 Водостойкая обивка HYDRO™ | 84 |
| NVA/NVE_732 | Felga - pytaj o kolor! | 95 | Rear rim - ask for color! | 30 Обод - попросить цвет! | 34 |
| NVA/NVE/NVH_770 | Tapicerka komplet (HYDRO™ + techniczna) | 1048 | Upholstery - set (HYDRO [™] + Flex upholstery) | 461 Комплект обивка (HYDRO™ + техническая) | 489 |
| | | | | | |
| AUH_755 | Sprężyna gazowa | 242 | Gas spring | 79 Газовая пружина | 97 |
| | | | | | -1 |
| _773 | Worek z granulatem | 86 | Bag with granules | 33 Пакет снаполнителем | 39 |
| | | | | | |
| JRH_725 | Tapicerka medyczna MEDICUS™ | 507 | Medical upholstery MEDICUS™ | 139 Медицинская обивка MEDICUS™ | 154 |
| JRH_739 | Tapicerka medyczna EXTREME-MED™ (PILLAR BOX) | 507 | Medical upholstery EXTREME-MED™ | 154 Медицинская обивка EKSTREME-MED™ | 161 |
| | | | | | |
| KDH_725 | Tapicerka medyczna MEDICUS™ | 507 | Medical upholstery MEDICUS™ | 139 Медицинская обивка MEDICUS™ | 154 |
| KDH_739 | Tapicerka medyczna EXTREME-MED™ (PILLAR BOX) | 507 | Medical upholstery EXTREME-MED™ | 154 Медицинская обивка EKSTREME-MED™ | 161 |