
NETTI MINI

The small comfort chair especially

designed for children.



The chair has a small camber angle on the large main wheels making the chair both more stabel and improves the driving abilities.

The chair is available in 25 cm, 30 cm and 35 cm seat widths.

The Netti Mini has several adjustment possibilities and there are a large number of accessories available. Netti Mini can easily be fitted to the special needs of each user.



ALU REHAB AS

Fabrikkveien 22 Kvål NO-4323 Sandnes, Norway Phone: +47 51 68 18 88 Fax: +47 51 68 18 89

NETTI MINI COMES WITH THE FOLLOWING EQUIPMENT AS STANDARD:

BACK

Low back rest with Velcro band for individual adjustment.

The angle of back is freely adjustable up to 45° backwards.

The back can easily be folded down for transport.

The tilt is freely adjustable 9° forward and 17° backward.

With skirt guard, height adjustable and removable.

The armrest pads can be adjusted.

FOOT SUPPORTS Several options depending on the needs of the user.

Angle adjustable or fixed foot supports with 90 degrees and whole footplate are the two most common options. Support for the head is always necessary on a chair with

tilt and recline. There are 3 different headsupports to choose from. All head supports can be adjusted in height, depth

and angle.

BRAKES Drum brake with handles on the skirt guard and on the

driving handles.

MAIN WHEELS 22" with quick release.

PUSH RIMS Black plastic.

ARMRESTS

HEAD SUPPORT

FRONT CASTORS 6" with quick release.

ANTI TIP Height adjustable and length adjustable.

Can be turned around and used as step climber.

The configuration of the wheelchairs differs from market to market. For other accessory: See pages 22-25.



The side support which is angle adjustable and rotating is mounted on the backrest tube.



The height of the armrest is adjusted by using the handle placed under the armrest.



Skirt guard with upholstery (left).


TECHNICAL SPECIFICATIONS:

CHASSIS	FUNCTIONAL	SEAT DEPTH*	SEAT HEIGHT**		BACK HEIGHT	WEIGHT
SIZE	SEAT WIDTH	Standard	Standard		(From seat plate to	KG
		(Adjustable in depth)	(Without change of	(With change of	top Velcro)	
			parts)	parts; 20"-24")		
25	25	35(32,5-37,5)	42(44,5)	39,5-47	38	23,5
30	30	35(32,5-37,5)	42(44,5)	39,5-47	38	24,3
35	35	35(32,5-37,5)	42(44,5)	39,5-47	38	25,0

- * The seat depth is measured without back cushion from front of the seat plate to the back tube placed in standard position.
- ** The seat height is measured from floor to top front seat plate.



Netti Mini in resting position with tray.



The tray can be delivered with extra upholstery.

ACCESSORIES FOR THE NETTI MINI

Most of the accessories for the Netti Mini are identical to the accessories for the adult wheelchairs. There are however some differences which is the reason why we cover the Mini accessories separately.

THE BACK AND SEATING UNIT

The Netti Mini has a fixed seat plate which gives good stability. The seat depth can be adjusted to 32,5cm, 35 cm, and 37,5cm with the standard components. An adjustment bar at the front can also be used to fit the chair for different leg lengths. The adjustment bars cannot be used together with footboard.

The Netti Mini has a Velcro back and is supplied with a back cushion that is available in different heights. A backrest extender can be supplied for users needing an extra high backrest support.

Adjustment of the seat depth.











(Far right) Backrest extender.

SEAT CUSHION - NETTI SIT

The seat cushion should be selected dependant on the needs of the user and the Netti Sit Mini is a good option. The Sit cushion is made of polyurethane giving good pressure distribution. The outer cover is stretchable, washable and flame retardant.

Ask dealer for sizes.

Netti Sit Mini cushion.



HEAD SUPPORTS

РНОТО:	DESCRIPTION:	ITEM.NR.:
01	Head support Mini with side supports	23973
	Head support small	20574
	Head support large	20573
02	Removable cover for head supports	Ask dealer





02 Removable head cover

PUSH HANDLES

Push handles comes in two sizes. They can easily be adjusted in height and can be rotated inwards and outwards. The Mini chair is narrow and therefore we recommend the use of push handles for the companion to have better grip when pushing the chair.

Driving handles are easily to adjust inwards..

... or outwards.





05 Push bar

03/ 04 Driving handles (Below) come in two lengths; 30 and 50 cm.







ITEM.NR.:

24218

2837

21048

SIDE SUPPORT

PHOTO: PRODUCT:


07

80

Some users need extra support due to distortion and lack of stability in the back and the pelvis. In these cases we offer a lumbar support, wedge cushion or side support.


(Right) Sidesupport assembled on to a wheelchair. 07 Lumbar support

06 Side support









ABDUCTION BLOCK

Side support Mini

Wedge cushion

Lumbar support (25-30 cm)

To reduce the likeliness of rotation in the hip and to prevent the knees being pressed together (because of muscle tone), an abduction block can be mounted to keep the thighs separated.

PHOTO:	PRODUCT:	ITEM.NR.:
09	Abduction block Mini	24297

09 Abduction block mini

(Right) The Abduction block assembled on to a Netti Mini.





ABDUCTION SUPPORT

The adduction support prevents the knees and thighs rotating outwards out of the chair. The knee and thigh support is moveable on the seat plate.

РНОТО:	PRODUCT:	ITEM.NR.:
10	Adduction support	20830

10 Adduction support This support is movable.



PELVIC/ COMFORT PADS

Adding pads to the skirt guards on the armrests can reduce the seat width of Netti Mini. Each pad is 2.5cm thick.

PHOTO:	PRODUCT:	ITEM.NR.:
11	Comfortpads for Netti Mini	24253 (right)
	(thickness 2,5 cm)	24252 (left)

11 Comfortpads for Netti Mini

(Right) Comfortpads assembled on to a wheelchair.





FOOT SUPPORTS

The Netti Mini has three options when it comes to foot supports. In addition to the 90° footboard support, angle adjustable and foot boxes are also available.

РНОТО:	PRODUCT:	ITEM.NR.:
12	Foot support angle adjustable	Ask dealer
	(complete)	
13	Foot case	Ask dealer

12 Foot support angle adjustable





(Right)
13 Foot case

ACCESSORIES FOR THE NETTI MINI

TRAY AND UPHOLSTERY FOR TRAY

The universal tray for Netti Mini fits all widths of the Netti Mini chair. The standard table can also be fitted with upholstery. The upholstery is available in two sizes and gives good support for the arm and elbow against the tray.

A reading tray can be combined with the universal tray to provide a good position for reading in the chair.

РНОТО:	PRODUCT:	ITEM.NR.:	
14	Universal tray Mini	15102	
15	Reading tray Mini	15006	
16	Upholstery small	15042 (right)	
		15043 (left)	
17	Upholstery large	15040 (right)	
		15041 (left)	

14 Universal tray Mini with upholstery



16/17 Tray upholstery come in two sizes

(Right) Universal tray used together with 15 Reading tray Mini



POSITIONING BELTS

The size of the belts are standard, but can also be supplied according to specific lengths. The belts come in various types, standard or padded with plastic lock or car-belt lock.

РНОТО:	PRODUCT:	ITEM.NR.:
18	Hip belt standard with car lock	20844
	Hip belt standard with plastic lock	20858
19	Hip belt padded with car lock	20845
	Hip belt padded with plastic lock	20859
20	H-belt standard with car lock	20877
	H-belt standard with plastic lock	20930
21	H-belt padded with car lock	20881
	H-belt padded with plastic lock	20929

18 Hip Belt with plastic lock or car lock.

19 Hip Belt (Right) padded with plastic lock or car lock. 20 H-Belt with plastic lock or car lock.





ANTI TIP

The anti tippers are adjustable in length and height. It can easily be turned around and functions like a tip bar when passing small steps like pavement etc.

PHOTO:	PRODUCT:	ART.NR.:
22	Anti tip short/short 20"-24" wheel	25416
	Anti tip short/long 26" wheel	25417
23	Anti tip long/long 26" wheel	25418
	Anti tip long/short 20"-22" wheel	25419
	Spring 377 cm for Netti Mini	24243

22/ 23 Anti tip To adjust the height of the anti tip wheel, remove the three screws holding the adjusting tube. All tubes are adjustable in height. The anti tip fits all wheelchair heights and depths









MAIN WHEEL AND FRONT CASTORS

All wheels and front castors on Netti wheelchairs are attached using quick release axles allowing easy attachment and detachment of the wheels and castors.







33 Quick release front castors



Different main wheels.



24 Different sizes of main wheel 20"-26" can be delivered with a companion brake.

20" main wheel with companion brake 22" main wheel with companion brake 24" main wheel with companion brake 26" main wheel with companion brake 26" main wheel with companion brake 26" main wheel with companion brake 25372 26" main wheel with companion brake 25519 25 One hand drive 20" One hand drive 24" 20832 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer Push rim plastic Push rim twisted leather Ask dealer 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 21923 Camber adabter 4° 21924 31 Front fork short Front fork wide Front fork wide Front fork wide long Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 5" Front castors 7" standard Front castors 7" standard Front castors 7" wide Front castors 8" standard Transportwheels 21537 25372 25371 25371 25372 25372 25372 25372 2078 2078 2078 2048 20439 20438 20438 20439 20544 20544 20544 2062 20819 20819 20817 20818 20819 208	РНОТО:	PRODUCT:	ITEM.NR.:
22" main wheel with companion brake 24" main wheel with companion brake 26" main wheel with companion brake 26" main wheel with companion brake 25519 25 One hand drive 20" One hand drive 22" One hand drive 24" 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer Push rim plastic Push rim twisted leather Ask dealer 29 Frame extender 20 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork wide Front fork long Front fork wide long 32 Main wheel adapter Netti Svipp Ask dealer 20824 33 Front castors 3" Front castors 5" Front castors 5" Front castors 7" standard Front castors 7" standard Front castors 7" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard 24362 34 Transportwheels	24	12" main wheel with companion brake	23175
24" main wheel with companion brake 26" main wheel with companion brake 26" main wheel with companion brake 25519 25 One hand drive 20" One hand drive 22" One hand drive 24" 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer 28 Push rim plastic Push rim twisted leather Ask dealer 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 5" Front castors 6" Front castors 7" standard Front castors 7" standard Front castors 8" standard 24362 34 Transportwheels		20" main wheel with companion brake	25370
26" main wheel with companion brake 25519 26 One hand drive 20" 20780 One hand drive 22" 20781 One hand drive 24" 20832 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 20436 27 Spoke protector black Spoke protector transparent Ask dealer 28 Push rim plastic Ask dealer Push rim twisted leather Ask dealer 29 Frame extender 20824 30 Camber adabter 2° 21923 Camber adabter 4° 21924 31 Front fork short 20286 Front fork wide 20429 Front fork wide 20429 Front fork ong 23601 Front fork wide long 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" standard 24362 34 Transportwheels 21534 (right)		22" main wheel with companion brake	25371
One hand drive 20" One hand drive 22" One hand drive 24" 20832 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer 28 Push rim plastic Push rim twisted leather Ask dealer 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork vide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 5" Front castors 6" Front castors 7" standard Front castors 7" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard 24362 34 Transportwheels 20875		24" main wheel with companion brake	25372
One hand drive 22" One hand drive 24" 20832 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer 28 Push rim plastic Push rim twisted leather Ask dealer 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork vide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 6" Front castors 7" standard Front castors 7" wide Front castors 8" standard 20279 Front castors 8" standard Transportwheels 20832 20438 20438 20436 20436 20844 Ask dealer Ask dealer Ask dealer Ask dealer Ask dealer 20824 20824 21923 21923 21923 21924 21924 21924 21924 21924 21924 21924 20429 20544 2061 2075 20875 20817 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 8" standard 24362 34 Transportwheels		26" main wheel with companion brake	25519
One hand drive 24" 26 Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent Ask dealer 28 Push rim plastic Push rim twisted leather 29 Frame extender 20 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork vide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 5" Front castors 6" Front castors 7" standard Front castors 8" standard 20279 Front castors 8" standard 24362 34 Transportwheels	25	One hand drive 20"	20780
Telescopic bar 31 cm (up to width 40 cm) Telescopic bar 36 cm (from width 43 cm) Teles		One hand drive 22"	20781
Telescopic bar 36 cm (from width 43 cm) 27 Spoke protector black Spoke protector transparent 28 Push rim plastic Push rim twisted leather 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 31 Front fork short Front fork wide Front fork wide Front fork long Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 5" Front castors 6" Front castors 7" standard Front castors 7" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard Front castors 8" standard 24362 34 Transportwheels			20832
Spoke protector black Spoke protector transparent Spoke protector transparent Ask dealer Push rim plastic Push rim twisted leather Spoke extender Spoke protector transparent Ask dealer Ask dealer Ask dealer Ask dealer 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 31 Front fork short 20286 Front fork wide 20429 Front fork wide Front fork long Front fork long Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 5" Front castors 6" Front castors 7" standard Front castors 7" standard Front castors 8" standard 20279 Front castors 8" standard 24362 34 Transportwheels	26		20438
Spoke protector transparent 28 Push rim plastic Push rim twisted leather 29 Frame extender 20824 30 Camber adabter 2° Camber adabter 4° 21924 31 Front fork short Front fork wide Front fork wide Front fork long Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" Front castors 4" Front castors 5" Front castors 6" Front castors 7" standard Front castors 7" wide Front castors 8" standard 24362 34 Transportwheels 20824 20824 21923 21924 21924 21924 20286 20429 20429 20544 20544 20544 20544 20617 20875 20817 20819 20876 20817 20817 20817		Telescopic bar 36 cm (from width 43 cm)	20436
Push rim plastic Push rim twisted leather Push rim twisted leather 29 Frame extender 20824 30 Camber adabter 2° 21923 Camber adabter 4° 20286 Front fork short Front fork wide Front fork wide Front fork long Front fork wide long 32 Main wheel adapter Netti Svipp 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard Front castors 7" wide Front castors 8" standard 24362 34 Transportwheels	27	Spoke protector black	Ask dealer
Push rim twisted leather 29 Frame extender 20824 30 Camber adabter 2° 21923 Camber adabter 4° 21924 31 Front fork short 20286 Front fork wide 20429 Front fork long 23601 Front fork wide long 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)		Spoke protector transparent	Ask dealer
29 Frame extender 20824 30 Camber adabter 2° 21923 Camber adabter 4° 21924 31 Front fork short 20286 Front fork wide 20429 Front fork standard 20544 Front fork long 23601 Front fork wide long 24958 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 8" standard 24362 34 Transportwheels 21534 (right)	28	·	Ask dealer
30 Camber adabter 2° 21923 Camber adabter 4° 21924 31 Front fork short 20286 Front fork wide 20429 Front fork standard 20544 Front fork long 23601 Front fork wide long 24958 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 8" standard 24362 34 Transportwheels 21534 (right)		- usii iiii ciriscca icaciici	Ask dealer
Camber adabter 4° 21924 31 Front fork short 20286 Front fork wide 20429 Front fork standard 20544 Front fork long 23601 Front fork wide long 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right) Transportwheels 21534 (right) Transportwheels 20286 20286	29	Frame extender	20824
31 Front fork short 20286 Front fork wide 20429 Front fork standard 20544 Front fork long 23601 Front fork wide long 24958 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 8" standard 24362 34 Transportwheels 21534 (right)	30	Camber adabter 2°	21923
Front fork wide 20429 Front fork standard 20544 Front fork long 23601 Front fork wide long 24958 32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)		Camber adabter 4°	21924
Front fork standard 20544 23601	31	Front fork short	20286
Front fork long 23601		Front fork wide	20429
Front fork wide long		Front fork standard	20544
32 Main wheel adapter Netti Svipp 24958 33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)		Front fork long	23601
33 Front castors 3" 20875 Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)			
Front castors 4" 20819 Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)	32		24958
Front castors 5" 20814 Front castors 6" 20817 Front castors 7" standard 20976 Front castors 7" wide 20279 Front castors 8" standard 24362 34 Transportwheels 21534 (right)	33	Tronc custors o	20875
Front castors 6" 20817 20817			200.0
Front castors 7" standard 20976			20814
Front castors 7" wide 20279			20817
Front castors 8" standard 24362 34 Transportwheels 21534 (right			20070
34 Transportwheels 21534 (right			
21535 (left)	34	Transportwheels	21534 (right)
			21535 (left)
34 Distance block - front castors 20664	34	Distance block - front castors	20664

27 Spoke protectors Come in black and transparent.



28 Push rims Plastic or twisted leather.



29 Frame extender makes it possible to mount the main wheels further back.

