

## Oxford® Up

Safe and efficient standing,  
transfers and rehabilitation



# Oxford® Up

## Simple and safe

The Oxford Up is a uniquely designed manual stand-aid and transfer device, suitable for those who require assistance when standing but are able to contribute effort to the process. By encouraging user participation, the Up can play a supportive role in patient rehabilitation, function, and independence.

### Key Features

- Safe Working Load 200kg / 31st / 440lbs
- Disassembles for easy storage and transportation
- Adjustable legs for access around furniture
- Contoured swing-away seat pads
- Ergonomic design considerations
- Compatible sling offer for additional support

- A** Multi-point Caregiver Push Handle
- B** Patient Hand-hold Bar
- C** Attachment Point for Compatible Clip Slings
- D** Contoured Swing-away Seat Pads
- E** Soft Moulded Knee Pad
- F** Leg Adjustment Foot Pedal
- G** Braked Rear Castors (100mm)
- H** Base / Footplate with Non-slip Overlay
- I** Swivel Front Castors (75mm)



### Disassembles for storage and transportation

The Up can be quickly and easily disassembled into three components to ease storage and transportation requirements. Its compact footprint when disassembled enables it to fit comfortably into the boot of most family saloons.

Reassembly is straightforward and can be completed in under one minute, without the need for tools.





## Adjustable Leg Opening

The legs can be opened and closed to help navigate around bulky furniture such as commode frames and armchairs. This enables closer and safer access for the patient and better ensures good posture and positioning during use.

## Contoured swing-away seat pads

Padded and shaped for comfort, each seat pad rotates outwards to allow unobstructed access for the patient when standing.



## Ergonomic design considerations

The Up has been designed with the five key principles of moving and handling in mind. This direct correlation ensures Oxford products are intuitive, safe and comfortable to use.

- 1 Get close to the load
- 2 Use a wide stable base
- 3 Ensure a comfortable firm grasp
- 4 Keep spine close to neutral
- 5 Make sure movement is smooth



Soft moulded knee pad for comfort



Foot push pad helps initiate forward momentum when loaded



Contoured, multi-point push handle and patient hand-hold bar



## Oxford Deluxe Standing Sling with Clips

Can be used to provide additional seated support and reassurance during transfer.



### Technical Specifications


Safe Working Load	200 kg (31 st)
Overall Height (A)	1,100mm
Overall Length (B)	950mm
Overall Width (C)	630mm
Legs Open - External Width (D)	845mm
Legs Open - Internal Width	725mm
Legs Closed - External Width (E)	600mm
Legs Closed - Internal Width	480mm
Leg Height	110mm
Knee Pad Height (Footplate to top of pad)	483mm
Foot Plate Height	52mm
Ground Clearance	26mm
Turning Radius	1,040mm
Front Castors	75mm
Rear Castors (Braked)	100mm
Intended Operating Environment	+5°C to 40°C

### Weight

Base	19.5kg
Seat Support Tubes	9.5kg
Mast	4kg
Total	33kg



### Product Dimensions



### Testing Standards

The Oxford® Up complies with the applicable elements of the following standards:

- ISO 10535
- BS EN 12182

### Warranty

Please contact your authorised service provider for details.